AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this</u> request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not</u> <u>complete, correct, or legible, the authorization process can be delayed.</u>

Drug Requested: Olumiant[®] (baricitinib)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member AvMed #:	Date of Birth:
Prescriber Name:	
	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authoriz	zation may be delayed if incomplete.
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight	Date

<u>NOTE</u>: The Health Plan considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has <u>NOT</u> been established and will <u>NOT</u> be permitted.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Moderate-to-Severe Active Rheumatoid Arthritis

Recommended Dose: 2 mg by mouth once daily

- □ Member has a diagnosis of moderate- to-severe active **rheumatoid arthritis**
- **D** Prescribed by a **Rheumatologist**

- □ Member has tried and failed at least <u>ONE</u> of the following DMARD therapies for at least <u>three (3)</u> <u>months</u>
 - □ hydroxychloroquine
 - □ leflunomide
 - □ methotrexate
 - □ sulfasalazine
- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>**TWO**</u> of the <u>**PREFERRED**</u> biologics below (verified by chart notes or pharmacy paid claims):

C	Actemra [®] SC	adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]	Enbrel®	
	□ Rinvoq [®]	Xeljanz [®] /XR		

Member has been established on Olumiant[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Olumiant was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Alopecia Areata

Recommended Dose: 2 mg by mouth once daily; if response is inadequate may increase to 4 mg once daily. In patients receiving 4 mg once daily (as initial therapy or after a dose increase), reduce dose to 2 mg once daily once an adequate response is achieved.

- □ Member is 18 years of age or older
- **D** Prescribed by or in consultation with a **Dermatologist**
- □ Member has a diagnosis of **alopecia areata**
- □ Member has \geq 50% of scalp hair loss measured by the Severity of Alopecia Tool (SALT) for more than 6 months (chart notes with documentation of SALT score must be submitted)
- □ Member does <u>NOT</u> have hair loss due to other forms of alopecia (i.e., androgenetic alopecia, chemotherapy induced, trichotillomania, telogen effluviums, and systemic lupus erythematosus)
- Member has experienced treatment failure, has a contraindication or intolerance to <u>ONE</u> of the following therapies used for at least <u>three (3) months</u> (chart notes documenting treatment failure must be submitted):
 - □ Oral corticosteroids (e.g., prednisone)
 - □ Oral immunosuppressants (e.g., azathioprine, cyclosporine, methotrexate)
 - □ Intralesional corticosteroids (e.g., triamcinolone acetonide 5-10 mg/mL)
 - □ Topical immunotherapy treatment (e.g., Squaric Acid Dibutyl Ester SADBE; Diphenylcyclopropenone DPCP)
- □ Member is <u>NOT</u> receiving Olumiant[®] in combination with other JAK inhibitors, biologic immunomodulators, or with other potent immunosuppressants

Medication being provided by Specialty Pharmacy – Proprium Rx

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*