

AvMed

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-877-535-1391. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization can be delayed.

For Medicare Members: Medicare Coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Somatostatin Analog Drugs (MEDICAL)

Drug Requested: Check box below that applies.

<input type="checkbox"/> lanreotide acetate extended release SQ injection 120 mg/0.5 mL (J1932)	<input type="checkbox"/> octreotide injection (generic Sandostatin [®]) (J2354)
<input type="checkbox"/> Sandostatin [®] (octreotide) injection (J2353)	<input type="checkbox"/> Signifor LAR [®] (pasireotide) SQ injection (J2502)
<input type="checkbox"/> Somatuline [®] Depot (lanreotide) injection 60 mg, 90 mg, 120 mg (J1930)	

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

(Continued on next page)

- Standard Review. In checking this box, the timeframe does not jeopardize the life or health of the member or the member's ability to regain maximum function and would not subject the member to severe pain.

****Somatostatin analogs used for cancer treatment is outlined in NCCN guidelines for Neuroendocrine Tumors****

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Diagnosis: Acromegaly (octreotide, Sandostatin, Signifor LAR, Somatuline)**

Initial Authorization: 12 months

- Member is 18 years of age or older

AND

- Provider is an endocrinologist or neurosurgeon

AND

- Member has undergone pituitary surgery and/or irradiation is contraindicated (**chart notes must be submitted to document diagnosis and surgical history or contraindication to surgery**)

AND

- Diagnosis has been confirmed by elevated IGF levels as well as inadequate suppression of growth hormone (GH) levels (**labs must be submitted for documentation**)

AND

- For Signifor LAR and Somatuline Depot, all strengths:** Medication will not be used in combination with other short-acting somatostatin analogs

- Diagnosis: Acromegaly (octreotide, Sandostatin, Signifor LAR, Somatuline)**

Reauthorization: 12 months

- No toxicity has been observed while taking the requested medication

AND

- Response is demonstrated by **BOTH** of the following (**Chart notes must be submitted for documentation**):

- Reduction of GH levels from pre-treatment baseline
- Normalization of IGF level

(Continued on next page)

AND

- ❑ **For Signifor LAR and Somatuline Depot, all strengths:** Member has not had to use short-acting somatostatin therapy during treatment

❑ **Diagnosis: Carcinoid Syndrome (octreotide, Sandostatin, Somatuline)**

Authorization Criteria: 6 months

- ❑ Member has **ONE** of the following (**Chart notes must be submitted for documentation**):
 - ❑ Severe diarrhea/flushing episodes (carcinoid syndrome) related to hormone hypersecretion in neuroendocrine tumors
 - ❑ Prophylactic administration prior to induction of anesthesia in an individual with a functional carcinoid tumor
 - ❑ Prophylactic administration perioperatively to a surgical procedure in an individual with a functional carcinoid tumor

❑ **Diagnosis: Diarrhea associated with Vasoactive Intestinal Peptide tumors (VIPomas) (octreotide, Sandostatin, Signifor LAR)**

Authorization Criteria: 6 months

- ❑ Member has profuse watery diarrhea associated with VIPomas (**Chart notes must be submitted for documentation**)

❑ **Diagnosis: Cushing's Disease (Signifor LAR)**

Initial Authorization: 3 months

- ❑ Member is 18 years of age or older

AND

- ❑ Provider is an endocrinologist or neurosurgeon

AND

- ❑ Member has a diagnosis of Cushing's disease and pituitary surgery is not an option or has not been curative (**chart notes must be submitted to document diagnosis and surgical history or contraindication to surgery**)

AND

- ❑ Member's baseline 24-hour urinary free cortisol level is greater than 1.5 times the upper limit of normal (**labs must be submitted for documentation**)

(Continued on next page)

AND

- ❑ Current baseline labs documenting **ALL** of the following must be attached: liver function tests, fasting plasma glucose, hemoglobin A1c, thyroid function, baseline ECG, and gallbladder ultrasound

❑ Diagnosis: Cushing’s Disease (Signifor LAR)

Reauthorization: 12 months

- ❑ Member’s current 24-hour urinary free cortisol level is below the upper limit of normal mean (**labs must be submitted for documentation**)

AND

- ❑ Current labs documenting member’s liver function, fasting plasma glucose and hemoglobin A1c must be submitted with request

AND

- ❑ Improvements in blood pressure, triglycerides, low-density lipoprotein cholesterol, weight and health related quality of life have been maintained while on Signifor therapy (**Chart notes must be submitted for documentation**)

❑ Diagnosis: Gastroenteropancreatic neuroendocrine tumors (GEP-NETs) (Somatuline)

Initial Authorization: 12 months

- ❑ Diagnosis must be confirmed through chart notes and medical claims

❑ Diagnosis: Gastroenteropancreatic neuroendocrine tumors (GEP-NETs) (Somatuline)

Reauthorization: 12 months

- ❑ No toxicity has been observed while taking Somatuline

❑ Diagnosis: Other

Please submit documentation showing medical necessity

(Continued on next page)

Medication being provided by (check box below that applies):

- Location/site of drug administration:** _____
NPI or DEA # of administering location: _____

OR

- Specialty Pharmacy – Proprium Rx**

For urgent reviews: Practitioner should call AvMed Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. AvMed’s definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member’s ability to regain maximum function.

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****