



**INDIVIDUAL AND FAMILY PLANS  
5-TIER PRESCRIPTION DRUG  
FORMULARY  
(NON-STANDARD PLAN)**

**(Effective April – June 2025)**

**PLEASE READ: This document contains information  
about some of the drugs we cover in this plan.**

Members must use in-network pharmacies to fill their prescription drugs. Your  
benefits, drug list, pharmacy network, premium and/or

## INTRODUCTION

This formulary was developed to serve as a guide for prescribers, pharmacists, health care professionals and members in the selection of cost-effective medication therapy. AvMed recognizes that medication therapy is an integral part of effective health management. Due to the vast availability of medication options, a reasonable program for medication selection and use is warranted.

The drugs represented have been reviewed by a National Pharmacy and Therapeutics (P&T) Committee and are approved for inclusion. This formulary is reflective of current medical practice as of the date of review.

The information contained in this formulary and its appendices is provided solely for the convenience of medical providers. We do not warrant or assure the accuracy of such information nor is it intended to be comprehensive in nature. This formulary is not intended to be a substitute for the knowledge, expertise, skill, and judgment of the medical provider in his or her choice of prescription drugs. All the information in this formulary is provided as a reference for drug therapy selection. Specific drug selection for an individual patient rests solely with the prescriber. The document is subject to state-specific regulations and rules, including, but not limited to, those regarding generic substitution, controlled substance schedules, preference for brands and mandatory generics whenever applicable.

We assume no responsibility for the actions or omissions of any medical provider based upon reliance, in whole or in part, on the information contained herein. The medical provider should consult the drug manufacturer's product literature or standard references for more detailed information.

National guidelines can be found on the National Guideline Clearinghouse site at [www.ahrq.gov/gam/index.html](http://www.ahrq.gov/gam/index.html) on the websites listed under each therapeutic class and on the sites listed in the WEBSITES section of this publication.

This formulary is a fluid document, which is continually reviewed and modified. This dynamic process does not allow this document to be completely accurate at all times. To accommodate regular changes, an updated electronic version of this formulary is available online at [www.avmed.org/prescriptions](http://www.avmed.org/prescriptions). AvMed welcomes your input and feedback on the information provided in this document.

## PHARMACY AND THERAPEUTICS (P&T) COMMITTEE

The services of an independent National Pharmacy and Therapeutics Committee ("P&T Committee") are utilized to approve safe and clinically effective drug therapies. The P&T Committee is an external advisory body of clinical professionals from across the United States. The P&T Committee's voting members include physicians, pharmacists, a pharmacoeconomist and a medical ethicist, all of whom have a broad background of clinical and academic expertise regarding prescription drugs. Employees with significant clinical expertise are invited to meet with the P&T Committee, but no employee may vote on issues before the P&T Committee. Voting members of the P&T Committee must disclose any financial relationship or conflicts of interest with any pharmaceutical manufacturers.

### DEFINITIONS

**Brand Medication** - A prescription medication that is usually manufactured and sold under a name or trademark by a pharmaceutical manufacturer, or a medication that is identified as a Brand medication by AvMed's Pharmacy Benefits Manager (PBM).

**Brand Additional Charge** - The additional charge that must be paid if you or your prescriber choose a brand medication when a generic equivalent is available. The charge is the difference between the cost of the brand medication and the generic medication. This charge must be paid in addition to the applicable copayment.

**Cost-sharing Medications** - Medications, as designated by AvMed, designed to improve the quality of life by treating relatively minor, non-life-threatening conditions. Such medications are subject to coinsurance and coverage is limited

**Generic Medication** - A prescription medication that has the same active ingredient as a brand medication or is identified as a generic medication by AvMed's Pharmacy Benefits Manager. Generic products approved by the United States Food and Drug Administration (FDA) are just as effective and safe as the brand-name products. Generic medications contain identical active ingredients, have the same indication for use, meet the same manufacturing standards, and are identical in strength and dosage form as brand-name medications.

**Maintenance Medication** - A medication that has been approved by the FDA, for which the duration of therapy can reasonably be expected to exceed one year.

**Participating Pharmacy** - A pharmacy (retail, mail service, or specialty pharmacy) that has entered into an agreement with AvMed to provide prescription drugs to AvMed members and has been designated by AvMed as a participating pharmacy

**Preferred Medication List** - The listing of preferred medications based on clinical efficacy, relative safety, and cost in comparison to similar medications within a therapeutic class. This multi-tiered list establishes different levels of copay for medications within therapeutic classes. As new medications become available, they may be considered excluded until they have been reviewed by the P&T Committee.

**Prescription Medication** - A medication that has been approved by the FDA and that can only be dispensed pursuant to a prescription according to state and federal law.

**Prior Authorization** - The process of obtaining approval for certain prescription drugs (prior to dispensing) according to AvMed's guidelines. The ordering prescriber must obtain approval from AvMed. The list of prescription drugs requiring prior authorization is subject to periodic review and modification by AvMed. To initiate a prior authorization, please visit our website at [www.avmed.org/prescriptions/](http://www.avmed.org/prescriptions/) to obtain the appropriate drug authorization request form.

**Self-Administered Injectable Medication** - A medication that has been approved by the FDA for self-injection and is administered by subcutaneous injection. Prior authorization is required for most self-administered injectable medications, except insulin.

**Specialty Medication** - A self-injectable or high-cost oral medication approved by the FDA. These medications must be prescribed by a physician and dispensed by either a retail or participating specialty pharmacy, depending on the medication. The co-payment levels for Specialty Medications apply regardless of provider. This means that you may be responsible for the appropriate co-payment whether you receive your Specialty Medication from the pharmacy, at the physician's office or during home health visits. Specialty Medications are limited to a 30-day supply.

**Quantity Limit** - Medications included in this program allow a maximum quantity per prescription and/or time period for one copay or coinsurance. Quantity limits are developed based upon FDA approved medication labeling and nationally recognized therapeutic clinical guidelines. If your prescription exceeds the quantity limit, prior authorization will be required.

## **BENEFIT COVERAGE AND LIMITATIONS**

This medication formulary is for reference purposes only and does not guarantee nor define benefit coverage and limitations. Many members have specific benefits, which are not reflected in this formulary. You may contact AvMed's Member Engagement Department regarding any coverage questions by calling the number listed on the back of your card. Please note that the formulary process is dynamic and generally changes throughout the year. These changes typically occur due to, but not limited to, the following reasons: approval of new medications, availability of newly approved generics, changes in clinical data, and medication safety concerns. AvMed is not held responsible for payment if either a medication was omitted or included in error, or that a medication was placed at an incorrect tier on this formulary. The following topics may or may not be applicable to individual members depending on member-specific benefit parameters.

### **Coverage**

Your prescription medication coverage includes medications that require a prescription, are filled by a participating AvMed pharmacy, and are prescribed by your provider in accordance with AvMed's coverage criteria. AvMed reserves the right to make changes in coverage criteria for covered products and services. Coverage criteria are medical and pharmaceutical protocols used to determine payment of products and services and are based on independent clinical practice guidelines and standards of care established by government agencies and medical/pharmaceutical societies.

Your retail prescription medication coverage includes up to a 30-day supply of a

medication for the listed copay. In most cases, your prescription may be refilled after 75% of your previous fill has been used and is subject to a maximum of 13 refills per year. Many plans may provide the option to obtain a 90-day supply of a medication at a retail or mail pharmacy for a reduced amount. Please refer to your specific pharmacy benefits.

Your mail-service prescription medication coverage includes up to a 90-day supply of most medications for the listed copay per your prescription benefits. If the amount of medication is less than a 90-day supply, such as a 75-day supply, you will still be charged the listed mail-service copay per your prescription benefits.

Your specialty medication coverage extends to many self-injectable and high-cost oral medications approved by the FDA. These medications must be ordered by a prescriber and dispensed by a retail or specialty pharmacy, depending on the type of medication. The copayment levels for specialty medications apply regardless of provider. This means that you may be responsible for the appropriate copayment whether you receive your Specialty Medication from the pharmacy, at the physician's office or during home health visits. Specialty Medications are limited to a 30-day supply.

Quantity limits are set in accordance with FDA approved prescribing limitations, general practice guidelines supported by medical specialty organizations, and/or evidence-based, statistically valid, clinical studies. This means that a medication-specific quantity limit may apply for medications that have an increased potential for over-utilization or an increased potential for a member to experience an adverse event at higher doses.

### **What if my drug is not listed in the formulary?**

If you are unsure if a drug is covered by your plan, please call Member Engagement for assistance. If you learn your plan does not cover your drug, here are some steps you may take:

- Visit [www.avmed.org/prescriptions](http://www.avmed.org/prescriptions) to find your plans prescription drug list and review it with your doctor to determine if any of the covered drugs are viable alternatives.
- If the formulary alternatives are not appropriate to treat your condition, you may request an exception for coverage of the non-formulary drug. Please note that although an exception can be granted to cover the non-formulary drug it will be considered a non-preferred drug and may be more expensive than the covered alternatives.

### **How do I ask for an exception to AvMed's drug list?**

You may request an exception to your prescription drug coverage for drugs that are not included on your plans prescription drug list. To make a request for an exception to your prescription drug coverage, you or your doctor must submit a completed Pharmacy Drug Authorization Request form available at [www.avmed.org/prescriptions](http://www.avmed.org/prescriptions) or you may call the number on the back of your card to initiate this request.

### **How likely is it that an exception request is approved?**

AvMed may approve your request for an exception to your prescription drug coverage if the preferred formulary drugs included on your plans prescription drug list would not be as effective in treating your condition or cause you to experience adverse medical effects

### **How do I find out if my exception request is approved?**

AvMed will process your request and provide a decision within 72 hours of receipt of the information necessary to make a decision. You can ask for an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to three business days for a decision. If your expedited request is granted, we will provide a decision within 24 hours of receipt of the information necessary to make a decision. You and your doctor will be notified in writing of the decision. You may also contact Member Engagement to inquire about the status of your exception request.

### **Prior Authorization Process**

The prior authorization process requires the practitioner to provide information to support the clinical criteria that must be met for approval. The completed drug authorization request form and supporting clinical documentation must be submitted to AvMed by fax to 1-305-671-0200. The pharmacy drug authorization request forms are available at [www.avmed.org/prescriptions](http://www.avmed.org/prescriptions) or [www.avmed.org/forms/provider](http://www.avmed.org/forms/provider).

### **Member Initiated Prior Authorization Process**

Members may request a prior authorization by directly contacting the AvMed Member Engagement Department at the number on their membership card. The member should have the prescriber information (phone number) and any pertinent information related to the request to provide to the Member Engagement Department. Members may also initiate the prior authorization process by logging into [www.avmed.org](http://www.avmed.org) and then clicking the link "Prescriptions".

### **Quantity Limit Exception**

Certain medications allow for a maximum quantity per prescription and/or time period for one copay or coinsurance. Medications with applicable quantity limits are noted on the formulary. Quantity limits are developed based upon FDA-approved medication labeling and nationally recognized therapeutic clinical guidelines. If a prescription exceeds the quantity limit, the prescriber should provide a statement of medical necessity and request a prior authorization for the quantity limit exception as described above.

### **Non-formulary Medication Requests**

A request for a non-formulary medication requires documentation from the member's medical records and/or prescription claims history verifying the following: statement of medical necessity; contraindications to ALL other formulary alternatives; or therapeutic failure of adequate trials of one to three months of each and ALL other formulary alternatives. Non-formulary requests may be requested by the prescriber through the prior authorization process as described above.

### **Tier Description**

Each copay tier is assigned an established co-payment, which is the amount you pay when you fill a prescription. Consult your benefit documents to determine your specific co-payments, coinsurance, and/or deductibles that are part of your plan. You and your doctor decide which medication is most appropriate for you.

| Tier     | Definition   |
|----------|--|
| <b>1</b> | <b>Preferred Generic</b> - These are preferred generic medications and are in the low range for out-of-pocket expense. You should always consider Tier 1 medications if you and your doctor decide they are appropriate to treat your condition.   |
| <b>2</b> | <b>Generics</b> - These are generic medications or higher cost generic medications and are in the low to midrange for out-of-pocket expense. Sometimes there are alternatives available in Tier 1 that may be appropriate to treat your condition. If you are currently taking a Tier 2 medication, ask your doctor whether there are lower copayment alternatives that may be right for your treatment. |
| <b>3</b> | <b>Preferred Brands</b> - These are preferred brand medications and are in the mid to higher range for out-of-pocket expense. Sometimes there are alternatives available in Tier 1 or Tier 2 that may be appropriate to treat your condition. If you are currently taking a Tier 3 medication, ask your doctor whether there are lower copayment alternatives that may be right for your treatment.      |
| <b>4</b> | <b>Non-Preferred Brands</b> - These are non-preferred brand medications and are in the higher range for out-of-pocket expense.   |
| <b>5</b> | <b>Specialty Drugs</b> - These are brand or generic-name specialty medications or high-cost medications and are typically the highest out-of-pocket expense. Distribution of specialty medications is limited to our specialty pharmacy.   |
| <b>9</b> | <b>Zero Cost Share Preventative Drugs</b> - These are drugs covered under the Patient Protection and Affordable Care Act (PPACA) at no cost-share (\$0), to you.   |

\*Please note that **Brand** products are listed in CAPITALS and **Generic** products are listed in *lowercase italics*.

### **What's Not Covered: Common Exclusions**

Certain items may be excluded from your pharmacy benefit coverage. Prior authorization is generally not available for medications specifically excluded by benefit design. Commonly excluded products may include, but are not limited to:

- Over-the-counter (OTC) medications or their equivalents unless otherwise specified in the medication formulary listing.
- Experimental medication products or any medication product used in an experimental manner.
- Foreign medications or medications not approved by the United States Food and Drug Administration (FDA).
- Replacement prescription drug products resulting from a lost, stolen, expired, broken, or destroyed prescription order or refill, unless otherwise specified in the member's specific benefit plan.
- Fertility drugs, unless otherwise specified in the member's specific benefit plan.

- Medications or devices for the diagnosis or treatment of sexual dysfunction, unless otherwise specified in the member's specific benefit plan.
- Dental-specific medications, including fluoride medications for adults.
- Prescription and non-prescription vitamins and minerals, except prenatal vitamins.
- Nutritional supplements and Medical Foods.
- Cosmetic products, including, but not limited to, hair growth, skin bleaching, sun damage and anti-wrinkle medications.
- Prescription and non-prescription appetite suppressants and products for the purpose of weight loss, unless otherwise specified in the member's specific benefit plan.
- Compounded prescriptions, except pediatric preparations.
- Pharmaceuticals that would be covered under the medical benefit. These may include, but are not limited to, immunizations, allergy serums, medical supplies (including therapeutic devices, dressings, appliances, and support garments), medications administered by the attending physician to treat an acute phase of an illness, and chemotherapy for cancer patients. Such benefits are covered in accordance with the Group Medical and Hospital Service Contract and may be subject to copay or coinsurance and prior authorization requirements, as outlined on the Schedule of Benefits.

### **Mandated Generic Substitution**

AvMed advocates the use of cost-effective generic medications where FDA-labeled brand-equivalent medications are available. A generic medication is approved by the FDA once the manufacturer has proven that it has the same active ingredient(s) as the brand-name medication. Generally, generic medications cost less than brand-name medications. If a member or a prescriber requests a brand-name product in lieu of an approved generic, the member, based upon his/her coverage, will typically be required to pay the Non-Preferred Brand Copay plus the Brand Additional Charge.

### **Health Care Reform – Preventive Medications**

The Patient Protection and Affordable Care Act of 2010 allows members to receive some preventative, evidence-based items, and services at no cost to the member with certain stipulations. Examples of categories of medications that may be subject to limited, or \$0 cost share include aspirin, breast cancer preventative, fluoride supplements, folic acid supplements, iron supplements, tobacco cessation products, immunizations, bowel preparation for colonoscopy, and some contraceptive medications and devices.

Some of the limitations for receiving these medications at no cost to the member require that: (1) the medication is covered as part of the prescription benefits, (2) a prescription is required, and (3) this coverage will only apply in a retail pharmacy. As new guidance continues to be released for coverage of preventive medications, the list and/or restrictions will be updated accordingly.

### **HOW CAN I SAVE MONEY ON PRESCRIPTIONS?**



Always ask your doctor to consider choosing an appropriate medication from the formulary that is on the lower tier selections, such as Tier 1 or Tier 2. Medications within these tiers have the lowest out-of-pocket cost for you. If you are currently taking a Tier 3 or 4 medication, you should consult with your physician to see if there are other medication alternatives that are on a lower tier.

### **MEDICATIONS PRE-PACKAGED AS A 90-DAY SUPPLY**

Our pharmacy benefit covers some medications that are pre-packaged, dispensed and sold as a 90-day supply. Members who are prescribed these medications will be charged the applicable tier co-payment for a 90-day supply whether the prescription is filled at retail or through the mail-service option. Examples of medications packaged as 90-day supplies include: Estrin, Femring, and Seasonique. Please consult our website for an up-to-date list of medications or call Member Engagement at the number on the back of your card for more information on coverage.

### **CONTACT INFORMATION**

This formulary is designed to assist prescribers, members, and other health care professionals in the selection of cost-effective medications. AvMed encourages your input and feedback on how we can assist in improving this document and the formulary management process. You may contact AvMed's Member Engagement Department by calling the number listed on the back of your card. For additional information, please visit our website at:

[www.avmed.org/prescriptions](http://www.avmed.org/prescriptions).

### **NOTICE**

The information contained in this document is proprietary. The information may not be copied in whole or in part without written permission. ©2024. All rights reserved. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers.

AvMed and Express Scripts do not operate the websites/organizations listed here, nor are they responsible for the availability or reliability of the websites' content. These listings do not imply or constitute an endorsement, sponsorship, or recommendation by AvMed or Express Script.

When viewing this formulary via the Internet, please be advised that this formulary is updated periodically, and changes may appear prior to their effective date to allow for client notification.

**This Guidebook includes information accurate at the time it was collected from Express Scripts' systems and may not reflect actual benefit setup details at later times.**

## **Table of Contents**

|   |    |
|---|----|
| <b>ANTI - INFECTIVES</b> .....                                | 3  |
| <b>ANTINEOPLASTIC &amp; IMMUNOSUPPRESSANT DRUGS</b> .....     | 10 |
| <b>AUTONOMIC &amp; CNS DRUGS, NEUROLOGY &amp; PSYCH</b> ..... | 19 |
| <b>AUTONOMIC &amp; CNS DRUGS, NEUROLOGY</b> .....             | 37 |
| <b>CARDIOVASCULAR, HYPERTENSION &amp; LIPIDS</b> .....        | 38 |
| <b>DERMATOLOGICALS/TOPICAL THERAPY</b> .....                  | 45 |
| <b>DIAGNOSTICS &amp; MISCELLANEOUS AGENTS</b> .....           | 51 |
| <b>EAR, NOSE &amp; THROAT MEDICATIONS</b> .....               | 53 |
| <b>ENDOCRINE/DIABETES</b> .....                               | 54 |
| <b>GASTROENTEROLOGY</b> .....                                 | 61 |
| <b>IMMUNOLOGY, VACCINES &amp; BIOTECHNOLOGY</b> .....         | 66 |
| <b>IMMUNOLOGY</b> .....                                       | 71 |
| <b>MUSCULOSKELETAL &amp; RHEUMATOLOGY</b> .....               | 71 |
| <b>OBSTETRICS &amp; GYNECOLOGY</b> .....                      | 73 |
| <b>OPHTHALMOLOGY</b> .....                                    | 80 |
| <b>RESPIRATORY, ALLERGY, COUGH &amp; COLD</b> .....           | 83 |
| <b>UROLOGICALS</b> .....                                      | 88 |
| <b>VITAMIN, HEMATINIC &amp; ELECTROLYTES</b> .....            | 89 |
| <b>VITAMINS, HEMATINICS &amp; ELECTROLYTES</b> .....          | 89 |
| <b>Index</b> .....  | 93 |

## **List of Abbreviations**

**1:** Preferred Generic

**2:** Generic

**3:** Preferred Brand

**4:** Non-Preferred Brand

**5:** Specialty Drugs

**9:** Zero Cost Share Preventive Drugs

**ACA:** Affordable Care Act (ACA) preventive prescription drugs and over the counter items identified as an A or B recommendation by the United States Preventive Services Task Force. Please use this link for a list of Covered preventive care services: [healthcare.gov/what-are-my-preventive-care-benefits](https://www.healthcare.gov/what-are-my-preventive-care-benefits)

**CGM:** Continuous Glucose Monitor

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

**OTC:** Over the Counter. An OTC drug is a non-prescription drug.

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

**SP:** Specialty Drug

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

| Drug Name  | Drug Tier | Requirements / Limits    |
|--|-----------|--------------------------|
| <b>ANTI - INFECTIVES</b>                                       |           |                          |
| <b>ANTIFUNGAL AGENTS</b>                                       |           |                          |
| BREXAFEMME   | 4         | PA                       |
| <i>clotrimazole mucous membrane</i>                            | 2         | QL (5 per 1 day)         |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i> | 2         | QL (40 per 1 day)        |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> | 2         | QL (10 per 1 day)        |
| <i>fluconazole oral tablet 100 mg, 200 mg</i>                  | 2         | QL (4 per 1 day)         |
| <i>fluconazole oral tablet 150 mg</i>                          | 2         | QL (4 per 30 days)       |
| <i>fluconazole oral tablet 50 mg</i>                           | 2         | QL (8 per 1 day)         |
| <i>flucytosine</i>   | 3         | PA                       |
| <i>griseofulvin microsize oral suspension</i>                  | 2         | QL (40 per 1 day)        |
| <i>griseofulvin microsize oral tablet</i>                      | 2         | QL (2 per 1 day)         |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>  | 2         | QL (3 per 1 day)         |
| <i>itraconazole oral capsule</i>                               | 3         | QL (4 per 1 day)         |
| <i>ketoconazole oral</i>                                       | 2         | QL (2 per 1 day)         |
| NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON                    | 4         | PA; QL (1 per 1 day)     |
| <i>nystatin oral suspension</i>                                | 2         | QL (24 per 1 day)        |
| <i>nystatin oral tablet</i>                                    | 2         | QL (6 per 1 day)         |
| <i>posaconazole oral suspension</i>                            | 3         | PA; QL (20 per 1 day)    |
| <i>posaconazole oral tablet, delayed release (dr/ec)</i>       | 3         | PA; QL (8 per 1 day)     |
| <i>terbinafine hcl oral</i>                                    | 2         | QL (1 per 1 day)         |
| VIVJOA   | 4         | PA; QL (18 per 84 days)  |
| <i>voriconazole oral tablet 200 mg</i>                         | 3         | QL (2 per 1 day)         |
| <i>voriconazole oral tablet 50 mg</i>                          | 3         | QL (4 per 1 day)         |
| <b>ANTIVIRALS</b>  |           |                          |
| <i>abacavir</i>  | 2         | SP                       |
| <i>abacavir-lamivudine</i>                                     | 3         | SP                       |
| <i>acyclovir oral capsule</i>                                  | 2         |                          |
| <i>acyclovir oral suspension 200 mg/5 ml</i>                   | 2         |                          |
| <i>acyclovir oral tablet</i>                                   | 2         |                          |
| <i>adefovir</i>  | 5         | PA; SP; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>amantadine hcl</i>   | 2                |                              |
| APRETUDE  | 5                | SP; ACA; QL (3 per 30 days)  |
| APTIVUS   | 5                | SP                           |
| <i>atazanavir</i>   | 3                | SP                           |
| BARACLUDE ORAL SOLUTION   | 5                | SP; QL (20 per 1 day)        |
| BIKTARVY  | 5                | SP                           |
| CABENUVA INTRAMUSCULAR<br>SUSPENSION,EXTENDED RELEASE 400<br>MG/2 ML- 600 MG/2 ML       | 5                | PA; SP; QL (4 per 28 days)   |
| CABENUVA INTRAMUSCULAR<br>SUSPENSION,EXTENDED RELEASE 600<br>MG/3 ML- 900 MG/3 ML       | 5                | PA; SP; QL (6 per 28 days)   |
| CIMDUO  | 5                | SP                           |
| COMPLERA  | 5                | SP                           |
| <i>darunavir</i>  | 5                | SP                           |
| DELSTRIGO   | 5                | SP                           |
| DESCOVY   | 5                | SP; ACA                      |
| DOVATO  | 5                | SP; QL (1 per 1 day)         |
| EDURANT   | 5                | SP                           |
| <i>efavirenz oral tablet</i>  | 3                | SP                           |
| <i>efavirenz-emtricitabin-tenofov</i>   | 5                | SP                           |
| <i>efavirenz-lamivu-tenofov disop</i>   | 2                | SP                           |
| <i>emtricitabine</i>  | 3                | SP                           |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150<br/>mg, 133-200 mg, 167-250 mg</i> | 5                | SP                           |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300<br/>mg</i>                         | 5                | SP; ACA                      |
| EMTRIVA ORAL SOLUTION   | 5                | SP                           |
| <i>entecavir</i>  | 5                | SP; QL (1 per 1 day)         |
| EPCLUSA   | 5                | PA; SP; QL (1 per 1 day)     |
| <i>etravirine</i>   | 5                | SP                           |
| EVOTAZ  | 5                | SP                           |
| <i>famciclovir</i>  | 2                |                              |
| <i>fosamprenavir</i>  | 3                | SP                           |
| FUZEON SUBCUTANEOUS RECON SOLN  | 5                | SP                           |
| GENVOYA   | 5                | SP                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| HARVONI  | 5                | PA; SP                       |
| INTELENCE ORAL TABLET 25 MG                                | 5                | SP                           |
| ISENTRESS  | 5                | SP                           |
| ISENTRESS HD   | 5                | SP                           |
| JULUCA   | 5                | SP                           |
| <i>lamivudine oral solution</i>                            | 2                | SP                           |
| <i>lamivudine oral tablet 100 mg</i>                       | 5                | SP; QL (1 per 1 day)         |
| <i>lamivudine oral tablet 150 mg, 300 mg</i>               | 2                | SP                           |
| <i>lamivudine-zidovudine</i>                               | 3                | SP                           |
| LEDIPASVIR-SOFOSBUVIR                                      | 2                | PA; SP                       |
| LIVTENCITY   | 5                | PA; SP; QL (4 per 1 day)     |
| <i>lopinavir-ritonavir oral solution</i>                   | 3                | SP                           |
| <i>lopinavir-ritonavir oral tablet</i>                     | 5                | SP                           |
| <i>maraviroc</i>   | 5                | SP                           |
| MAVYRET ORAL PELLETS IN PACKET                             | 2                | PA; SP; QL (6 per 1 day)     |
| MAVYRET ORAL TABLET  | 2                | PA; SP; QL (3 per 1 day)     |
| <i>nevirapine</i>  | 3                | SP                           |
| NORVIR ORAL POWDER IN PACKET                               | 5                | SP                           |
| ODEFSEY  | 5                | SP                           |
| <i>oseltamivir</i>   | 2                |                              |
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG                 | 3                | QL (40 per 365 days)         |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 3                | QL (60 per 365 days)         |
| PIFELTRO   | 5                | SP                           |
| PREVYMIS ORAL PELLETS IN PACKET 120 MG                     | 5                | PA; SP; QL (2 per 1 day)     |
| PREVYMIS ORAL PELLETS IN PACKET 20 MG                      | 5                | PA; SP; QL (4 per 1 day)     |
| PREVYMIS ORAL TABLET                                       | 5                | PA; SP; QL (1 per 1 day)     |
| PREZCOBIX  | 5                | SP                           |
| PREZISTA ORAL SUSPENSION                                   | 5                | SP                           |
| PREZISTA ORAL TABLET 150 MG, 75 MG                         | 5                | SP                           |
| REYATAZ ORAL POWDER IN PACKET                              | 5                | SP                           |
| <i>ribavirin inhalation</i>                                | 5                | SP                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                            | <b>Drug Tier</b> | <b>Requirements / Limits</b>                      |
|---|------------------|---|
| <i>ribavirin oral capsule</i>               | 5                | SP  |
| <i>ribavirin oral tablet 200 mg</i>         | 5                | SP  |
| <i>rimantadine</i>                          | 2                |   |
| <i>ritonavir</i>                            | 2                | SP  |
| RUKOBIA                                     | 5                | PA; SP; QL (2 per 1 day)                          |
| SELZENTRY ORAL SOLUTION                     | 5                | SP  |
| SOFOSBUVIR-VELPATASVIR                      | 2                | PA; SP; QL (1 per 1 day)                          |
| SOVALDI                                     | 5                | PA; SP  |
| STRIBILD                                    | 5                | SP  |
| SUNLENCA ORAL                               | 5                | PA; SP; QL (1 per 365 days)                       |
| SUNLENCA SUBCUTANEOUS                       | 5                | PA; SP; QL (3 per 126 days)                       |
| SYMTUZA                                     | 5                | SP  |
| SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML    | 5                | PA; SP; LA; QL (1 per 28 days)                    |
| SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML | 5                | PA; SP; LA; QL (0.5 per 28 days)                  |
| <i>tenofovir disoproxil fumarate</i>        | 3                | SP; QL (1 per 1 day)                              |
| TIVICAY ORAL TABLET 50 MG                   | 5                | SP  |
| TIVICAY PD                                  | 5                | SP; QL (6 per 1 day)                              |
| TRIUMEQ                                     | 5                | SP  |
| TRIUMEQ PD                                  | 5                | SP  |
| TYBOST                                      | 5                | SP  |
| <i>valacyclovir</i>                         | 2                |   |
| <i>valganciclovir oral recon soln</i>       | 5                | PA for Age greater than or equal to 9 year(s); SP |
| <i>valganciclovir oral tablet</i>           | 5                | SP  |
| VEMLIDY                                     | 5                | PA; SP; QL (1 per 1 day)                          |
| VIRACEPT ORAL TABLET                        | 5                | SP  |
| VIREAD ORAL POWDER                          | 5                | SP; QL (8 per 1 day)                              |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG   | 5                | SP; QL (1 per 1 day)                              |
| VOSEVI                                      | 5                | PA; SP  |
| XOFLUZA ORAL TABLET 40 MG, 80 MG            | 4                | QL (1 per 183 days)                               |
| ZEPATIER                                    | 5                | PA; SP  |
| <i>zidovudine</i>                           | 2                | SP  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                  |
|--|------------------|---|
| <b>CEPHALOSPORINS</b>  |                  |   |
| <i>cefaclor oral capsule</i>   | 2                |   |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2                |   |
| <i>cefaclor oral tablet extended release 12 hr</i>                                       | 3                |   |
| <i>cefadroxil oral capsule</i>   | 2                |   |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>            | 2                |   |
| <i>cefadroxil oral tablet</i>  | 2                |   |
| <i>cefdinir</i>  | 2                |   |
| <i>cefixime</i>  | 3                |   |
| <i>cefpodoxime</i>   | 2                |   |
| <i>cefprozil</i>   | 2                |   |
| <i>cefuroxime axetil oral tablet</i>   | 2                |   |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>  | 2                |   |
| <i>cephalexin oral capsule 750 mg</i>  | 3                |   |
| <i>cephalexin oral suspension for reconstitution</i>                                     | 2                |   |
| <b>ERYTHROMYCINS &amp; OTHER MACROLIDES</b>  |                  |   |
| <i>azithromycin oral</i>   | 2                |   |
| <i>clarithromycin</i>  | 2                |   |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION   | 4                | PA; 100 mL per fill                           |
| DIFICID ORAL TABLET  | 4                | PA; 20 tabs per fill                          |
| <i>e.e.s. 400 oral tablet</i>  | 2                |   |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>                       | 3                |   |
| <i>erythrocin (as stearate) oral tablet 250 mg</i>                                       | 3                |   |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution</i>                    | 3                | PA for Age greater than or equal to 9 year(s) |
| <i>erythromycin ethylsuccinate oral tablet</i>   | 2                |   |
| <i>erythromycin oral capsule, delayed release (dr/ec)</i>                                | 2                |   |
| <i>erythromycin oral tablet</i>  | 3                |   |
| <i>erythromycin oral tablet, delayed release (dr/ec)</i>                                 | 3                |   |
| <b>MISCELLANEOUS ANTIINFECTIVES</b>  |                  |   |
| <i>albendazole</i>   | 3                | 4 tabs per fill                               |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|---|------------------|--------------------------------|
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION                     | 4                | PA; QL (180 per 1 day)         |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 2                |                                |
| ARIKAYCE  | 5                | PA; SP; LA; QL (8.4 per 1 day) |
| <i>atovaquone</i>   | 3                |                                |
| <i>atovaquone-proguanil</i>                                   | 3                |                                |
| BENZNIDAZOLE  | 4                | PA                             |
| CAYSTON   | 5                | SP; LA                         |
| <i>chloroquine phosphate</i>                                  | 2                |                                |
| <i>clindamycin hcl</i>  | 2                |                                |
| <i>clindamycin pediatric</i>                                  | 2                |                                |
| COARTEM   | 4                |                                |
| <i>cycloserine</i>  | 3                |                                |
| <i>dapsone oral</i>   | 2                |                                |
| EMVERM  | 4                | PA; 2 tabs per fill            |
| <i>ethambutol</i>   | 2                |                                |
| <i>hydroxychloroquine oral tablet 200 mg, 300 mg, 400 mg</i>  | 2                |                                |
| <i>isoniazid oral</i>   | 2                |                                |
| <i>ivermectin oral</i>  | 2                | PA; QL (20 per 90 days)        |
| KRINTAFEL   | 4                | QL (2 per 365 days)            |
| LAMPIT  | 4                | PA                             |
| <i>linezolid</i>  | 2                |                                |
| <i>mefloquine</i>   | 2                |                                |
| <i>meropenem intravenous recon soln 1 gram</i>                | 5                |                                |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>               | 2                |                                |
| <i>neomycin</i>   | 2                |                                |
| <i>nitazoxanide</i>   | 3                | PA; QL (6 per 1 day)           |
| <i>paromomycin</i>  | 2                |                                |
| PASER   | 4                |                                |
| <i>pentamidine inhalation</i>                                 | 3                |                                |
| <i>praziquantel</i>   | 3                |                                |
| PRETOMANID  | 4                | PA; QL (1 per 1 day)           |
| PRIFTIN   | 4                |                                |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>primaquine</i>   | 2                |                              |
| <i>pyrazinamide</i>   | 3                |                              |
| <i>pyrimethamine</i>  | 5                | PA; SP; QL (3 per 1 day)     |
| <i>quinine sulfate</i>                                      | 3                |                              |
| <i>rifabutin</i>  | 3                |                              |
| <i>rifampin oral</i>  | 2                |                              |
| SIVEXTRO ORAL   | 5                | SP                           |
| <i>tinidazole</i>   | 2                |                              |
| TOBI PODHALER   | 5                | ST; SP                       |
| <i>tobramycin in 0.225 % nacl</i>                           | 5                | SP                           |
| <i>tobramycin inhalation</i>                                | 5                | SP                           |
| TRECTOR   | 4                |                              |
| VABOMERE  | 5                |                              |
| XIFAXAN ORAL TABLET 200 MG                                  | 4                | QL (9 per 365 days)          |
| XIFAXAN ORAL TABLET 550 MG                                  | 4                | PA; QL (42 per 120 days)     |
| <b>PENICILLINS</b>  |                  |                              |
| <i>amoxicillin oral capsule</i>                             | 2                |                              |
| <i>amoxicillin oral suspension for reconstitution</i>       | 2                |                              |
| <i>amoxicillin oral tablet</i>                              | 2                |                              |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>     | 2                |                              |
| <i>amoxicillin-pot clavulanate</i>                          | 2                |                              |
| <i>ampicillin oral capsule 500 mg</i>                       | 2                |                              |
| <i>dicloxacillin</i>  | 2                |                              |
| <i>penicillin v potassium</i>                               | 2                |                              |
| <b>QUINOLONES</b>   |                  |                              |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 2                |                              |
| <i>levofloxacin oral solution</i>                           | 3                |                              |
| <i>levofloxacin oral tablet</i>                             | 2                |                              |
| <i>moxifloxacin oral</i>                                    | 3                |                              |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i>                 | 2                |                              |
| <b>SULFA'S &amp; RELATED AGENTS</b>                         |                  |                              |
| <i>sulfadiazine</i>   | 3                |                              |
| <i>sulfamethoxazole-trimethoprim oral</i>                   | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>sulfatrim</i>  | 2                |                              |
| <b>TETRACYCLINES</b>  |                  |                              |
| <i>avidoxy</i>  | 2                |                              |
| <i>demeclocycline</i>   | 2                |                              |
| <i>doxycycline hyclate oral capsule</i>                           | 2                |                              |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>              | 2                |                              |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>         | 2                |                              |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 2                |                              |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i>          | 2                |                              |
| <i>minocycline oral capsule</i>                                   | 2                |                              |
| <i>mondoxylene nl oral capsule 100 mg</i>                         | 2                |                              |
| <i>tetracycline oral capsule</i>                                  | 2                |                              |
| <b>URINARY TRACT AGENTS</b>                                       |                  |                              |
| <i>fosfomicin tromethamine</i>                                    | 3                |                              |
| <i>methenamine hippurate</i>                                      | 3                |                              |
| <i>methenamine mandelate</i>                                      | 3                | QL (4 per 1 day)             |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>     | 2                |                              |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg</i>             | 3                |                              |
| <i>nitrofurantoin monohyd/m-cryst</i>                             | 2                |                              |
| <i>nitrofurantoin oral suspension 25 mg/5 ml</i>                  | 3                |                              |
| <i>trimethoprim</i>   | 2                |                              |
| <b>VANCOMYCIN</b>   |                  |                              |
| <i>vancomycin oral capsule</i>                                    | 3                |                              |
| <b>ANTINEOPLASTIC &amp; IMMUNOSUPPRESSANT DRUGS</b>               |                  |                              |
| <b>ADJUNCTIVE AGENTS</b>  |                  |                              |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg</i>         | 3                |                              |
| <i>leucovorin calcium oral tablet 5 mg</i>                        | 2                |                              |
| MESNEX ORAL   | 5                | SP                           |
| VISTOGARD   | 5                | SP                           |
| <b>ANTINEOPLASTIC &amp; IMMUNOSUPPRESSANT DRUGS</b>               |                  |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>abiraterone oral tablet 250 mg</i>               | 5                | PA; SP; QL (4 per 1 day)     |
| AKEEGA  | 5                | PA; SP; QL (2 per 1 day)     |
| ALECENSA  | 5                | PA; SP; QL (8 per 1 day)     |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                  | 5                | PA; SP; QL (1 per 1 day)     |
| ALUNBRIG ORAL TABLET 30 MG                          | 5                | PA; SP; QL (4 per 1 day)     |
| ALUNBRIG ORAL TABLETS,DOSE PACK                     | 5                | PA; SP; QL (30 per 365 days) |
| <i>anastrozole</i>                                  | 2                | ACA                          |
| AUGTYRO ORAL CAPSULE 160 MG                         | 5                | PA; SP; QL (2 per 1 day)     |
| AUGTYRO ORAL CAPSULE 40 MG                          | 5                | PA; SP; QL (6 per 1 day)     |
| AYVAKIT   | 5                | PA; SP; LA; QL (1 per 1 day) |
| <i>azathioprine oral tablet 50 mg</i>               | 2                |                              |
| BALVERSA ORAL TABLET 3 MG                           | 5                | PA; SP; LA; QL (3 per 1 day) |
| BALVERSA ORAL TABLET 4 MG                           | 5                | PA; SP; LA; QL (2 per 1 day) |
| BALVERSA ORAL TABLET 5 MG                           | 5                | PA; SP; LA; QL (1 per 1 day) |
| <i>bexarotene</i>                                   | 5                | PA; SP                       |
| <i>bicalutamide</i>                                 | 2                |                              |
| BOSULIF ORAL CAPSULE 100 MG                         | 5                | PA; SP; QL (3 per 1 day)     |
| BOSULIF ORAL CAPSULE 50 MG                          | 5                | PA; SP; QL (1 per 1 day)     |
| BOSULIF ORAL TABLET 100 MG                          | 5                | PA; SP; QL (3 per 1 day)     |
| BOSULIF ORAL TABLET 400 MG, 500 MG                  | 5                | PA; SP; QL (1 per 1 day)     |
| BRAFTOVI  | 5                | PA; SP; LA; QL (6 per 1 day) |
| BRUKINSA  | 5                | PA; SP; LA; QL (4 per 1 day) |
| CABOMETYX   | 5                | PA; SP; LA; QL (1 per 1 day) |
| CALQUENCE (ACALABRUTINIB MAL)                       | 5                | PA; SP; LA; QL (2 per 1 day) |
| <i>capecitabine oral tablet 150 mg</i>              | 5                | PA; SP; QL (4 per 1 day)     |
| <i>capecitabine oral tablet 500 mg</i>              | 5                | PA; SP; QL (10 per 1 day)    |
| CAPRELSA ORAL TABLET 100 MG                         | 5                | PA; SP; LA; QL (2 per 1 day) |
| CAPRELSA ORAL TABLET 300 MG                         | 5                | PA; SP; LA; QL (1 per 1 day) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5                | PA; SP; QL (56 per 28 days)  |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5                | PA; SP; QL (112 per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)     | 5                | PA; SP; QL (84 per 28 days)  |
| COPIKTRA  | 5                | PA; SP; LA; QL (2 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| COTELLIC   | 5                | PA; SP; LA; QL (3 per 1 day) |
| <i>cyclophosphamide oral capsule</i>                             | 5                | SP                           |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG                               | 5                | SP                           |
| <i>cyclosporine modified</i>                                     | 2                | SP                           |
| <i>cyclosporine oral capsule</i>                                 | 2                | SP                           |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> | 5                | PA; SP; QL (1 per 1 day)     |
| <i>dasatinib oral tablet 20 mg</i>                               | 5                | PA; SP; QL (3 per 1 day)     |
| DAURISMO ORAL TABLET 100 MG                                      | 5                | PA; SP; QL (1 per 1 day)     |
| DAURISMO ORAL TABLET 25 MG                                       | 5                | PA; SP; QL (2 per 1 day)     |
| DROXIA   | 3                |                              |
| ELIGARD  | 5                | PA; SP; QL (1 per 28 days)   |
| ELIGARD (3 MONTH)  | 5                | PA; SP; QL (1 per 63 days)   |
| ELIGARD (4 MONTH)  | 5                | PA; SP; QL (1 per 84 days)   |
| ELIGARD (6 MONTH)  | 5                | PA; SP; QL (1 per 126 days)  |
| ENSPRYNG   | 5                | PA; SP; QL (1 per 28 days)   |
| ERIVEDGE   | 5                | PA; SP; QL (1 per 1 day)     |
| ERLEADA ORAL TABLET 240 MG                                       | 5                | PA; SP; QL (1 per 1 day)     |
| ERLEADA ORAL TABLET 60 MG  | 5                | PA; SP; QL (4 per 1 day)     |
| <i>erlotinib oral tablet 100 mg, 150 mg</i>                      | 5                | PA; SP; QL (1 per 1 day)     |
| <i>erlotinib oral tablet 25 mg</i>                               | 5                | PA; SP; QL (3 per 1 day)     |
| <i>etoposide oral</i>  | 5                | PA; SP                       |
| EULEXIN  | 5                | PA; SP                       |
| <i>everolimus (antineoplastic) oral tablet</i>                   | 5                | PA; SP; QL (1 per 1 day)     |
| <i>everolimus (antineoplastic) oral tablet for suspension</i>    | 5                | PA; SP                       |
| <i>exemestane</i>  | 2                | ACA                          |
| FENSOLVI   | 5                | PA; SP; QL (1 per 126 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG    | 5                | PA; SP; QL (2 per 365 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG     | 5                | PA; SP; QL (1 per 28 days)   |
| FOTIVDA  | 5                | PA; SP; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                       | 5                | PA; SP; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG                                       | 5                | PA; SP; QL (21 per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                             | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| GAVRETO                                      | 5                | PA; SP; LA; QL (4 per 1 day) |
| <i>gefitinib</i>                             | 5                | PA; SP; QL (1 per 1 day)     |
| <i>gengraf</i>                               | 2                | SP                           |
| GILOTRIF                                     | 5                | PA; SP; QL (1 per 1 day)     |
| GLEOSTINE                                    | 5                | PA; SP                       |
| HYCAMTIN ORAL                                | 5                | PA; SP                       |
| <i>hydroxyurea</i>                           | 2                |                              |
| IBRANCE                                      | 5                | PA; SP; QL (1 per 1 day)     |
| ICLUSIG                                      | 5                | PA; SP; QL (1 per 1 day)     |
| IDHIFA                                       | 5                | PA; SP; LA; QL (1 per 1 day) |
| <i>imatinib oral tablet 100 mg</i>           | 5                | PA; SP; QL (3 per 1 day)     |
| <i>imatinib oral tablet 400 mg</i>           | 5                | PA; SP; QL (2 per 1 day)     |
| IMBRUVICA ORAL CAPSULE 140 MG                | 5                | PA; SP; QL (3 per 1 day)     |
| IMBRUVICA ORAL CAPSULE 70 MG                 | 5                | PA; SP; QL (1 per 1 day)     |
| IMBRUVICA ORAL SUSPENSION                    | 5                | PA; SP; QL (6 per 1 day)     |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 5                | PA; SP; QL (1 per 1 day)     |
| INLYTA ORAL TABLET 1 MG                      | 5                | PA; SP; QL (6 per 1 day)     |
| INLYTA ORAL TABLET 5 MG                      | 5                | PA; SP; QL (4 per 1 day)     |
| INQOVI                                       | 5                | PA; SP; QL (5 per 28 days)   |
| INREBIC                                      | 5                | PA; SP; LA; QL (4 per 1 day) |
| ITOVEBI ORAL TABLET 3 MG                     | 5                | PA; SP; QL (2 per 1 day)     |
| ITOVEBI ORAL TABLET 9 MG                     | 5                | PA; SP; QL (1 per 1 day)     |
| IWILFIN                                      | 5                | PA; SP; LA; QL (8 per 1 day) |
| JAKAFI                                       | 5                | PA; SP; QL (2 per 1 day)     |
| JAYPIRCA ORAL TABLET 100 MG                  | 5                | PA; SP; QL (2 per 1 day)     |
| JAYPIRCA ORAL TABLET 50 MG                   | 5                | PA; SP; QL (1 per 1 day)     |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)  | 5                | PA; SP; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)  | 5                | PA; SP; QL (42 per 28 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)  | 5                | PA; SP; QL (63 per 28 days)  |
| KOSELUGO ORAL CAPSULE 10 MG                  | 5                | PA; SP; QL (8 per 1 day)     |
| KOSELUGO ORAL CAPSULE 25 MG                  | 5                | PA; SP; QL (4 per 1 day)     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| KRAZATI   | 5                | PA; SP; QL (6 per 1 day)     |
| <i>lapatinib</i>  | 5                | PA; SP; QL (6 per 1 day)     |
| LAZCLUZE ORAL TABLET 240 MG   | 5                | PA; SP; LA; QL (1 per 1 day) |
| LAZCLUZE ORAL TABLET 80 MG  | 5                | PA; SP; LA; QL (2 per 1 day) |
| <i>lenalidomide</i>   | 5                | PA; SP; QL (1 per 1 day)     |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG  | 5                | PA; SP; QL (30 per 28 days)  |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5                | PA; SP; QL (90 per 28 days)  |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)          | 5                | PA; SP; QL (60 per 28 days)  |
| <i>letrozole</i>  | 2                |                              |
| LEUKERAN  | 5                | PA; SP                       |
| LEUPROLIDE (3 MONTH)  | 5                | PA; SP; QL (1 per 63 days)   |
| <i>leuprolide subcutaneous kit</i>  | 5                | PA; SP; QL (2 per 28 days)   |
| LONSURF ORAL TABLET 15-6.14 MG  | 5                | PA; SP; QL (6 per 1 day)     |
| LONSURF ORAL TABLET 20-8.19 MG  | 5                | PA; SP; QL (8 per 1 day)     |
| LORBRENA ORAL TABLET 100 MG   | 5                | PA; SP; QL (1 per 1 day)     |
| LORBRENA ORAL TABLET 25 MG  | 5                | PA; SP; QL (3 per 1 day)     |
| LUMAKRAS ORAL TABLET 120 MG   | 5                | PA; SP; QL (4 per 1 day)     |
| LUMAKRAS ORAL TABLET 240 MG   | 5                | PA; SP; QL (2 per 1 day)     |
| LUMAKRAS ORAL TABLET 320 MG   | 5                | PA; SP; QL (3 per 1 day)     |
| LUPKYNIS  | 5                | PA; SP; QL (6 per 1 day)     |
| LUPRON DEPOT  | 5                | PA; SP; QL (1 per 28 days)   |
| LUPRON DEPOT (3 MONTH)  | 5                | PA; SP; QL (1 per 63 days)   |
| LUPRON DEPOT (4 MONTH)  | 5                | PA; SP; QL (1 per 84 days)   |
| LUPRON DEPOT (6 MONTH)  | 5                | PA; SP; QL (1 per 126 days)  |
| LUPRON DEPOT-PED (3 MONTH)  | 5                | PA; SP; QL (1 per 63 days)   |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT  | 5                | PA; SP; QL (1 per 28 days)   |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT  | 5                | PA; SP; QL (1 per 126 days)  |
| LYNPARZA  | 5                | PA; SP; QL (4 per 1 day)     |
| LYSODREN  | 5                | PA; SP                       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                |
|--|------------------|---|
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 5                | PA; SP; LA; QL (4 per 28 days)                              |
| MATULANE   | 5                | PA; SP  |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>                             | 2                |   |
| <i>megestrol oral tablet</i>   | 2                |   |
| MEKINIST ORAL RECON SOLN   | 5                | PA; SP; QL (23 per 1 day)                                   |
| MEKINIST ORAL TABLET 0.5 MG  | 5                | PA; SP; QL (3 per 1 day)                                    |
| MEKINIST ORAL TABLET 2 MG  | 5                | PA; SP; QL (1 per 1 day)                                    |
| MEKTOVI  | 5                | PA; SP; LA; QL (6 per 1 day)                                |
| <i>mercaptopurine oral tablet</i>  | 2                |   |
| <i>methotrexate sodium</i>   | 2                |   |
| <i>methotrexate sodium (pf) injection solution</i>                                   | 2                |   |
| MYCAPSSA   | 5                | PA; SP; LA; QL (4 per 1 day)                                |
| <i>mycophenolate mofetil oral capsule</i>  | 2                | SP  |
| <i>mycophenolate mofetil oral suspension for reconstitution</i>                      | 3                | SP  |
| <i>mycophenolate mofetil oral tablet</i>   | 2                | SP  |
| <i>mycophenolate sodium</i>  | 2                | SP  |
| MYHIBBIN   | 5                | PA for Age greater than 8 year(s); SP; QL (350 per 30 days) |
| MYLERAN  | 5                | PA; SP  |
| NEMLUVIO   | 5                | PA; SP; QL (1 per 28 days)                                  |
| NERLYNX  | 5                | PA; SP; LA; QL (6 per 1 day)                                |
| <i>nilutamide</i>  | 5                | PA; SP; QL (1 per 1 day)                                    |
| NINLARO  | 5                | PA; SP; QL (3 per 28 days)                                  |
| NUBEQA   | 5                | PA; SP; LA; QL (4 per 1 day)                                |
| <i>octreotide,microspheres</i>   | 5                | PA  |
| ODOMZO   | 5                | PA; SP; LA; QL (1 per 1 day)                                |
| OGSIVEO ORAL TABLET 100 MG, 150 MG   | 5                | PA; SP; QL (2 per 1 day)                                    |
| OGSIVEO ORAL TABLET 50 MG  | 5                | PA; SP; QL (6 per 1 day)                                    |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION  | 5                | PA; SP; QL (96 per 28 days)                                 |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)  | 5                | PA; SP; QL (16 per 28 days)                                 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>    |
|---|------------------|---------------------------------|
| OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)                                 | 5                | PA; SP; QL (20 per 28 days)     |
| OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)                                 | 5                | PA; SP; QL (24 per 28 days)     |
| OJJAARA   | 5                | PA; SP; QL (1 per 1 day)        |
| ONUREG  | 5                | PA; SP; QL (14 per 28 days)     |
| ORGOVYX   | 5                | PA; SP; LA; QL (1 per 1 day)    |
| ORSERDU ORAL TABLET 345 MG  | 5                | PA; SP; QL (1 per 1 day)        |
| ORSERDU ORAL TABLET 86 MG   | 5                | PA; SP; QL (3 per 1 day)        |
| <i>pazopanib</i>  | 5                | PA; SP; QL (4 per 1 day)        |
| PEMAZYRE  | 5                | PA; SP; LA; QL (14 per 28 days) |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)                                  | 5                | PA; SP; QL (28 per 28 days)     |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5                | PA; SP; QL (56 per 28 days)     |
| POMALYST  | 5                | PA; SP; LA; QL (1 per 1 day)    |
| QINLOCK   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG                                   | 5                | PA; SP; LA; QL (2 per 1 day)    |
| RETEVMO ORAL TABLET 40 MG   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| REVLIMID  | 5                | PA; SP; LA; QL (1 per 1 day)    |
| REZLIDHIA   | 5                | PA; SP; QL (2 per 1 day)        |
| REZUROCK  | 5                | PA; SP; QL (1 per 1 day)        |
| ROZLYTREK ORAL CAPSULE 100 MG   | 5                | PA; SP; LA; QL (1 per 1 day)    |
| ROZLYTREK ORAL CAPSULE 200 MG   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| ROZLYTREK ORAL PELLETS IN PACKET  | 5                | PA; SP; LA; QL (12 per 1 day)   |
| RUBRACA   | 5                | PA; SP; LA; QL (4 per 1 day)    |
| RYDAPT  | 5                | PA; SP; QL (8 per 1 day)        |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON           | 5                | PA; SP                          |
| SCEMBLIX ORAL TABLET 100 MG   | 5                | PA; SP                          |
| SCEMBLIX ORAL TABLET 20 MG  | 5                | PA; SP; QL (2 per 1 day)        |
| SCEMBLIX ORAL TABLET 40 MG  | 5                | PA; SP; QL (10 per 1 day)       |
| SIGNIFOR  | 5                | PA; SP                          |
| <i>sirolimus</i>  | 3                | SP                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| SOLTAMOX  | 4                |                              |
| <i>sorafenib</i>  | 5                | PA; SP; QL (4 per 1 day)     |
| STIVARGA  | 5                | PA; SP; QL (84 per 28 days)  |
| <i>sunitinib malate</i>                                       | 5                | PA; SP; QL (1 per 1 day)     |
| SUPPRELIN LA  | 5                | PA; SP; QL (1 per 365 days)  |
| TABLOID   | 5                | PA; SP                       |
| TABRECTA  | 5                | PA; SP; QL (4 per 1 day)     |
| <i>tacrolimus oral capsule</i>                                | 2                | SP                           |
| TAFINLAR ORAL CAPSULE   | 5                | PA; SP; QL (4 per 1 day)     |
| TAFINLAR ORAL TABLET FOR SUSPENSION                           | 5                | PA; SP; QL (30 per 1 day)    |
| TAGRISSE  | 5                | PA; SP; LA; QL (1 per 1 day) |
| TALZENNA  | 5                | PA; SP; QL (1 per 1 day)     |
| <i>tamoxifen</i>  | 2                | ACA                          |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG                           | 5                | PA; SP; QL (4 per 1 day)     |
| TASIGNA ORAL CAPSULE 50 MG                                    | 5                | PA; SP; QL (2 per 1 day)     |
| TAZVERIK  | 5                | PA; SP; LA; QL (8 per 1 day) |
| <i>temozolomide</i>   | 5                | PA; SP                       |
| TEPMETKO  | 5                | PA; SP; QL (2 per 1 day)     |
| THALOMID ORAL CAPSULE 100 MG, 50 MG                           | 5                | SP; QL (1 per 1 day)         |
| TIBSOVO   | 5                | PA; SP; QL (2 per 1 day)     |
| <i>toremifene</i>   | 5                | PA; SP; QL (1 per 1 day)     |
| <i>torpenz</i>  | 5                | PA; SP; QL (1 per 1 day)     |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG | 5                | PA; SP; QL (1 per 63 days)   |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG  | 5                | PA; SP; QL (1 per 126 days)  |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG  | 5                | PA; SP; QL (1 per 28 days)   |
| <i>tretinoin (antineoplastic)</i>                             | 5                | PA; SP                       |
| TRIPTODUR   | 5                | PA; SP; QL (1 per 126 days)  |
| TRUQAP  | 5                | PA; SP; QL (64 per 28 days)  |
| TUKYSA  | 5                | PA; SP; LA; QL (4 per 1 day) |
| TURALIO ORAL CAPSULE 125 MG                                   | 5                | PA; SP; LA; QL (4 per 1 day) |
| VANFLYTA  | 4                | PA; SP; QL (2 per 1 day)     |
| VENCLEXTA ORAL TABLET 10 MG                                   | 5                | PA; SP; LA; QL (2 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>    |
|---|------------------|---------------------------------|
| VENCLEXTA ORAL TABLET 100 MG  | 5                | PA; SP; LA; QL (6 per 1 day)    |
| VENCLEXTA ORAL TABLET 50 MG   | 5                | PA; SP; LA; QL (1 per 1 day)    |
| VENCLEXTA STARTING PACK   | 5                | PA; SP; QL (42 per 365 days)    |
| VERZENIO  | 5                | PA; SP; LA; QL (2 per 1 day)    |
| VIJOICE ORAL GRANULES IN PACKET   | 5                | PA; SP; QL (1 per 1 day)        |
| VIJOICE ORAL TABLET 125 MG, 50 MG   | 5                | PA; SP; QL (1 per 1 day)        |
| VIJOICE ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1)   | 5                | PA; SP; QL (56 per 28 days)     |
| VITRAKVI ORAL CAPSULE 100 MG  | 5                | PA; SP; LA; QL (2 per 1 day)    |
| VITRAKVI ORAL CAPSULE 25 MG   | 5                | PA; SP; LA; QL (6 per 1 day)    |
| VITRAKVI ORAL SOLUTION  | 5                | PA; SP; LA; QL (10 per 1 day)   |
| VIZIMPRO  | 5                | PA; SP; QL (1 per 1 day)        |
| VONJO   | 5                | PA; SP; QL (4 per 1 day)        |
| VORANIGO ORAL TABLET 10 MG  | 5                | PA; SP; QL (2 per 1 day)        |
| VORANIGO ORAL TABLET 40 MG  | 5                | PA; SP; QL (1 per 1 day)        |
| WELIREG   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| XALKORI ORAL CAPSULE  | 5                | PA; SP; QL (4 per 1 day)        |
| XALKORI ORAL PELLETT 150 MG   | 5                | PA; SP; QL (6 per 1 day)        |
| XALKORI ORAL PELLETT 20 MG, 50 MG   | 5                | PA; SP; QL (4 per 1 day)        |
| XERMELO   | 5                | PA; SP; LA                      |
| XOSPATA   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5                | PA; SP; LA; QL (8 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                               | 5                | PA; SP; LA; QL (4 per 28 days)  |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)  | 5                | PA; SP; LA; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)  | 5                | PA; SP; LA; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE   | 5                | PA; SP; QL (4 per 1 day)        |
| XTANDI ORAL TABLET 40 MG  | 5                | PA; SP; QL (4 per 1 day)        |
| XTANDI ORAL TABLET 80 MG  | 5                | PA; SP; QL (2 per 1 day)        |
| YONSA   | 5                | PA; SP; QL (4 per 1 day)        |
| ZEJULA ORAL TABLET  | 4                | PA; SP; LA; QL (1 per 1 day)    |
| ZELBORAF  | 5                | PA; SP; QL (8 per 1 day)        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name                            | Drug Tier | Requirements / Limits      |
|--------------------------------------|-----------|----------------------------|
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG | 5         | PA; SP; QL (1 per 63 days) |
| ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG  | 5         | PA; SP; QL (1 per 28 days) |
| ZOLINZA                              | 5         | PA; SP; QL (4 per 1 day)   |
| ZYDELIG                              | 5         | PA; SP; QL (2 per 1 day)   |
| ZYKADIA                              | 5         | PA; SP; QL (3 per 1 day)   |

## AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH

### ANTICONVULSANTS

|   |   |                           |
|---|---|---------------------------|
| APTIOM ORAL TABLET 200 MG, 400 MG                       | 4 | PA; QL (1 per 1 day)      |
| APTIOM ORAL TABLET 600 MG, 800 MG                       | 4 | PA; QL (2 per 1 day)      |
| BRIVIACT ORAL SOLUTION                                  | 4 | PA; QL (20 per 1 day)     |
| BRIVIACT ORAL TABLET                                    | 4 | PA; QL (2 per 1 day)      |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i>  | 3 |                           |
| <i>carbamazepine oral suspension 100 mg/5 ml</i>        | 3 |                           |
| <i>carbamazepine oral tablet</i>                        | 3 |                           |
| <i>carbamazepine oral tablet extended release 12 hr</i> | 2 |                           |
| <i>carbamazepine oral tablet, chewable 100 mg</i>       | 2 |                           |
| <i>clobazam oral suspension</i>                         | 3 | PA                        |
| <i>clobazam oral tablet</i>                             | 3 |                           |
| <i>clonazepam oral tablet</i>                           | 2 |                           |
| <i>clonazepam oral tablet, disintegrating</i>           | 3 |                           |
| DIACOMIT ORAL CAPSULE 250 MG                            | 5 | PA; SP; QL (12 per 1 day) |
| DIACOMIT ORAL CAPSULE 500 MG                            | 5 | PA; SP; QL (6 per 1 day)  |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                   | 5 | PA; SP; QL (12 per 1 day) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG                   | 5 | PA; SP; QL (6 per 1 day)  |
| <i>diazepam rectal</i>                                  | 3 |                           |
| DILANTIN  | 4 | PA; QL (3 per 1 day)      |
| <i>divalproex oral capsule, delayed rel sprinkle</i>    | 3 |                           |
| <i>divalproex oral tablet extended release 24 hr</i>    | 3 |                           |
| <i>divalproex oral tablet, delayed release (dr/ec)</i>  | 2 |                           |
| EPIDIOLEX   | 5 | PA; SP; LA                |
| <i>epitol</i>   | 2 |                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|-------------------------------|
| EQUETRO  | 4                | PA                            |
| <i>ethosuximide</i>  | 3                |                               |
| <i>felbamate</i>   | 3                | PA                            |
| FINTEPLA   | 5                | PA; SP; LA; QL (12 per 1 day) |
| FYCOMPA ORAL SUSPENSION  | 4                | PA; QL (24 per 1 day)         |
| FYCOMPA ORAL TABLET  | 4                | PA; QL (1 per 1 day)          |
| <i>gabapentin oral capsule</i>   | 2                |                               |
| <i>gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)</i>        | 3                |                               |
| <i>gabapentin oral tablet 600 mg, 800 mg</i>                           | 2                |                               |
| <i>lacosamide oral</i>   | 3                | PA                            |
| <i>lamotrigine oral tablet</i>   | 2                |                               |
| <i>lamotrigine oral tablet, chewable dispersible</i>                   | 2                |                               |
| <i>levetiracetam oral solution</i>                                     | 2                |                               |
| <i>levetiracetam oral tablet</i>                                       | 2                |                               |
| <i>levetiracetam oral tablet extended release 24 hr</i>                | 2                |                               |
| LIBERVANT  | 4                | PA; QL (10 per 30 days)       |
| <i>methsuximide</i>  | 3                |                               |
| NAYZILAM   | 4                | PA; QL (10 per 30 days)       |
| <i>oxcarbazepine oral suspension</i>                                   | 3                |                               |
| <i>oxcarbazepine oral tablet</i>                                       | 2                |                               |
| <i>oxcarbazepine oral tablet extended release 24 hr 150 mg, 300 mg</i> | 3                | PA; QL (2 per 1 day)          |
| <i>oxcarbazepine oral tablet extended release 24 hr 600 mg</i>         | 3                | PA; QL (4 per 1 day)          |
| <i>phenobarbital</i>   | 2                |                               |
| <i>phenytoin oral suspension 125 mg/5 ml</i>                           | 2                |                               |
| <i>phenytoin oral tablet, chewable</i>                                 | 2                |                               |
| <i>phenytoin sodium extended oral capsule 100 mg</i>                   | 2                |                               |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>           | 3                |                               |
| <i>pregabalin oral capsule</i>   | 2                |                               |
| <i>pregabalin oral solution</i>  | 3                |                               |
| <i>primidone oral tablet 250 mg, 50 mg</i>                             | 2                |                               |
| <i>rufinamide</i>  | 3                | PA                            |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>           |
|---|------------------|--|
| <i>subvenite</i>  | 2                |  |
| <i>tiagabine oral tablet 12 mg, 16 mg, 4 mg</i>                                       | 3                | PA                                     |
| <i>tiagabine oral tablet 2 mg</i>   | 3                |  |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>                                 | 3                |  |
| <i>topiramate oral tablet</i>   | 2                |  |
| <i>valproic acid</i>  | 2                |  |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)</i> | 2                |  |
| VALTOCO   | 4                | PA; QL (10 per 30 days)                |
| <i>vigabatrin</i>   | 5                | PA; SP; LA                             |
| <i>vigadrone oral powder in packet</i>  | 5                | PA; SP                                 |
| VIGAFYDE  | 5                | PA; SP                                 |
| <i>vigpoder</i>   | 5                | PA; SP                                 |
| XCOPRI MAINTENANCE PACK   | 4                | PA; QL (2 per 1 day)                   |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 25 MG, 50 MG                                       | 4                | PA; QL (1 per 1 day)                   |
| XCOPRI ORAL TABLET 200 MG   | 4                | PA; QL (2 per 1 day)                   |
| XCOPRI TITRATION PACK   | 4                | PA; 1 tab per day; 28 tabs in 365 days |
| <i>zonisamide</i>   | 2                |  |
| ZTALMY  | 4                | PA; SP; LA; QL (10 per 30 days)        |
| <b>ANTIPARKINSONISM AGENTS</b>  |                  |  |
| <i>apomorphine</i>  | 5                | PA; SP; QL (3 per 1 day)               |
| <i>benztropine oral</i>   | 2                |  |
| <i>bromocriptine</i>  | 2                |  |
| <i>carbidopa</i>  | 3                |  |
| <i>carbidopa-levodopa</i>   | 2                |  |
| <i>carbidopa-levodopa-entacapone</i>  | 2                |  |
| <i>entacapone</i>   | 2                |  |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE                                       | 5                | PA; SP; QL (10 per 1 day)              |
| NEUPRO  | 4                | ST                                     |
| NOURIANZ  | 4                | PA; SP; LA; QL (1 per 1 day)           |
| ONGENTYS  | 4                | PA; QL (1 per 1 day)                   |
| <i>pramipexole oral tablet</i>  | 2                |  |
| <i>rasagiline</i>   | 3                |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>ropinirole oral tablet</i>  | 2                |                              |
| <i>ropinirole oral tablet extended release 24 hr</i>                 | 3                |                              |
| <i>selegiline hcl</i>  | 2                |                              |
| <i>tolcapone</i>   | 3                | PA; QL (6 per 1 day)         |
| <i>trihexyphenidyl</i>   | 2                |                              |
| XADAGO   | 4                | ST                           |
| <b>MIGRAINE &amp; CLUSTER HEADACHE THERAPY</b>                       |                  |                              |
| AIMOVIG AUTOINJECTOR   | 3                | PA; QL (1 per 30 days)       |
| AJOVY AUTOINJECTOR   | 4                | PA; QL (1.5 per 30 days)     |
| AJOVY SYRINGE  | 4                | PA; QL (1.5 per 30 days)     |
| <i>almotriptan malate</i>  | 3                | QL (12 per 30 days)          |
| <i>dihydroergotamine injection</i>                                   | 3                | PA; QL (8 per 30 days)       |
| <i>dihydroergotamine nasal</i>                                       | 3                | PA; QL (8 per 28 days)       |
| <i>eletriptan</i>  | 3                | QL (12 per 30 days)          |
| EMGALITY PEN   | 3                | PA; QL (1 per 30 days)       |
| EMGALITY SYRINGE SUBCUTANEOUS<br>SYRINGE 120 MG/ML                   | 3                | PA; QL (1 per 30 days)       |
| EMGALITY SYRINGE SUBCUTANEOUS<br>SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3                | PA; QL (3 per 30 days)       |
| ERGOMAR  | 4                | QL (20 per 28 days)          |
| <i>ergotamine-caffeine</i>   | 3                |                              |
| <i>frovatriptan</i>  | 3                | QL (12 per 30 days)          |
| <i>naratriptan</i>   | 2                | QL (9 per 30 days)           |
| NURTEC ODT   | 3                | PA; QL (8 per 30 days)       |
| QULIPTA  | 3                | PA; QL (1 per 1 day)         |
| REYVOW   | 4                | PA; QL (4 per 30 days)       |
| <i>rizatriptan</i>   | 2                | QL (12 per 30 days)          |
| <i>sumatriptan nasal spray,non-aerosol 20<br/>mg/actuation</i>       | 2                | QL (6 per 30 days)           |
| <i>sumatriptan nasal spray,non-aerosol 5<br/>mg/actuation</i>        | 2                | QL (12 per 30 days)          |
| <i>sumatriptan succinate oral tablet 100 mg</i>                      | 2                | QL (9 per 30 days)           |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>                | 2                | QL (18 per 30 days)          |
| <i>sumatriptan succinate subcutaneous cartridge</i>                  | 2                | QL (6 per 30 days)           |
| <i>sumatriptan succinate subcutaneous pen injector</i>               | 2                | QL (6 per 30 days)           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|--|------------------|--------------------------------|
| <i>sumatriptan succinate subcutaneous solution</i>   | 2                | QL (6 per 30 days)             |
| UBRELVY  | 4                | PA; QL (10 per 30 days)        |
| ZAVZPRET   | 5                | PA; QL (1 per 30 days)         |
| <i>zolmitriptan oral tablet</i>  | 2                | QL (12 per 30 days)            |
| <b>MISCELLANEOUS NEUROLOGICAL THERAPY</b>  |                  |                                |
| AUSTEDO  | 3                | PA; SP; LA; QL (4 per 1 day)   |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG | 3                | PA; SP; QL (1 per 1 day)       |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG  | 3                | PA; SP                         |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG            | 3                | PA; SP                         |
| <i>dalfampridine</i>   | 3                | SP; QL (2 per 1 day)           |
| <i>dichlorphenamide</i>  | 5                | PA; SP; QL (4 per 1 day)       |
| <i>donepezil oral tablet 10 mg, 5 mg</i>   | 2                |                                |
| <i>donepezil oral tablet 23 mg</i>   | 3                |                                |
| <i>donepezil oral tablet, disintegrating</i>   | 2                |                                |
| EVRYSDI ORAL RECON SOLN  | 5                | PA; SP; LA; QL (6.7 per 1 day) |
| EVRYSDI ORAL TABLET  | 5                | PA; SP; LA; QL (1 per 1 day)   |
| FIRDAPSE   | 5                | PA; SP; LA; QL (10 per 1 day)  |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i>                                      | 3                |                                |
| <i>galantamine oral tablet</i>   | 3                |                                |
| INGREZZA   | 3                | PA; SP; LA; QL (1 per 1 day)   |
| INGREZZA INITIATION PK(TARDIV)   | 3                | PA; SP; QL (28 per 365 days)   |
| INGREZZA SPRINKLE  | 3                | PA; LA; QL (1 per 1 day)       |
| <i>memantine oral capsule, sprinkle, er 24hr</i>   | 3                |                                |
| <i>memantine oral tablet</i>   | 2                |                                |
| MEMANTINE ORAL TABLETS, DOSE PACK  | 2                |                                |
| NUEDEXTA   | 5                | PA; SP; QL (2 per 1 day)       |
| NULIBRY  | 5                | PA; SP                         |
| RADICAVA ORS STARTER KIT SUSP  | 5                | PA; SP                         |
| <i>rivastigmine</i>  | 2                |                                |
| <i>rivastigmine tartrate</i>   | 2                |                                |
| SKYCLARYS  | 4                | PA; SP; LA; QL (3 per 1 day)   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>tetrabenazine oral tablet 12.5 mg</i>                                   | 5                | PA; SP; QL (8 per 1 day)     |
| <i>tetrabenazine oral tablet 25 mg</i>                                     | 5                | PA; SP; QL (4 per 1 day)     |
| WAINUA   | 5                | PA; SP; QL (1 per 28 days)   |
| ZEPOSIA  | 5                | PA; SP; QL (1 per 1 day)     |
| ZEPOSIA STARTER KIT (28-DAY)   | 5                | PA; SP; QL (28 per 365 days) |
| ZEPOSIA STARTER PACK (7-DAY)   | 5                | PA; SP; QL (7 per 365 days)  |
| <b>MUSCLE RELAXANTS &amp; ANTISPASMODIC THERAPY</b>                        |                  |                              |
| <i>atracurium</i>  | 5                |                              |
| <i>baclofen oral tablet 10 mg, 20 mg</i>                                   | 2                |                              |
| <i>baclofen oral tablet 5 mg</i>   | 3                | QL (3 per 1 day)             |
| <i>carisoprodol oral tablet 350 mg</i>                                     | 2                | QL (4 per 1 day)             |
| <i>carisoprodol-aspirin-codeine</i>  | 2                | PA                           |
| <i>chlorzoxazone oral tablet 500 mg</i>                                    | 2                |                              |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>                             | 2                |                              |
| <i>dantrolene oral capsule 100 mg</i>                                      | 3                | QL (4 per 1 day)             |
| <i>dantrolene oral capsule 25 mg, 50 mg</i>                                | 3                | QL (3 per 1 day)             |
| <i>meprobamate</i>   | 2                |                              |
| <i>metaxalone oral tablet 800 mg</i>                                       | 3                | ST; QL (4 per 1 day)         |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                            | 2                |                              |
| <i>orphenadrine citrate oral</i>   | 2                |                              |
| PYRIDOSTIGMINE BROMIDE ORAL TABLET 30 MG                                   | 2                |                              |
| <i>pyridostigmine bromide oral tablet 60 mg</i>                            | 2                |                              |
| <i>pyridostigmine bromide oral tablet extended release</i>                 | 2                |                              |
| <i>tizanidine oral capsule</i>   | 3                |                              |
| <i>tizanidine oral tablet</i>  | 2                |                              |
| <i>vanadom</i>   | 2                | QL (4 per 1 day)             |
| ZILBRYSQ   | 5                | PA; SP; LA; QL (1 per 1 day) |
| <b>NARCOTIC ANALGESICS</b>   |                  |                              |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml, 300 mg /12.5 ml</i> | 2                | PA                           |
| <i>acetaminophen-codeine oral tablet</i>                                   | 2                | PA                           |
| <i>ascomp with codeine</i>   | 2                | PA                           |
| BELBUCA  | 4                | PA; QL (2 per 1 day)         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|---|------------------|-------------------------------|
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 128 MG/0.36 ML  | 5                | PA; SP; QL (0.36 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 16 MG/0.32 ML   | 5                | PA; SP; QL (1.28 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 24 MG/0.48 ML   | 5                | PA; SP; QL (1.92 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 32 MG/0.64 ML   | 5                | PA; SP; QL (2.56 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 64 MG/0.18 ML   | 5                | PA; SP; QL (0.18 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 8 MG/0.16 ML  | 5                | PA; SP; QL (0.64 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 96 MG/0.27 ML   | 5                | PA; SP; QL (0.27 per 28 days) |
| <i>buprenorphine</i>  | 3                | PA; QL (4 per 28 days)        |
| <i>buprenorphine hcl sublingual tablet 2 mg</i>   | 2                | QL (12 per 1 day)             |
| <i>buprenorphine hcl sublingual tablet 8 mg</i>   | 2                | QL (3 per 1 day)              |
| <i>butalbital-acetaminop-caff-cod oral capsule 50-325-40-30 mg</i>  | 2                | PA                            |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>   | 2                | QL (6 per 1 day)              |
| <i>butalbital-acetaminophen-caff oral tablet</i>  | 2                | QL (6 per 1 day)              |
| <i>butalbital-aspirin-caffeine oral capsule</i>   | 2                |                               |
| <i>codeine sulfate</i>  | 2                | PA                            |
| <i>codeine-butalbital-asa-caff</i>  | 2                | PA                            |
| <i>endocet</i>  | 2                | PA                            |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>  | 2                | PA                            |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>              | 2                | PA                            |
| <i>hydrocodone bitartrate</i>   | 3                | PA                            |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>   | 2                | PA                            |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg</i> | 2                | PA                            |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i>  | 3                | PA                            |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>   | 2                | PA                            |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>hydromorphone oral liquid</i>   | 2                | PA                           |
| <i>hydromorphone oral tablet</i>   | 2                | PA                           |
| <i>hydromorphone oral tablet extended release 24 hr</i>                                | 3                | PA                           |
| <i>hydromorphone rectal</i>  | 2                | PA                           |
| <i>meperidine oral solution</i>  | 2                | PA                           |
| <i>meperidine oral tablet 50 mg</i>  | 2                | PA                           |
| <i>methadone oral concentrate</i>  | 2                | PA                           |
| <i>methadone oral solution</i>   | 2                | PA                           |
| <i>methadone oral tablet</i>   | 2                | PA                           |
| <i>methadose oral concentrate</i>  | 2                | PA                           |
| <i>morphine concentrate oral solution</i>  | 2                | PA                           |
| <i>morphine oral solution</i>  | 2                | PA                           |
| <i>morphine oral tablet</i>  | 2                | PA                           |
| <i>morphine oral tablet extended release</i>   | 2                | PA                           |
| <i>morphine rectal</i>   | 3                | PA                           |
| <i>oxycodone oral capsule</i>  | 2                | PA                           |
| <i>oxycodone oral concentrate</i>  | 2                | PA                           |
| <i>oxycodone oral solution</i>   | 2                | PA                           |
| <i>oxycodone oral tablet</i>   | 2                | PA                           |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 2                | PA                           |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR  | 3                | PA                           |
| <i>oxymorphone oral tablet</i>   | 2                | PA                           |
| <i>oxymorphone oral tablet extended release 12 hr</i>                                  | 3                | PA </td                      |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML                    | 5                | PA; SP; QL (0.5 per 28 days) |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML                    | 5                | PA; SP; QL (1.5 per 28 days) |
| <i>tencon</i>  | 2                | QL (6 per 1 day)             |
| XTAMPZA ER   | 4                | PA                           |
| <b>NON-NARCOTIC ANALGESICS</b>   |                  |                              |
| <i>adult aspirin regimen</i>   | 2                | ACA; OTC                     |
| <i>aspirin childrens</i>   | 2                | ACA; OTC                     |
| <i>aspirin oral tablet, chewable</i>   | 2                | ACA; OTC                     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>aspirin oral tablet, delayed release (dr/ec) 81 mg</i>           | 2                | ACA; OTC                     |
| <i>bayer low dose aspirin</i>                                       | 2                | ACA; OTC                     |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i>               | 3                | QL (2 per 1 day)             |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>              | 3                | QL (12 per 1 day)            |
| <i>buprenorphine-naloxone sublingual film 4-1 mg</i>                | 3                | QL (6 per 1 day)             |
| <i>buprenorphine-naloxone sublingual film 8-2 mg</i>                | 3                | QL (3 per 1 day)             |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>            | 2                | QL (12 per 1 day)            |
| <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>              | 2                | QL (3 per 1 day)             |
| <i>butorphanol nasal</i>  | 2                | PA                           |
| <i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>                 | 2                | QL (2 per 1 day)             |
| <i>celecoxib oral capsule 400 mg</i>                                | 2                | QL (1 per 1 day)             |
| <i>diclofenac potassium oral tablet 50 mg</i>                       | 3                | QL (4 per 1 day)             |
| <i>diclofenac sodium oral tablet extended release 24 hr</i>         | 3                | QL (2 per 1 day)             |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> | 3                | QL (4 per 1 day)             |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i> | 2                | QL (4 per 1 day)             |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i> | 2                | QL (2 per 1 day)             |
| <i>diclofenac-misoprostol</i>                                       | 3                | PA; QL (4 per 1 day)         |
| <i>diflunisal</i>   | 3                | QL (3 per 1 day)             |
| <i>ecotrin low strength</i>   | 2                | ACA; OTC                     |
| <i>etodolac oral capsule 200 mg</i>                                 | 3                | QL (4 per 1 day)             |
| <i>etodolac oral capsule 300 mg</i>                                 | 3                | QL (3 per 1 day)             |
| <i>etodolac oral tablet</i>   | 2                | QL (2 per 1 day)             |
| <i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg</i>   | 3                | QL (2 per 1 day)             |
| <i>etodolac oral tablet extended release 24 hr 600 mg</i>           | 3                | QL (1 per 1 day)             |
| <i>flurbiprofen oral tablet 100 mg</i>                              | 2                | QL (3 per 1 day)             |
| <i>ibu</i>  | 2                |                              |
| <i>ibuprofen oral suspension</i>                                    | 2                |                              |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                 | 2                |                              |
| <i>indomethacin oral capsule 25 mg</i>                              | 2                | QL (3 per 1 day)             |
| <i>indomethacin oral capsule 50 mg</i>                              | 2                | QL (4 per 1 day)             |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>indomethacin oral capsule, extended release</i>          | 2                | QL (2 per 1 day)             |
| <i>ketoprofen oral capsule 25 mg</i>                        | 3                | PA; QL (4 per 1 day)         |
| <i>ketorolac oral</i>                                       | 2                | QL (20 per 30 days)          |
| KLOXXADO  | 3                | 2 sprays per fill            |
| <i>mefenamic acid</i>                                       | 3                | PA; 29 caps per fill         |
| <i>meloxicam oral tablet</i>                                | 2                |                              |
| <i>nabumetone oral tablet 500 mg</i>                        | 2                | QL (4 per 1 day)             |
| <i>nabumetone oral tablet 750 mg</i>                        | 2                | QL (2 per 1 day)             |
| <i>naloxone injection solution</i>                          | 2                |                              |
| <i>naloxone injection syringe</i>                           | 2                |                              |
| <i>naltrexone</i>   | 2                |                              |
| <i>naproxen oral tablet 250 mg</i>                          | 2                | QL (6 per 1 day)             |
| <i>naproxen oral tablet 375 mg</i>                          | 2                | QL (4 per 1 day)             |
| <i>naproxen oral tablet 500 mg</i>                          | 2                | QL (3 per 1 day)             |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> | 2                | QL (4 per 1 day)             |
| <i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> | 3                | QL (2 per 1 day)             |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>           | 3                |                              |
| NUCYNTA   | 4                | PA                           |
| NUCYNTA ER  | 4                | PA                           |
| OPVEE   | 4                | 2 units per fill             |
| <i>oxaprozin oral tablet</i>                                | 2                | QL (2 per 1 day)             |
| <i>pentazocine-naloxone</i>                                 | 3                | PA                           |
| <i>piroxicam</i>  | 2                | QL (1 per 1 day)             |
| REXTOVY   | 4                | 2 sprays per fill            |
| <i>salsalate</i>  | 2                |                              |
| <i>st joseph aspirin</i>                                    | 2                | ACA; OTC                     |
| <i>st. joseph aspirin</i>                                   | 2                | ACA; OTC                     |
| <i>sulindac</i>   | 2                | QL (2 per 1 day)             |
| <i>tolmetin oral capsule</i>                                | 3                |                              |
| <i>tramadol oral tablet 50 mg</i>                           | 2                | PA                           |
| <i>tramadol oral tablet extended release 24 hr</i>          | 3                | PA                           |
| <i>tramadol oral tablet, er multiphase 24 hr</i>            | 3                | PA                           |
| <i>tramadol-acetaminophen</i>                               | 2                | PA                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                       |
|--|------------------|--|
| VIVITROL   | 5                | SP   |
| ZIMHI  | 4                | 2 syringes per fill  |
| <b>PSYCHOTHERAPEUTIC DRUGS</b>   |                  |  |
| ABILIFY MAINTENA   | 3                | PA for Age less than or equal to 17 year(s); QL (1 per 28 days)    |
| ADDYI  | 4                | PA; QL (1 per 1 day)   |
| <i>alprazolam oral tablet</i>  | 2                |  |
| <i>alprazolam oral tablet extended release 24 hr</i>                   | 2                |  |
| <i>alprazolam oral tablet, disintegrating</i>                          | 3                |  |
| <i>amitriptyline</i>   | 2                |  |
| <i>amitriptyline-chlordiazepoxide</i>                                  | 3                |  |
| <i>amoxapine</i>   | 3                |  |
| <i>aripiprazole oral tablet</i>  | 2                | PA for Age less than or equal to 17 year(s); QL (1 per 1 day)      |
| ARISTADA INITIO  | 3                | PA for Age less than or equal to 17 year(s); QL (2.4 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML | 3                | PA for Age less than or equal to 17 year(s); QL (3.9 per 42 days)  |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML   | 3                | PA for Age less than or equal to 17 year(s); QL (1.6 per 28 days)  |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML   | 3                | PA for Age less than or equal to 17 year(s); QL (2.4 per 28 days)  |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML   | 3                | PA for Age less than or equal to 17 year(s); QL (3.2 per 28 days)  |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i>                  | 3                | QL (1 per 1 day)   |
| <i>armodafinil oral tablet 50 mg</i>                                   | 3                | QL (2 per 1 day)   |
| <i>asenapine maleate</i>   | 3                | PA; QL (2 per 1 day)   |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>             | 2                | QL (2 per 1 day)   |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                   | 2                | QL (1 per 1 day)   |
| <i>bupropion hcl oral tablet 100 mg</i>                                | 2                | QL (4.5 per 1 day)   |
| <i>bupropion hcl oral tablet 75 mg</i>                                 | 2                | QL (6 per 1 day)   |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>         | 2                | QL (3 per 1 day)   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                     |
|---|------------------|--|
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>                              | 2                | QL (1 per 1 day)   |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i>                                    | 2                | QL (2 per 1 day)   |
| <i>bupirone</i>   | 2                |  |
| <i>chlordiazepoxide hcl</i>   | 2                |  |
| <i>chlorpromazine oral tablet</i>   | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)    |
| <i>citalopram oral solution</i>   | 3                | QL (20 per 1 day)  |
| <i>citalopram oral tablet 10 mg, 20 mg</i>  | 2                | QL (1.5 per 1 day)   |
| <i>citalopram oral tablet 40 mg</i>   | 2                | QL (1 per 1 day)   |
| <i>clomipramine</i>   | 3                |  |
| <i>clonidine hcl oral tablet extended release 12 hr</i>                                     | 2                |  |
| <i>clorazepate dipotassium</i>  | 3                |  |
| <i>clozapine oral tablet 100 mg</i>   | 3                | PA for Age less than or equal to 17 year(s); QL (9 per 1 day)    |
| <i>clozapine oral tablet 200 mg</i>   | 3                | PA for Age less than or equal to 17 year(s); QL (4.5 per 1 day)  |
| <i>clozapine oral tablet 25 mg, 50 mg</i>   | 3                | PA for Age less than or equal to 17 year(s); QL (3 per 1 day)    |
| <i>desipramine</i>  | 3                |  |
| <i>desvenlafaxine succinate</i>   | 3                | QL (1 per 1 day)   |
| <i>dexmethylphenidate oral capsule,er biphasic 50-50</i>                                    | 3                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| <i>dexmethylphenidate oral tablet</i>   | 2                | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i>                | 3                | PA for Age greater than or equal to 19 year(s); QL (4 per 1 day) |
| <i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>                        | 3                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>                                    | 2                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i>                     | 2                | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i> | 2                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| <i>dextroamphetamine-amphetamine oral tablet 30 mg</i>                                      | 2                | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| <i>diazepam intensol</i>  | 3                |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                    |
|--|------------------|---|
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                          | 2                |   |
| <i>diazepam oral tablet</i>  | 2                |   |
| <i>doxepin oral capsule</i>  | 2                |   |
| <i>doxepin oral concentrate</i>  | 2                |   |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 2                | QL (2 per 1 day)  |
| <i>ergoloid</i>  | 3                |   |
| <i>escitalopram oxalate oral solution</i>                                  | 3                | QL (20 per 1 day)   |
| <i>escitalopram oxalate oral tablet 10 mg, 5 mg</i>                        | 2                | QL (1.5 per 1 day)  |
| <i>escitalopram oxalate oral tablet 20 mg</i>                              | 2                | QL (1 per 1 day)  |
| <i>estazolam</i>   | 2                |   |
| <i>eszopiclone</i>   | 2                | QL (1 per 1 day)  |
| <i>fluoxetine oral capsule</i>   | 2                | QL (2 per 1 day)  |
| <i>fluoxetine oral solution</i>  | 3                | QL (20 per 1 day)   |
| <i>fluoxetine oral tablet 10 mg, 20 mg</i>                                 | 3                | QL (1 per 1 day)  |
| <i>fluphenazine decanoate</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (5 per 30 days) |
| <i>fluphenazine hcl injection</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (5 per 30 days) |
| <i>fluphenazine hcl oral concentrate</i>                                   | 3                | PA for Age less than or equal to 17 year(s); QL (8 per 1 day)   |
| <i>fluphenazine hcl oral elixir</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (80 per 1 day)  |
| <i>fluphenazine hcl oral tablet</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)   |
| <i>flurazepam</i>  | 2                | QL (1 per 1 day)  |
| <i>fluvoxamine oral tablet 100 mg</i>                                      | 3                | QL (3 per 1 day)  |
| <i>fluvoxamine oral tablet 25 mg, 50 mg</i>                                | 3                | QL (1.5 per 1 day)  |
| <i>guanfacine oral tablet extended release 24 hr</i>                       | 2                |   |
| <i>haloperidol decanoate</i>   | 3                | PA for Age less than or equal to 17 year(s)                     |
| <i>haloperidol lactate injection</i>                                       | 2                | PA for Age less than or equal to 17 year(s)                     |
| <i>haloperidol lactate intramuscular</i>                                   | 2                | PA for age 17 and younger                                       |
| <i>haloperidol lactate oral</i>  | 2                | PA for Age less than or equal to 17 year(s); QL (15 per 1 day)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                       |
|--|------------------|--|
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 5 mg</i> | 2                | PA for Age less than or equal to 17 year(s); QL (3 per 1 day)      |
| <i>haloperidol oral tablet 20 mg</i>                           | 2                | PA for Age less than or equal to 17 year(s); QL (1.5 per 1 day)    |
| HETLIOZ LQ   | 5                | PA; SP   |
| <i>imipramine hcl</i>  | 2                |  |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML           | 3                | PA for Age less than or equal to 17 year(s); QL (3.5 per 135 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (5 per 135 days)   |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML           | 3                | PA for Age less than or equal to 17 year(s); QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML                | 3                | PA for Age less than or equal to 17 year(s); QL (1 per 28 days)    |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML            | 3                | PA for Age less than or equal to 17 year(s); QL (1.5 per 28 days)  |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML            | 3                | PA for Age less than or equal to 17 year(s); QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (0.5 per 28 days)  |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (0.88 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (1.32 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (1.75 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (2.63 per 63 days) |
| <i>lisdexamfetamine</i>  | 2                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)   |
| <i>lithium carbonate</i>                                       | 2                |  |
| <i>lithium citrate</i>   | 2                |  |
| <i>lorazepam intensol</i>                                      | 3                |  |
| <i>lorazepam oral concentrate</i>                              | 3                |  |
| <i>lorazepam oral tablet</i>                                   | 2                |  |
| <i>loxapine succinate oral capsule 10 mg</i>                   | 3                | PA for Age less than or equal to 17 year(s); QL (8 per 1 day)      |
| <i>loxapine succinate oral capsule 25 mg, 5 mg</i>             | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                      |
|---|------------------|---|
| <i>loxapine succinate oral capsule 50 mg</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (5 per 1 day)     |
| LUMRYZ  | 4                | PA; SP; QL (1 per 1 day)  |
| LUMRYZ STARTER PACK   | 5                | PA; SP; QL (28 per 365 days)                                      |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>                             | 3                | ST; QL (1 per 1 day)  |
| <i>lurasidone oral tablet 80 mg</i>   | 3                | ST; QL (2 per 1 day)  |
| MARPLAN   | 4                | PA  |
| <i>methamphetamine</i>  | 3                | PA for Age greater than or equal to 19 year(s); QL (5 per 1 day)  |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70</i>                            | 3                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)  |
| <i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg</i> | 3                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)  |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i>                                   | 3                | PA for Age greater than or equal to 19 year(s); QL (30 per 1 day) |
| <i>methylphenidate hcl oral solution 5 mg/5 ml</i>                                    | 3                | PA for Age greater than or equal to 19 year(s); QL (60 per 1 day) |
| <i>methylphenidate hcl oral tablet</i>  | 2                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)  |
| <i>methylphenidate hcl oral tablet extended release</i>                               | 2                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)  |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>      | 3                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)  |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>                    | 3                | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)  |
| <i>midazolam oral syrup 2 mg/ml</i>   | 2                |   |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i>                                    | 2                | QL (1 per 1 day)  |
| <i>mirtazapine oral tablet 7.5 mg</i>   | 3                | QL (1 per 1 day)  |
| <i>mirtazapine oral tablet, disintegrating</i>  | 3                | QL (1 per 1 day)  |
| <i>modafinil</i>  | 3                | QL (1 per 1 day)  |
| <i>nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg</i>                           | 3                | QL (2 per 1 day)  |
| <i>nefazodone oral tablet 200 mg</i>  | 3                | QL (3 per 1 day)  |
| <i>nortriptyline oral capsule</i>   | 2                |   |
| <i>nortriptyline oral solution</i>  | 3                |   |
| NUPLAZID  | 5                | PA; SP; QL (1 per 1 day)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                      |
|--|------------------|---|
| <i>olanzapine oral tablet</i>  | 2                | PA for Age less than or equal to 17 year(s); QL (1 per 1 day)     |
| <i>olanzapine-fluoxetine</i>   | 3                | PA for Age less than or equal to 17 year(s)                       |
| <i>oxazepam</i>  | 3                |   |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>   | 3                | PA; PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i>                 | 3                | PA; PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| <i>paroxetine hcl oral tablet 10 mg, 40 mg</i>                             | 2                | QL (1.5 per 1 day)  |
| <i>paroxetine hcl oral tablet 20 mg</i>                                    | 2                | QL (1 per 1 day)  |
| <i>paroxetine hcl oral tablet 30 mg</i>                                    | 2                | QL (2 per 1 day)  |
| <i>perphenazine oral tablet 16 mg</i>                                      | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 1 day)     |
| <i>perphenazine oral tablet 2 mg, 4 mg, 8 mg</i>                           | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)     |
| <i>perphenazine-amitriptyline</i>  | 3                | PA for Age less than or equal to 17 year(s)                       |
| PERSERIS   | 3                | PA for Age less than or equal to 17 year(s); QL (1 per 28 days)   |
| <i>phenelzine</i>  | 2                |   |
| <i>pimozide oral tablet 1 mg</i>   | 3                | QL (10 per 1 day)   |
| <i>pimozide oral tablet 2 mg</i>   | 3                | QL (5 per 1 day)  |
| <i>protriptyline</i>   | 3                |   |
| QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 150 MG                  | 4                | PA; QL (1 per 1 day)  |
| QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG                          | 4                | PA; QL (2 per 1 day)  |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>                 | 2                | PA for Age less than or equal to 17 year(s); QL (3 per 1 day)     |
| <i>quetiapine oral tablet 300 mg, 400 mg</i>                               | 2                | PA for Age less than or equal to 17 year(s); QL (2 per 1 day)     |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>        | 3                | PA for Age less than or equal to 17 year(s); QL (1 per 1 day)     |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 1 day)     |
| <i>ramelteon</i>   | 3                | ST; QL (1 per 1 day)  |
| REXULTI ORAL TABLET  | 4                | PA; QL (1 per 1 day)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                       |
|---|------------------|--|
| <i>risperidone microspheres</i>                                   | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 28 days)    |
| <i>risperidone oral solution</i>                                  | 2                | PA for Age less than or equal to 17 year(s); QL (8 per 1 day)      |
| <i>risperidone oral tablet</i>                                    | 2                | PA for Age less than or equal to 17 year(s); QL (2 per 1 day)      |
| RYKINDO   | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 28 days)    |
| <i>sertraline oral concentrate</i>                                | 3                | QL (10 per 1 day)  |
| <i>sertraline oral tablet 100 mg</i>                              | 2                | QL (2 per 1 day)   |
| <i>sertraline oral tablet 25 mg, 50 mg</i>                        | 2                | QL (1.5 per 1 day)   |
| SODIUM OXYBATE  | 5                | PA; SP; LA; QL (18 per 1 day)                                      |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2)               | 5                | PA; SP; QL (8 per 28 days)   |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 84 MG (28 MG X 3)               | 5                | PA; SP   |
| SUNOSI  | 4                | PA; QL (1 per 1 day)   |
| <i>tasimelteon</i>  | 5                | PA; SP; QL (1 per 1 day)   |
| <i>temazepam oral capsule 15 mg, 30 mg</i>                        | 2                | QL (1 per 1 day)   |
| <i>thioridazine oral tablet 10 mg, 25 mg, 50 mg</i>               | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)      |
| <i>thioridazine oral tablet 100 mg</i>                            | 3                | PA for Age less than or equal to 17 year(s); QL (8 per 1 day)      |
| <i>thiothixene oral capsule 1 mg, 2 mg, 5 mg</i>                  | 3                | PA for Age less than or equal to 17 year(s); QL (3 per 1 day)      |
| <i>thiothixene oral capsule 10 mg</i>                             | 3                | PA for Age less than or equal to 17 year(s); QL (6 per 1 day)      |
| <i>tranylcypromine</i>  | 3                | QL (6 per 1 day)   |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>                | 2                | QL (3 per 1 day)   |
| <i>trazodone oral tablet 300 mg</i>                               | 3                | QL (2 per 1 day)   |
| <i>triazolam</i>  | 2                | QL (1 per 1 day)   |
| <i>trifluoperazine</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (4 per 1 day)      |
| <i>trimipramine</i>   | 3                |  |
| TRINTELLIX  | 4                | PA; QL (1 per 1 day)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML | 3                | PA for Age less than or equal to 17 year(s); QL (0.28 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                       |
|---|------------------|--|
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML            | 3                | PA for Age less than or equal to 17 year(s); QL (0.35 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML            | 3                | PA for Age less than or equal to 17 year(s); QL (0.42 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML            | 3                | PA for Age less than or equal to 17 year(s); QL (0.56 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (0.7 per 28 days)  |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (0.14 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML             | 3                | PA for Age less than or equal to 17 year(s); QL (0.21 per 28 days) |
| <i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>       | 2                | QL (1 per 1 day)   |
| <i>venlafaxine oral capsule,extended release 24hr 75 mg</i>                 | 2                | QL (3 per 1 day)   |
| <i>venlafaxine oral tablet</i>  | 2                | QL (3 per 1 day)   |
| <i>vilazodone</i>   | 3                | PA; QL (1 per 1 day)   |
| VYVANSE ORAL CAPSULE  | 3                | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)   |
| WAKIX   | 5                | PA; SP; LA; QL (2 per 1 day)                                       |
| XYWAV   | 5                | PA; SP; LA; QL (18 per 1 day)                                      |
| <i>zaleplon</i>   | 2                | QL (1 per 1 day)   |
| <i>zenzedi oral tablet 10 mg, 5 mg</i>                                      | 2                | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)   |
| <i>ziprasidone hcl</i>  | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 1 day)      |
| <i>zolpidem oral tablet</i>   | 2                | QL (1 per 1 day)   |
| <i>zolpidem oral tablet,ext release multiphase</i>                          | 3                | QL (1 per 1 day)   |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG  | 5                | PA; SP; QL (28 per 14 days)  |
| ZURZUVAE ORAL CAPSULE 30 MG   | 5                | PA; SP; QL (14 per 14 days)  |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG | 3                | PA for Age less than or equal to 17 year(s); QL (2 per 28 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name   | Drug Tier | Requirements / Limits   |
|---|-----------|---|
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 3         | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |

## AUTONOMIC & CNS DRUGS, NEUROLOGY

### MULTIPLE SCLEROSIS AGENTS

|  |   |  |
|--|---|--|
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT  | 5 | SP   |
| AVONEX INTRAMUSCULAR SYRINGE KIT   | 5 | SP   |
| BAFIERTAM  | 5 | PA; SP; QL (4 per 1 day)                           |
| BETASERON SUBCUTANEOUS KIT   | 5 | SP   |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 2 | SP; QL (60 per 365 days)                           |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 240 mg</i>           | 2 | SP; QL (2 per 1 day)                               |
| <i>fingolimod</i>  | 5 | SP   |
| <i>glatiramer</i>  | 5 | SP   |
| <i>glatopa</i>   | 5 | SP   |
| KESIMPTA PEN   | 5 | PA; SP; QL (0.4 per 28 days)                       |
| MAVENCLAD (10 TABLET PACK)   | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (4 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (5 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (6 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (7 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (8 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAVENCLAD (9 TABLET PACK)  | 5 | PA; 2 tablets per day; 4 packs in 720 days; SP; LA |
| MAYZENT ORAL TABLET 0.25 MG  | 5 | PA; SP; QL (12 per 365 days)                       |
| MAYZENT ORAL TABLET 1 MG, 2 MG   | 5 | PA; SP; QL (1 per 1 day)                           |
| MAYZENT STARTER(FOR 1MG MAINT)   | 5 | PA; SP; QL (7 per 365 days)                        |
| MAYZENT STARTER(FOR 2MG MAINT)   | 5 | PA; SP; QL (12 per 365 days)                       |
| PLEGRIDY INTRAMUSCULAR   | 5 | SP; QL (1 per 28 days)                             |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name  | Drug Tier | Requirements / Limits     |
|--|-----------|---------------------------|
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML                      | 5         | SP; QL (1 per 28 days)    |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML        | 5         | SP; QL (1 per 365 days)   |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML                           | 5         | SP; QL (1 per 28 days)    |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML             | 5         | SP; QL (1 per 365 days)   |
| PONVORY  | 5         | PA; SP; QL (1 per 1 day)  |
| REBIF (WITH ALBUMIN)   | 5         | SP; QL (6 per 28 days)    |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML  | 5         | SP; QL (6 per 28 days)    |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 5         | SP; QL (4.2 per 365 days) |
| REBIF TITRATION PACK   | 5         | SP; QL (4.2 per 365 days) |
| <i>teriflunomide</i>   | 5         | SP                        |
| VUMERITY   | 5         | PA; SP; QL (4 per 1 day)  |

## CARDIOVASCULAR, HYPERTENSION & LIPIDS

### ANTIARRHYTHMIC AGENTS

|  |   |                  |
|--|---|------------------|
| <i>amiodarone oral tablet 100 mg, 400 mg</i> | 3 |                  |
| <i>amiodarone oral tablet 200 mg</i>         | 2 |                  |
| <i>disopyramide phosphate oral capsule</i>   | 3 |                  |
| <i>dofetilide</i>                            | 3 | QL (2 per 1 day) |
| <i>flecainide</i>                            | 2 |                  |
| <i>mexiletine</i>                            | 3 |                  |
| MULTAQ                                       | 3 |                  |
| <i>pacerone oral tablet 100 mg, 400 mg</i>   | 3 |                  |
| <i>pacerone oral tablet 200 mg</i>           | 2 |                  |
| <i>propafenone oral tablet</i>               | 2 |                  |
| <i>quinidine gluconate oral</i>              | 3 |                  |
| <i>sotalol af</i>                            | 2 |                  |
| <i>sotalol oral</i>                          | 2 |                  |

### ANTIHYPERTENSIVE THERAPY

|                   |   |                  |
|-------------------|---|------------------|
| <i>acebutolol</i> | 2 |                  |
| <i>aliskiren</i>  | 3 | QL (1 per 1 day) |
| <i>amiloride</i>  | 2 |                  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>amiloride-hydrochlorothiazide</i>  | 2                |                              |
| <i>amlodipine</i>   | 1                |                              |
| <i>amlodipine-benazepril</i>  | 1                |                              |
| <i>amlodipine-olmesartan</i>  | 3                |                              |
| <i>amlodipine-valsartan</i>   | 3                |                              |
| <i>atenolol</i>   | 1                |                              |
| <i>atenolol-chlorthalidone</i>  | 2                |                              |
| <i>benazepril</i>   | 1                |                              |
| <i>benazepril-hydrochlorothiazide</i>   | 2                |                              |
| <i>betaxolol oral</i>   | 2                |                              |
| <i>bisoprolol fumarate</i>  | 2                |                              |
| <i>bisoprolol-hydrochlorothiazide</i>   | 2                |                              |
| <i>bumetanide oral</i>  | 2                |                              |
| <i>candesartan</i>  | 3                | ST                           |
| <i>candesartan-hydrochlorothiazid</i>   | 3                | ST                           |
| <i>captopril</i>  | 2                |                              |
| <i>cartia xt</i>  | 2                |                              |
| <i>carvedilol</i>   | 1                |                              |
| <i>chlorthalidone oral tablet 25 mg</i>   | 1                |                              |
| <i>chlorthalidone oral tablet 50 mg</i>   | 2                |                              |
| <i>clonidine</i>  | 3                |                              |
| <i>clonidine hcl oral tablet</i>  | 2                |                              |
| <i>diltiazem hcl oral capsule,ext.rel 24h degradable</i>  | 2                |                              |
| <i>diltiazem hcl oral capsule,extended release 24 hr<br/>180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 2                |                              |
| <i>diltiazem hcl oral capsule,extended release 24hr<br/>120 mg, 180 mg, 240 mg, 300 mg</i>          | 2                |                              |
| <i>diltiazem hcl oral capsule,extended release 24hr<br/>360 mg</i>                                  | 3                |                              |
| <i>diltiazem hcl oral tablet</i>  | 2                |                              |
| <i>diltiazem hcl oral tablet extended release 24 hr<br/>120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>  | 3                |                              |
| <i>dilt-xr</i>  | 2                |                              |
| <b>DIURIL</b>   | 4                |                              |
| <i>doxazosin</i>  | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>enalapril maleate oral tablet</i>  | 1                |                              |
| <i>enalapril-hydrochlorothiazide</i>  | 1                |                              |
| <i>eplerenone</i>   | 2                |                              |
| <i>ethacrynic acid</i>  | 3                | PA                           |
| <i>felodipine</i>   | 2                |                              |
| <i>fosinopril</i>   | 1                |                              |
| <i>fosinopril-hydrochlorothiazide</i>   | 2                |                              |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>                      | 2                |                              |
| <i>furosemide oral tablet</i>   | 1                |                              |
| <i>guanfacine oral tablet</i>   | 2                |                              |
| HEMANGEOL   | 4                | PA                           |
| <i>hydralazine oral</i>   | 2                |                              |
| <i>hydrochlorothiazide</i>  | 1                |                              |
| <i>indapamide</i>   | 2                |                              |
| <i>irbesartan</i>   | 1                |                              |
| <i>irbesartan-hydrochlorothiazide</i>   | 1                |                              |
| <i>isradipine</i>   | 3                |                              |
| KERENDIA  | 4                | PA; QL (1 per 1 day)         |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                 | 2                |                              |
| <i>lisinopril</i>   | 1                |                              |
| <i>lisinopril-hydrochlorothiazide</i>   | 1                |                              |
| <i>losartan</i>   | 1                |                              |
| <i>losartan-hydrochlorothiazide</i>   | 1                |                              |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg</i>  | 3                |                              |
| <i>methyldopa</i>   | 2                |                              |
| <i>metolazone</i>   | 2                |                              |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> | 1                |                              |
| <i>metoprolol succinate oral tablet extended release 24 hr 200 mg</i>               | 2                |                              |
| <i>metoprolol ta-hydrochlorothiaz</i>   | 3                |                              |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg</i>                | 1                |                              |
| <i>metoprolol tartrate oral tablet 75 mg</i>  | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                      | <b>Drug Tier</b> | <b>Requirements / Limits</b>      |
|---------------------------------------|------------------|-----------------------------------|
| <i>metyrosine</i>                     | 3                | PA                                |
| <i>minoxidil oral</i>                 | 2                |                                   |
| <i>moexipril</i>                      | 2                |                                   |
| <i>nadolol</i>                        | 2                |                                   |
| <i>nebivolol</i>                      | 3                |                                   |
| <i>nifedipine</i>                     | 2                |                                   |
| <i>nimodipine oral capsule</i>        | 3                |                                   |
| <i>olmesartan</i>                     | 1                |                                   |
| <i>olmesartan-hydrochlorothiazide</i> | 2                |                                   |
| ORENITRAM                             | 5                | PA; SP; QL (3 per 1 day)          |
| ORENITRAM MONTH 1 TITRATION KT        | 5                | PA; SP; QL (168 per 365 days)     |
| ORENITRAM MONTH 2 TITRATION KT        | 5                | PA; SP; QL (336 per 365 days)     |
| ORENITRAM MONTH 3 TITRATION KT        | 5                | PA; SP; QL (252 per 365 days)     |
| <i>perindopril erbumine</i>           | 2                |                                   |
| <i>phenoxybenzamine</i>               | 3                | PA                                |
| <i>pindolol</i>                       | 3                |                                   |
| <i>prazosin</i>                       | 2                |                                   |
| <i>propranolol oral</i>               | 2                |                                   |
| <i>quinapril</i>                      | 1                |                                   |
| <i>quinapril-hydrochlorothiazide</i>  | 2                |                                   |
| <i>ramipril</i>                       | 1                |                                   |
| <i>spironolactone oral tablet</i>     | 2                |                                   |
| <i>spironolacton-hydrochlorothiaz</i> | 2                |                                   |
| <i>telmisartan</i>                    | 2                |                                   |
| <i>terazosin</i>                      | 2                |                                   |
| <i>tiadylt er</i>                     | 2                |                                   |
| <i>timolol maleate oral</i>           | 3                |                                   |
| <i>torse mide oral</i>                | 2                |                                   |
| <i>trandolapril</i>                   | 1                |                                   |
| <i>trandolapril-verapamil</i>         | 3                |                                   |
| <i>triamterene</i>                    | 2                |                                   |
| <i>triamterene-hydrochlorothiazid</i> | 2                |                                   |
| UPTRAVI ORAL TABLET                   | 5                | PA; SP; LA; QL (2 per 1 day)      |
| UPTRAVI ORAL TABLETS,DOSE PACK        | 5                | PA; SP; LA; QL (200 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>     |
|--|------------------|----------------------------------|
| <i>valsartan oral tablet</i>   | 1                |                                  |
| <i>valsartan-hydrochlorothiazide</i>   | 2                |                                  |
| <i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 3                |                                  |
| <i>verapamil oral tablet</i>   | 2                |                                  |
| <i>verapamil oral tablet extended release</i>                                | 2                |                                  |
| <b>CARDIAC GLYCOSIDES</b>  |                  |                                  |
| <i>digoxin oral solution</i>   | 2                |                                  |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>             | 2                |                                  |
| <b>COAGULATION THERAPY</b>   |                  |                                  |
| ALVAIZ ORAL TABLET 18 MG, 9 MG   | 5                | PA; SP; QL (1 per 1 day)         |
| ALVAIZ ORAL TABLET 36 MG, 54 MG  | 5                | PA; SP; QL (2 per 1 day)         |
| <i>aminocaproic acid oral solution</i>                                       | 3                |                                  |
| <i>aminocaproic acid oral tablet</i>   | 2                |                                  |
| <i>aspirin-dipyridamole</i>  | 3                |                                  |
| BRILINTA   | 3                |                                  |
| CABLIVI INJECTION KIT  | 5                | PA; SP; LA; QL (59 per 365 days) |
| <i>cilostazol</i>  | 2                |                                  |
| <i>clopidogrel</i>   | 2                |                                  |
| <i>dabigatran etexilate</i>  | 3                |                                  |
| <i>dipyridamole oral</i>   | 2                |                                  |
| DOPTELET (15 TAB PACK)   | 5                | PA; SP; LA; QL (2 per 1 day)     |
| ELIQUIS  | 3                |                                  |
| ELIQUIS DVT-PE TREAT 30D START   | 3                |                                  |
| <i>enoxaparin</i>  | 5                | SP                               |
| <i>fondaparinux</i>  | 5                | SP                               |
| FRAGMIN SUBCUTANEOUS SOLUTION  | 5                | SP                               |
| FRAGMIN SUBCUTANEOUS SYRINGE   | 5                | SP                               |
| <i>heparin (porcine) injection cartridge</i>                                 | 2                |                                  |
| <i>heparin (porcine) injection solution</i>                                  | 2                |                                  |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i>                     | 2                |                                  |
| <i>heparin, porcine (pf) injection solution</i>                              | 2                |                                  |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>             | 2                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>jantoven</i>  | 2                |                              |
| MULPLETA   | 5                | PA; SP; QL (7 per 365 days)  |
| <i>pentoxifylline</i>  | 2                |                              |
| <i>phytonadione (vitamin k1) oral tablet 5 mg</i>                | 2                |                              |
| <i>prasugrel hcl</i>   | 2                |                              |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG                           | 5                | PA; SP; LA; QL (1 per 1 day) |
| PROMACTA ORAL POWDER IN PACKET 25 MG                             | 5                | PA; SP; LA; QL (3 per 1 day) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG                              | 5                | PA; SP; LA; QL (1 per 1 day) |
| PROMACTA ORAL TABLET 50 MG                                       | 5                | PA; SP; LA; QL (3 per 1 day) |
| PROMACTA ORAL TABLET 75 MG                                       | 5                | PA; SP; LA; QL (2 per 1 day) |
| TAVALISSE  | 5                | PA; SP; LA; QL (2 per 1 day) |
| <i>warfarin</i>  | 2                |                              |
| XARELTO DVT-PE TREAT 30D START                                   | 3                |                              |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION                       | 3                | QL (20 per 1 day)            |
| XARELTO ORAL TABLET  | 3                |                              |
| ZONTIVITY  | 4                | PA                           |
| <b>LIPID/CHOLESTEROL LOWERING AGENTS</b>                         |                  |                              |
| <i>amlodipine-atorvastatin</i>                                   | 3                |                              |
| <i>atorvastatin oral tablet 10 mg, 20 mg</i>                     | 1                | ACA                          |
| <i>atorvastatin oral tablet 40 mg, 80 mg</i>                     | 1                |                              |
| <i>cholestyramine (with sugar)</i>                               | 2                |                              |
| <i>cholestyramine light</i>                                      | 2                |                              |
| <i>colesevelam</i>   | 3                |                              |
| <i>colestipol</i>  | 2                |                              |
| <i>ezetimibe</i>   | 1                |                              |
| <i>ezetimibe-simvastatin</i>                                     | 3                | PA                           |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> | 2                |                              |
| <i>fenofibrate nanocrystallized</i>                              | 2                |                              |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i>                     | 2                |                              |
| <i>fenofibric acid (choline)</i>                                 | 2                |                              |
| <i>gemfibrozil</i>   | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>icosapent ethyl</i>                                   | 3                | PA; QL (4 per 1 day)         |
| JUXTAPID   | 5                | PA; SP; LA                   |
| <i>lovastatin</i>  | 1                | ACA                          |
| NEXLETOL   | 4                | PA; QL (1 per 1 day)         |
| NEXLIZET   | 4                | PA; QL (1 per 1 day)         |
| <i>niacin oral tablet 500 mg</i>                         | 3                |                              |
| <i>niacin oral tablet extended release 24 hr</i>         | 3                |                              |
| NIACOR   | 3                |                              |
| <i>omega-3 acid ethyl esters</i>                         | 3                | QL (4 per 1 day)             |
| <i>pravastatin</i>                                       | 1                | ACA                          |
| <i>prevalite</i>   | 2                |                              |
| REPATHA PUSHTRONEX                                       | 3                | PA; QL (3.5 per 28 days)     |
| REPATHA SURECLICK  | 3                | PA; QL (3 per 28 days)       |
| REPATHA SYRINGE  | 3                | PA; QL (3 per 28 days)       |
| <i>rosuvastatin oral tablet 10 mg, 5 mg</i>              | 1                | ACA                          |
| <i>rosuvastatin oral tablet 20 mg, 40 mg</i>             | 1                |                              |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1                | ACA                          |
| <i>simvastatin oral tablet 80 mg</i>                     | 1                |                              |
| <b>MISCELLANEOUS CARDIOVASCULAR AGENTS</b>               |                  |                              |
| CAMZYOS  | 5                | PA; SP; QL (1 per 1 day)     |
| CORLANOR ORAL SOLUTION                                   | 4                | PA; QL (15 per 1 day)        |
| ENTRESTO   | 3                |                              |
| <i>ivabradine</i>  | 3                | QL (2 per 1 day)             |
| LODOCO   | 4                | PA; QL (1 per 1 day)         |
| <i>ranolazine</i>  | 3                |                              |
| TRYVIO   | 5                | PA; SP; QL (1 per 1 day)     |
| VERQUVO  | 4                | PA; QL (1 per 1 day)         |
| VYNDAMAX   | 5                | PA; SP; QL (1 per 1 day)     |
| VYNDAQEL   | 5                | PA; SP; QL (4 per 1 day)     |
| <b>NITRATES</b>  |                  |                              |
| <i>isosorbide dinitrate oral tablet</i>                  | 2                |                              |
| <i>isosorbide mononitrate</i>                            | 2                |                              |
| <i>nitro-bid</i>   | 3                |                              |
| <i>nitroglycerin sublingual</i>                          | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name   | Drug Tier | Requirements / Limits        |
|---|-----------|------------------------------|
| <i>nitroglycerin transdermal patch 24 hour</i>              | 2         |                              |
| <b>DERMATOLOGICALS/TOPICAL THERAPY</b>                      |           |                              |
| <b>ANTIPSORIATIC / ANTISEBORRHEIC</b>                       |           |                              |
| <i>acitretin</i>  | 3         |                              |
| BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 160 MG/ML   | 5         | PA; QL (1 per 28 days)       |
| BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 320 MG/2 ML | 5         | PA; QL (2 per 42 days)       |
| BIMZELX SUBCUTANEOUS SYRINGE 160 MG/ML                      | 5         | PA; SP; QL (1 per 28 days)   |
| BIMZELX SUBCUTANEOUS SYRINGE 320 MG/2 ML                    | 5         | PA; SP; QL (2 per 42 days)   |
| <i>calcipotriene scalp</i>                                  | 3         |                              |
| <i>calcipotriene topical cream</i>                          | 3         |                              |
| <i>calcipotriene topical ointment</i>                       | 3         |                              |
| <i>calcitriol topical</i>                                   | 3         |                              |
| COSENTYX (2 SYRINGES)                                       | 5         | PA; SP; QL (2 per 28 days)   |
| COSENTYX PEN  | 5         | PA; SP; QL (1 per 28 days)   |
| COSENTYX PEN (2 PENS)                                       | 5         | PA; SP; QL (2 per 28 days)   |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML                     | 5         | PA; SP; QL (1 per 28 days)   |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML                  | 5         | PA; SP; QL (0.5 per 28 days) |
| COSENTYX UNOREADY PEN                                       | 5         | PA; SP; QL (2 per 28 days)   |
| ILUMYA  | 5         | PA; SP; QL (1 per 63 days)   |
| <i>selenium sulfide topical lotion</i>                      | 2         |                              |
| <i>selenium sulfide topical shampoo 2.25 %</i>              | 3         |                              |
| SILIQ   | 5         | PA; SP; QL (3 per 28 days)   |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR                           | 5         | PA; SP; QL (1 per 63 days)   |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML                      | 5         | PA; SP; QL (1 per 63 days)   |
| SOTYKTU   | 5         | PA; SP; QL (1 per 1 day)     |
| SPEVIGO SUBCUTANEOUS  | 5         | PA; SP; QL (2 per 28 days)   |
| STELARA INTRAVENOUS   | 5         | PA; SP; QL (52 per 365 days) |
| STELARA SUBCUTANEOUS SOLUTION                               | 5         | PA; SP; QL (0.5 per 63 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                      | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|---|------------------|-------------------------------|
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML             | 5                | PA; SP; QL (0.5 per 63 days)  |
| STELARA SUBCUTANEOUS SYRINGE 90 MG/ML                 | 5                | PA; SP; QL (1 per 42 days)    |
| TALTZ AUTOINJECTOR                                    | 5                | PA; SP; QL (1 per 28 days)    |
| TALTZ AUTOINJECTOR (2 PACK)                           | 5                | PA; SP; QL (1 per 28 days)    |
| TALTZ AUTOINJECTOR (3 PACK)                           | 5                | PA; SP; QL (1 per 28 days)    |
| TALTZ SYRINGE   | 5                | PA; SP; QL (1 per 28 days)    |
| TREMFYA PEN   | 5                | PA; SP; QL (2 per 28 days)    |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR                    | 5                | PA; SP; QL (1 per 42 days)    |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML                | 5                | PA; SP; QL (1 per 42 days)    |
| TREMFYA SUBCUTANEOUS SYRINGE 200 MG/2 ML              | 5                | PA; SP; QL (2 per 28 days)    |
| ZORYVE TOPICAL CREAM 0.15 %                           | 4                | PA; QL (1 per 30 days)        |
| ZORYVE TOPICAL FOAM                                   | 4                | PA; SP; QL (1 per 30 days)    |
| <b>BURN THERAPY</b>                                   |                  |                               |
| <i>silver sulfadiazine</i>                            | 2                |                               |
| <i>ssd</i>  | 2                |                               |
| <b>MISCELLANEOUS DERMATOLOGICALS</b>                  |                  |                               |
| ADBRY   | 5                | PA; SP; QL (4 per 28 days)    |
| <i>ammonium lactate</i>                               | 2                |                               |
| <i>diclofenac sodium topical gel 3 %</i>              | 2                | QL (100 per 365 days)         |
| DRYSOL DAB-O-MATIC                                    | 2                |                               |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 5                | PA; SP; QL (2.28 per 28 days) |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML    | 5                | PA; SP; QL (4 per 28 days)    |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML  | 5                | PA; SP; QL (2.28 per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML     | 5                | PA; SP; QL (4 per 28 days)    |
| EUCRISA   | 4                | ST; QL (1 per 30 days)        |
| <i>fluorouracil topical cream 5 %</i>                 | 2                | QL (40 per 365 days)          |
| <i>fluorouracil topical solution</i>                  | 2                | QL (10 per 365 days)          |
| HYFTOR  | 5                | PA; SP; QL (3 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|---|
| <i>methoxsalen</i>   | 5                | SP  |
| OPZELURA   | 5                | PA; SP; QL (60 per 30 days)   |
| PANRETIN   | 5                | PA; SP  |
| <i>pimecrolimus</i>  | 3                | ST  |
| <i>podofilox topical solution</i>                                    | 2                |   |
| REGRANEX   | 4                | QL (15 per 720 days)  |
| <i>tacrolimus topical</i>  | 2                |   |
| VALCHLOR   | 5                | PA; SP; QL (60 per 30 days)   |
| <b>THERAPY FOR ACNE</b>  |                  |   |
| <i>adapalene topical cream</i>                                       | 3                | PA for Age greater than or equal to 29 year(s); QL (45 per 30 days) |
| <i>adapalene topical gel 0.3 %</i>                                   | 3                | PA for Age greater than or equal to 29 year(s); QL (45 per 30 days) |
| <i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i>    | 3                |   |
| <i>amnesteem</i>   | 3                |   |
| <i>azelaic acid</i>  | 3                |   |
| <i>brimonidine topical</i>   | 3                | PA; QL (30 per 30 days)   |
| <i>claravis</i>  | 3                |   |
| <i>clindacin etz topical swab</i>                                    | 2                |   |
| <i>clindacin p</i>   | 2                |   |
| <i>clindamycin phosphate topical gel</i>                             | 3                |   |
| <i>clindamycin phosphate topical lotion</i>                          | 3                |   |
| <i>clindamycin phosphate topical solution</i>                        | 2                |   |
| <i>clindamycin phosphate topical swab</i>                            | 2                |   |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> | 2                |   |
| <i>dapsone topical gel</i>   | 3                | ST  |
| <i>ery pads</i>  | 3                |   |
| <i>erygel</i>  | 3                |   |
| <i>erythromycin with ethanol topical gel</i>                         | 3                |   |
| <i>erythromycin with ethanol topical solution</i>                    | 2                |   |
| <i>erythromycin-benzoyl peroxide</i>                                 | 3                | ST  |
| <i>ivermectin topical cream</i>                                      | 3                | PA  |
| <i>metronidazole topical cream</i>                                   | 2                |   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                       |
|--|------------------|--|
| <i>metronidazole topical gel 0.75 %</i>                          | 2                | QL (45 per 30 days)  |
| <i>metronidazole topical gel 1 %</i>                             | 3                | QL (60 per 30 days)  |
| <i>metronidazole topical gel with pump</i>                       | 3                | QL (60 per 30 days)  |
| <i>neuac</i>   | 2                |  |
| <i>rosadan topical cream</i>                                     | 2                |  |
| <i>rosadan topical gel</i>                                       | 2                | QL (45 per 30 days)  |
| <i>sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)</i> | 2                |  |
| <i>sulfacetamide sodium-sulfur topical suspension 8-4 %</i>      | 2                |  |
| <i>sulfacleanse 8-4</i>  | 2                |  |
| <i>tazarotene topical cream 0.1 %</i>                            | 3                |  |
| <i>tretinoin topical cream 0.025 %, 0.05 %</i>                   | 2                | PA for Age greater than or equal to 29 year(s); QL (1 per 30 days) |
| <i>tretinoin topical cream 0.1 %</i>                             | 3                | PA for Age greater than or equal to 29 year(s); QL (1 per 30 days) |
| <i>zenatane</i>  | 3                |  |
| <b>TOPICAL ANESTHETICS</b>                                       |                  |  |
| <i>dermacinrx lidocan</i>  | 2                | QL (3 per 1 day)   |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>     | 3                |  |
| <i>lidocaine topical adhesive patch,medicated 5 %</i>            | 3                | QL (3 per 1 day)   |
| <i>lidocaine topical ointment</i>                                | 2                |  |
| <i>lidocaine viscous</i>   | 2                | PA for Age less than or equal to 2 year(s)                         |
| <i>lidocaine-prilocaine topical cream</i>                        | 2                |  |
| <i>lidocan iii</i>   | 3                | QL (3 per 1 day)   |
| <i>lidocan iv</i>  | 3                | QL (3 per 1 day)   |
| <i>lidocan v</i>   | 3                | QL (3 per 1 day)   |
| <b>TOPICAL ANTIBACTERIALS</b>                                    |                  |  |
| ALTABAX  | 4                | PA; 30 grams per fill  |
| <i>gentamicin topical</i>  | 2                |  |
| <i>mupirocin</i>   | 2                |  |
| <i>sulfacetamide sodium (acne)</i>                               | 3                |  |
| SULFAMYLON TOPICAL CREAM   | 4                |  |
| XEPI   | 4                | PA; 30 grams per fill  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <b>TOPICAL ANTIFUNGALS</b>                       |                  |                              |
| <i>ciclodan</i>                                  | 2                |                              |
| <i>ciclopirox topical cream</i>                  | 2                |                              |
| <i>ciclopirox topical gel</i>                    | 3                |                              |
| <i>ciclopirox topical shampoo</i>                | 3                |                              |
| <i>ciclopirox topical solution</i>               | 2                |                              |
| <i>ciclopirox topical suspension</i>             | 3                |                              |
| <i>clotrimazole-betamethasone topical cream</i>  | 2                |                              |
| <i>econazole nitrate</i>                         | 3                |                              |
| <i>ketconazole topical cream</i>                 | 2                |                              |
| <i>ketconazole topical shampoo</i>               | 2                |                              |
| <i>klayesta</i>                                  | 2                |                              |
| <b>LULICONAZOLE</b>                              | 4                |                              |
| <i>naftifine topical cream</i>                   | 3                | PA                           |
| <i>nyamyc</i>                                    | 2                |                              |
| <i>nystatin topical</i>                          | 2                |                              |
| <i>nystatin-triamcinolone</i>                    | 2                |                              |
| <i>nystop</i>                                    | 2                |                              |
| <i>oxiconazole</i>                               | 3                | PA                           |
| <b>SULCONAZOLE TOPICAL SOLUTION</b>              | 4                | PA                           |
| <i>tavaborole</i>                                | 3                |                              |
| <b>TOPICAL ANTIVIRALS</b>                        |                  |                              |
| <i>acyclovir topical ointment</i>                | 2                |                              |
| <i>penciclovir</i>                               | 3                | PA; 5 grams per fill         |
| <b>TOPICAL CORTICOSTEROIDS</b>                   |                  |                              |
| <i>alclometasone</i>                             | 3                |                              |
| <i>betamethasone dipropionate</i>                | 3                |                              |
| <i>betamethasone valerate topical cream</i>      | 3                |                              |
| <i>betamethasone valerate topical lotion</i>     | 3                |                              |
| <i>betamethasone valerate topical ointment</i>   | 3                |                              |
| <i>betamethasone, augmented topical cream</i>    | 2                |                              |
| <i>betamethasone, augmented topical ointment</i> | 3                |                              |
| <i>clobetasol scalp</i>                          | 2                |                              |
| <i>clobetasol topical cream 0.05 %</i>           | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>clobetasol topical gel</i>                   | 3                |                              |
| <i>clobetasol topical ointment</i>              | 2                |                              |
| <i>clobetasol topical shampoo</i>               | 3                |                              |
| <i>clobetasol topical spray,non-aerosol</i>     | 3                |                              |
| <i>clobetasol-emollient topical cream</i>       | 3                |                              |
| <i>clodan</i>                                   | 3                |                              |
| <i>desonide topical cream</i>                   | 3                |                              |
| <i>desonide topical lotion</i>                  | 3                |                              |
| <i>desonide topical ointment</i>                | 3                |                              |
| <i>desoximetasone topical cream 0.25 %</i>      | 3                |                              |
| <i>desoximetasone topical ointment 0.25 %</i>   | 3                |                              |
| <i>desoximetasone topical spray,non-aerosol</i> | 3                |                              |
| <i>fluocinolone and shower cap</i>              | 3                |                              |
| <i>fluocinolone topical cream 0.01 %</i>        | 3                |                              |
| <i>fluocinolone topical cream 0.025 %</i>       | 2                |                              |
| <i>fluocinolone topical oil</i>                 | 3                |                              |
| <i>fluocinolone topical ointment</i>            | 3                |                              |
| <i>fluocinolone topical solution</i>            | 3                |                              |
| <i>fluocinonide topical cream 0.05 %</i>        | 3                |                              |
| <i>fluocinonide topical ointment</i>            | 3                |                              |
| <i>fluocinonide topical solution</i>            | 3                |                              |
| <i>fluticasone propionate topical cream</i>     | 2                |                              |
| <i>fluticasone propionate topical ointment</i>  | 2                |                              |
| <i>halobetasol propionate topical cream</i>     | 3                |                              |
| <i>hydrocortisone butyrate topical cream</i>    | 3                |                              |
| <i>hydrocortisone butyrate topical ointment</i> | 3                |                              |
| <i>hydrocortisone butyrate topical solution</i> | 3                |                              |
| <i>hydrocortisone topical cream 2.5 %</i>       | 2                |                              |
| <i>hydrocortisone topical lotion 2.5 %</i>      | 2                |                              |
| <i>hydrocortisone topical ointment 2.5 %</i>    | 2                |                              |
| <i>hydrocortisone valerate topical cream</i>    | 3                |                              |
| <i>mometasone topical</i>                       | 2                |                              |
| <i>prednicarbate topical ointment</i>           | 3                |                              |
| <i>triamcinolone acetonide topical cream</i>    | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                   |
|---|------------------|--|
| <i>triamcinolone acetonide topical lotion</i>                         | 2                |  |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2                |  |
| <i>triderm topical cream 0.5 %</i>                                    | 2                |  |
| <b>TOPICAL ENZYMES</b>  |                  |  |
| SANTYL  | 4                | QL (2 per 720 days)                            |
| <b>TOPICAL SCABICIDES / PEDICULICIDES</b>                             |                  |  |
| <i>malathion</i>  | 2                | QL (120 per 30 days)                           |
| <i>permethrin</i>   | 2                | QL (120 per 30 days)                           |
| <i>spinosad</i>   | 3                | QL (120 per 30 days)                           |
| <b>DIAGNOSTICS &amp; MISCELLANEOUS AGENTS</b>                         |                  |  |
| <b>ANOREXIANTS</b>  |                  |  |
| IMCIVREE  | 5                | PA; SP; QL (9 per 30 days)                     |
| <b>MISCELLANEOUS AGENTS</b>   |                  |  |
| <i>acamprosate</i>  | 3                |  |
| <i>anagrelide</i>   | 2                |  |
| <i>caffeine citrate oral</i>  | 2                |  |
| <i>carglumic acid</i>   | 5                | PA; SP   |
| <i>cevimeline</i>   | 3                |  |
| CHEMET  | 4                | PA for Age greater than or equal to 18 year(s) |
| CUVRIOR   | 5                | PA; SP; QL (10 per 1 day)                      |
| <i>deferasirox</i>  | 5                | PA; SP   |
| <i>deferiprone</i>  | 5                | PA; SP   |
| <i>disulfiram</i>   | 3                |  |
| <i>droxidopa</i>  | 5                | PA; SP   |
| DUVYZAT   | 5                | PA; SP; QL (3 per 35 days)                     |
| ENDARI  | 5                | PA; SP; QL (6 per 1 day)                       |
| FABHALTA  | 5                | PA; SP; QL (2 per 1 day)                       |
| FERRIPROX ORAL SOLUTION   | 5                | PA; SP   |
| <i>glutamine (sickle cell)</i>  | 5                | PA; SP; QL (6 per 1 day)                       |
| INCRELEX  | 5                | PA; SP; LA                                     |
| JOENJA  | 5                | PA; SP; QL (2 per 1 day)                       |
| <i>levocarnitine (with sugar)</i>                                     | 3                |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                             | <b>Drug Tier</b> | <b>Requirements / Limits</b>                   |
|--|------------------|--|
| <i>levocarnitine oral solution 100 mg/ml</i> | 3                |  |
| <i>levocarnitine oral tablet</i>             | 3                |  |
| LITFULO                                      | 5                | PA; SP; QL (1 per 1 day)                       |
| <i>midodrine</i>                             | 2                |  |
| <i>nitisinone</i>                            | 5                | PA; SP; LA                                     |
| NITYR  | 5                | PA; SP; LA                                     |
| OLPRUVA                                      | 5                | PA; SP   |
| ORFADIN ORAL SUSPENSION                      | 5                | PA; SP; LA                                     |
| PHEBURANE                                    | 5                | PA; SP   |
| PYRUKYND ORAL TABLET 20 MG, 50 MG            | 5                | PA; SP; LA; QL (2 per 1 day)                   |
| PYRUKYND ORAL TABLET 5 MG                    | 5                | PA; 2 tabs per day; 7 tabs in 365 days; SP; LA |
| PYRUKYND ORAL TABLETS,DOSE PACK              | 5                | PA; SP; LA; QL (14 per 365 days)               |
| RAVICTI                                      | 5                | PA; SP; QL (17.5 per 1 day)                    |
| REVCOVI                                      | 5                | PA; SP; LA                                     |
| REZDIFFRA                                    | 5                | PA; SP; QL (1 per 1 day)                       |
| <i>riluzole</i>                              | 3                |  |
| <i>risedronate oral tablet 30 mg</i>         | 3                |  |
| <i>sodium chloride irrigation</i>            | 2                |  |
| <i>sodium phenylbutyrate</i>                 | 5                | PA; SP   |
| SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG     | 5                | PA; SP; LA; QL (2 per 1 day)                   |
| SOHONOS ORAL CAPSULE 2.5 MG, 5 MG            | 5                | PA; SP; LA; QL (1 per 1 day)                   |
| TAVNEOS                                      | 5                | PA; SP; QL (6 per 1 day)                       |
| <i>tiopronin</i>                             | 5                | PA; SP   |
| <i>trientine oral capsule 250 mg</i>         | 5                | PA; SP; QL (8 per 1 day)                       |
| TRIENTINE ORAL CAPSULE 500 MG                | 5                | PA; SP; QL (4 per 1 day)                       |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM        | 4                | PA; QL (4 per 1 day)                           |
| <i>venxxiva</i>                              | 5                | PA; SP   |
| VOYDEYA                                      | 5                | PA; SP; LA; QL (180 per 30 days)               |
| XURIDEN                                      | 5                | SP   |
| ZOKINVY                                      | 5                | PA; SP   |
| <b>SMOKING DETERRENENTS</b>                  |                  |  |
| <i>bupropion hcl (smoking deter)</i>         | 2                | ACA; QL (2 per 1 day)                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                 | <b>Drug Tier</b> | <b>Requirements / Limits</b>                   |
|----------------------------------|------------------|--|
| <i>nicorette buccal gum 4 mg</i> | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| <i>nicotine</i>                  | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| <i>nicotine (polacrilex)</i>     | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| NICOTROL NS                      | 4                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA      |
| <i>quit 2</i>                    | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| <i>quit 4</i>                    | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| <i>stop smoking aid</i>          | 9                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| <i>varenicline tartrate</i>      | 3                | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA      |

## **EAR, NOSE & THROAT MEDICATIONS**

### **MISCELLANEOUS AGENTS**

|  |   |                   |
|--|---|-------------------|
| <i>azelastine nasal</i>                        | 2 |                   |
| <i>chlorhexidine gluconate mucous membrane</i> | 2 |                   |
| <i>denta 5000 plus</i>                         | 2 |                   |
| <i>denta 5000 plus sensitive</i>               | 2 |                   |
| <i>dentagel</i>                                | 2 |                   |
| <i>fluoride (sodium) dental cream</i>          | 2 |                   |
| <i>fluoride (sodium) dental gel</i>            | 2 |                   |
| <i>fluoride (sodium) dental paste</i>          | 2 |                   |
| GELCLAIR                                       | 4 | 15 units per fill |
| <i>ipratropium bromide nasal</i>               | 2 |                   |
| <i>kourzeq</i>                                 | 2 |                   |
| <i>olopatadine nasal</i>                       | 3 |                   |
| <i>oralone</i>                                 | 2 |                   |
| <i>paroex oral rinse</i>                       | 2 |                   |
| <i>periogard</i>                               | 2 |                   |
| <i>pilocarpine hcl oral</i>                    | 2 |                   |
| <i>sf</i>                                      | 2 |                   |
| <i>sf 5000 plus</i>                            | 2 |                   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>sodium fluoride 5000 plus</i>  | 2                |                              |
| <i>sodium fluoride-pot nitrate</i>  | 2                |                              |
| <i>triamcinolone acetamide dental</i>   | 2                |                              |
| <b>MISCELLANEOUS OTIC PREPARATIONS</b>  |                  |                              |
| <i>acetic acid otic (ear)</i>   | 2                |                              |
| <i>ciprofloxacin hcl otic (ear)</i>   | 3                |                              |
| <i>flac otic oil</i>  | 3                |                              |
| <i>fluocinolone acetamide oil</i>   | 3                |                              |
| <i>hydrocortisone-acetic acid</i>   | 2                |                              |
| <i>ofloxacin otic (ear)</i>   | 2                |                              |
| <b>OTIC STEROID / ANTIBIOTIC</b>  |                  |                              |
| CIPRO HC  | 4                |                              |
| <i>ciprofloxacin-dexamethasone</i>  | 3                |                              |
| CORTISPORIN-TC  | 4                |                              |
| <i>neomycin-polymyxin-hc otic (ear)</i>   | 2                |                              |
| <b>ENDOCRINE/DIABETES</b>   |                  |                              |
| <b>ADRENAL HORMONES</b>   |                  |                              |
| ACTHAR  | 5                | PA; SP                       |
| ACTHAR SELFJECT   | 5                | PA; SP                       |
| AGAMREE   | 4                | PA; QL (200 per 26 days)     |
| CORTROPHIN GEL  | 5                | PA; SP                       |
| <i>deflazacort</i>  | 5                | SP                           |
| <i>dexamethasone oral elixir</i>  | 2                |                              |
| <i>dexamethasone oral solution</i>  | 2                |                              |
| <i>dexamethasone oral tablet</i>  | 2                |                              |
| <i>fludrocortisone</i>  | 2                |                              |
| <i>hydrocortisone oral</i>  | 2                |                              |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 8 mg</i>  | 3                |                              |
| <i>methylprednisolone oral tablet 4 mg</i>  | 2                |                              |
| <i>methylprednisolone oral tablets,dose pack</i>  | 2                |                              |
| <i>prednisolone oral solution</i>   | 2                |                              |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i> | 3                |                              |
| <i>prednisone</i>   | 2                |                              |
| TARPEYO   | 5                | PA; SP; QL (4 per 1 day)     |
| <b>ANTITHYROID AGENTS</b>   |                  |                              |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                              | 2                |                              |
| <i>propylthiouracil</i>   | 2                |                              |
| <b>BLOOD GLUCOSE MONITORING DEVICES &amp; SUPPLIES</b>                  |                  |                              |
| ACCU-CHEK AVIVA CONTROL SOLN  | 2                | OTC                          |
| ACCU-CHEK AVIVA PLUS TEST STRP  | 3                | 100 units per 30 days; OTC   |
| ACCU-CHEK GUIDE GLUCOSE METER   | 9                | OTC; QL (1 per 365 days)     |
| ACCU-CHEK GUIDE L1-L2 CTRL SOL  | 2                | OTC                          |
| ACCU-CHEK GUIDE ME GLUCOSE MTR  | 9                | OTC; QL (1 per 365 days)     |
| ACCU-CHEK GUIDE TEST STRIPS   | 3                | 100 units per 30 days; OTC   |
| ACCU-CHEK SMARTVIEW CONTRL SOL  | 2                | OTC                          |
| ACCU-CHEK SMARTVIEW TEST STRIP  | 3                | 100 units per 30 days; OTC   |
| DEXCOM G6 RECEIVER  | 4                | PA; CGM; QL (1 per 720 days) |
| DEXCOM G6 SENSOR  | 4                | PA; CGM; QL (3 per 30 days)  |
| DEXCOM G6 TRANSMITTER   | 4                | PA; CGM; QL (1 per 68 days)  |
| DEXCOM G7 RECEIVER  | 4                | PA; 1 rx per 720 days; CGM   |
| DEXCOM G7 SENSOR  | 4                | PA; CGM; QL (3 per 30 days)  |
| FREESTYLE LIBRE 14 DAY READER   | 3                | PA; CGM; QL (1 per 720 days) |
| FREESTYLE LIBRE 14 DAY SENSOR   | 3                | PA; CGM; QL (2 per 28 days)  |
| FREESTYLE LIBRE 2 PLUS SENSOR   | 3                | PA; QL (2 per 30 days)       |
| FREESTYLE LIBRE 2 READER  | 3                | PA; CGM; QL (1 per 720 days) |
| FREESTYLE LIBRE 2 SENSOR  | 3                | PA; CGM; QL (2 per 28 days)  |
| FREESTYLE LIBRE 3 PLUS SENSOR   | 3                | PA; CGM; QL (2 per 30 days)  |
| FREESTYLE LIBRE 3 READER  | 3                | PA; CGM; QL (1 per 720 days) |
| FREESTYLE LIBRE 3 SENSOR  | 3                | PA; CGM; QL (2 per 28 days)  |
| ONETOUCH ULTRA CONTROL  | 2                | OTC                          |
| ONETOUCH ULTRA TEST   | 3                | 100 units per 30 days; OTC   |
| ONETOUCH ULTRA2 METER   | 9                | OTC; QL (1 per 365 days)     |
| ONETOUCH VERIO FLEX METER   | 9                | OTC; QL (1 per 365 days)     |
| ONETOUCH VERIO MID CONTROL  | 2                | OTC                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| ONETOUCH VERIO REFLECT METER                                   | 9                | OTC; QL (1 per 365 days)     |
| ONETOUCH VERIO TEST STRIPS                                     | 3                | 100 units per 30 days; OTC   |
| <b>DIABETES, SUPPLIES, &amp; DURABLE MEDICAL EQUIPMENT</b>     |                  |                              |
| AEROCHAMBER MECHANICAL VENT                                    | 3                |                              |
| AEROCHAMBER MINI   | 3                |                              |
| AEROCHAMBER PLUS FLOW-VU                                       | 3                |                              |
| AEROCHAMBER PLUS Z STAT  | 3                |                              |
| AEROVENT PLUS  | 3                |                              |
| COMPACT SPACE CHAMBER  | 3                |                              |
| EASIVENT HOLDING CHAMBER                                       | 3                |                              |
| FLEXICHAMBER   | 3                |                              |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE<br>0.5 ML 29 GAUGE X 1/2" | 2                |                              |
| MICROCHAMBER   | 3                |                              |
| OPTICHAMBER DIAMOND VHC  | 3                |                              |
| POCKET CHAMBER   | 3                |                              |
| RITEFLO AEROCHAMBER  | 3                |                              |
| RYBELSUS ORAL TABLET 1.5 MG                                    | 3                | PA; QL (30 per 365 days)     |
| RYBELSUS ORAL TABLET 4 MG, 9 MG                                | 3                | PA; QL (1 per 1 day)         |
| SPACE CHAMBER  | 3                |                              |
| VORTEX HOLDING CHAMBER   | 3                |                              |
| <b>GLUCOSE ELEVATING AGENTS</b>                                |                  |                              |
| BAQSIMI  | 3                |                              |
| GLUCAGON (HCL) EMERGENCY KIT                                   | 3                |                              |
| <i>glucagon emergency kit (human)</i>                          | 3                |                              |
| GVOKE  | 3                |                              |
| GVOKE HYPOPEN 2-PACK   | 3                |                              |
| GVOKE PFS 2-PACK SYRINGE<br>SUBCUTANEOUS SYRINGE 1 MG/0.2 ML   | 3                |                              |
| <b>INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQU</b>      |                  |                              |
| BD INTEGRA NEEDLE  | 2                |                              |
| BD MICROTAINER LANCET 30 GAUGE                                 | 2                | OTC; QL (210 per 30 days)    |
| BD SPECIALTY USE NEEDLES NEEDLE 30<br>GAUGE X 1/2"             | 2                |                              |
| GENTEEL VACUUM LANCING DEVICE                                  | 2                | OTC                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                            | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| LANCETS 33 GAUGE                            | 2                | OTC; QL (210 per 30 days)    |
| LANCING DEVICE                              | 2                | OTC                          |
| OMNIPOD 5 (G6/LIBRE 2 PLUS)                 | 3                | QL (10 per 30 days)          |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5)              | 3                | QL (1 per 720 days)          |
| OMNIPOD 5 G6-G7 PODS (GEN 5)                | 3                | QL (10 per 30 days)          |
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS)              | 3                | QL (1 per 720 days)          |
| OMNIPOD DASH INTRO KIT (GEN 4)              | 3                | QL (1 per 720 days)          |
| OMNIPOD DASH PODS (GEN 4)                   | 3                | QL (10 per 30 days)          |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | 2                | OTC                          |
| V-GO 20                                     | 3                | QL (30 per 30 days)          |
| V-GO 30                                     | 3                | QL (30 per 30 days)          |
| V-GO 40                                     | 3                | QL (30 per 30 days)          |
| <b>INSULIN THERAPY</b>                      |                  |                              |
| APIDRA U-100 INSULIN                        | 4                | PA; 100 units per 30 days    |
| HUMALOG JUNIOR KWIKPEN U-100                | 2                | 100 units per 30 days        |
| HUMALOG KWIKPEN INSULIN                     | 2                | 100 units per 30 days        |
| HUMALOG MIX 50-50 KWIKPEN                   | 2                | 100 units per 30 days        |
| HUMALOG MIX 75-25 KWIKPEN                   | 2                | 100 units per 30 days        |
| HUMALOG MIX 75-25(U-100)INSULN              | 2                | 100 units per 30 days        |
| HUMALOG U-100 INSULIN                       | 2                | 100 units per 30 days        |
| HUMULIN 70/30 U-100 INSULIN                 | 3                | 100 units per 30 days        |
| HUMULIN 70/30 U-100 KWIKPEN                 | 3                | 100 units per 30 days        |
| HUMULIN N NPH INSULIN KWIKPEN               | 3                | 100 units per 30 days        |
| HUMULIN N NPH U-100 INSULIN                 | 3                | 100 units per 30 days        |
| HUMULIN R REGULAR U-100 INSULN              | 3                | 100 units per 30 days        |
| HUMULIN R U-500 (CONC) INSULIN              | 3                | 100 units per 30 days        |
| HUMULIN R U-500 (CONC) KWIKPEN              | 3                | 100 units per 30 days        |
| LANTUS SOLOSTAR U-100 INSULIN               | 3                | 100 units per 30 days        |
| LANTUS U-100 INSULIN                        | 3                | 100 units per 30 days        |
| SOLIQUA 100/33                              | 4                | ST; QL (18 per 28 days)      |
| TOUJEO MAX U-300 SOLOSTAR                   | 3                | 100 units per 30 days        |
| TOUJEO SOLOSTAR U-300 INSULIN               | 3                | 100 units per 30 days        |
| TRESIBA FLEXTOUCH U-100                     | 3                | 100 units per 30 days        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>    |
|--|------------------|---------------------------------|
| TRESIBA FLEXTOUCH U-200  | 3                | 100 units per 30 days           |
| TRESIBA U-100 INSULIN  | 3                | 100 units per 30 days           |
| XULTOPHY 100/3.6   | 4                | ST; QL (15 per 28 days)         |
| <b>MISCELLANEOUS HORMONES</b>                                      |                  |                                 |
| <i>cabergoline</i>   | 2                |                                 |
| <i>calcitonin (salmon) nasal</i>                                   | 2                |                                 |
| <i>calcitriol oral</i>   | 2                |                                 |
| CERDELGA   | 5                | PA; SP; QL (2 per 1 day)        |
| CHORIONIC GONADOTROPIN, HUMAN                                      | 5                | PA; SP                          |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i>                         | 3                | PA; QL (2 per 1 day)            |
| <i>cinacalcet oral tablet 90 mg</i>                                | 3                | PA; QL (4 per 1 day)            |
| <i>clomiphene citrate</i>  | 3                | QL (10 per 30 days)             |
| <i>danazol</i>   | 3                |                                 |
| <i>desmopressin injection</i>                                      | 2                |                                 |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 2                |                                 |
| DESMOPRESSIN NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)       | 5                | SP                              |
| <i>desmopressin oral</i>   | 2                |                                 |
| <i>doxercalciferol oral</i>  | 3                |                                 |
| GALAFOLD   | 5                | PA; SP; LA; QL (14 per 28 days) |
| ISTURISA ORAL TABLET 1 MG, 5 MG                                    | 5                | PA; SP; LA; QL (4 per 1 day)    |
| JYNARQUE ORAL TABLET 15 MG   | 5                | PA; SP; LA; QL (2 per 1 day)    |
| JYNARQUE ORAL TABLET 30 MG   | 5                | PA; SP; LA; QL (1 per 1 day)    |
| JYNARQUE ORAL TABLETS, SEQUENTIAL                                  | 5                | PA; SP; LA; QL (56 per 28 days) |
| KYZATREX   | 4                | PA; QL (2 per 1 day)            |
| <i>methyltestosterone oral capsule</i>                             | 3                | QL (5 per 1 day)                |
| <i>mifepristone oral tablet 300 mg</i>                             | 5                | PA; SP; QL (4 per 1 day)        |
| <i>miglustat</i>   | 5                | PA; SP; LA; QL (3 per 1 day)    |
| MYALEPT  | 5                | PA; SP; LA                      |
| NOVAREL INTRAMUSCULAR RECON SOLN 5,000 UNIT                        | 5                | PA; SP                          |
| OPFOLDA  | 5                | PA; SP; QL (8 per 28 days)      |
| ORILISSA   | 4                | PA                              |
| OVIDREL  | 5                | PA; SP                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>     |
|---|------------------|----------------------------------|
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML                  | 5                | PA; SP; LA; QL (0.5 per 1 day)   |
| PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML                 | 5                | PA; SP; LA; QL (0.15 per 1 day)  |
| PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML                      | 5                | PA; SP; LA; QL (3 per 1 day)     |
| <i>paricalcitol oral</i>                                    | 3                |                                  |
| PREGNYL   | 5                | PA; SP                           |
| RECORLEV  | 5                | PA; SP; QL (8 per 1 day)         |
| <i>sapropterin</i>  | 5                | PA; SP                           |
| SOMAVERT  | 5                | PA; SP                           |
| STRENSIQ  | 5                | PA; SP; LA                       |
| SYNAREL   | 5                | PA; SP; QL (8 per 28 days)       |
| <i>testosterone cypionate</i>                               | 2                | PA                               |
| <i>testosterone enanthate</i>                               | 2                | PA                               |
| <i>testosterone transdermal</i>                             | 3                | PA                               |
| <i>tolvaptan oral tablet 15 mg</i>                          | 5                | PA; SP; LA; QL (30 per 365 days) |
| <i>tolvaptan oral tablet 30 mg</i>                          | 5                | PA; SP; LA; QL (60 per 365 days) |
| VOXZOGO   | 5                | PA; SP; QL (1 per 1 day)         |
| YORVIPATH   | 5                | PA; SP; QL (2 per 28 days)       |
| <b>NON-INSULIN HYPOGLYCEMIC AGENTS</b>                      |                  |                                  |
| <i>acarbose</i>   | 2                |                                  |
| CYCLOSET  | 4                |                                  |
| FARXIGA   | 3                | QL (1 per 1 day)                 |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>             | 1                |                                  |
| <i>glipizide oral tablet 10 mg, 5 mg</i>                    | 1                |                                  |
| <i>glipizide oral tablet extended release 24hr</i>          | 1                |                                  |
| <i>glipizide-metformin</i>                                  | 2                |                                  |
| <i>glyburide micronized</i>                                 | 2                |                                  |
| <i>glyburide oral tablet 1.25 mg</i>                        | 2                |                                  |
| <i>glyburide oral tablet 2.5 mg, 5 mg</i>                   | 1                |                                  |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i>          | 2                |                                  |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 1                |                                  |
| GLYXAMBI  | 3                |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| JANUMET   | 3                |                              |
| JANUMET XR  | 3                |                              |
| JANUVIA   | 3                |                              |
| JARDIANCE   | 3                |                              |
| JENTADUETO  | 3                |                              |
| JENTADUETO XR   | 3                |                              |
| <i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i>   | 1                |                              |
| <i>metformin oral tablet extended release 24 hr</i>   | 1                |                              |
| <i>miglitol</i>   | 3                |                              |
| MOUNJARO  | 3                | PA; QL (2 per 28 days)       |
| <i>nateglinide</i>  | 3                |                              |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR<br>0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE<br>(4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3                | PA; QL (3 per 28 days)       |
| <i>pioglitazone</i>   | 1                |                              |
| <i>pioglitazone-metformin</i>   | 2                |                              |
| <i>repaglinide</i>  | 3                |                              |
| RYBELSUS ORAL TABLET 14 MG, 7 MG  | 3                | PA; QL (1 per 1 day)         |
| RYBELSUS ORAL TABLET 3 MG   | 3                | PA; QL (30 per 365 days)     |
| SYMLINPEN 120   | 4                |                              |
| SYMLINPEN 60  | 4                |                              |
| SYNJARDY  | 3                |                              |
| SYNJARDY XR   | 3                |                              |
| TRADJENTA   | 3                |                              |
| TRIJARDY XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                                     | 3                | QL (1 per 1 day)             |
| TRIJARDY XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000<br>MG                             | 3                | QL (2 per 1 day)             |
| TRULICITY   | 3                | PA; QL (2 per 28 days)       |
| XIGDUO XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 10-1,000 MG, 10-500 MG, 5-<br>500 MG                               | 3                | QL (1 per 1 day)             |
| XIGDUO XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG   | 3                | QL (2 per 1 day)             |

## THYROID HORMONES

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name  | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>euthyrox</i>  | 1         |                       |
| <i>levo-t</i>  | 1         |                       |
| <i>levothyroxine oral tablet</i>   | 1         |                       |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1         |                       |
| <i>liothyronine oral</i>   | 2         |                       |
| <i>np thyroid</i>  | 2         |                       |
| SYNTHROID  | 4         |                       |
| <i>unithroid</i>   | 1         |                       |

## GASTROENTEROLOGY

### ANTIDIARRHEALS & ANTISPASMODICS

|   |   |                   |
|---|---|-------------------|
| <i>anaspaz</i>  | 2 |                   |
| <i>chlordiazepoxide-clidinium</i>                             | 3 |                   |
| <i>dicyclomine oral capsule</i>                               | 2 |                   |
| <i>dicyclomine oral solution</i>                              | 3 | QL (40 per 1 day) |
| <i>dicyclomine oral tablet</i>                                | 2 |                   |
| <i>diphenoxylate-atropine oral tablet</i>                     | 2 |                   |
| <i>ed-spaz</i>  | 2 |                   |
| <i>glycopyrrolate oral solution</i>                           | 3 | PA                |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>                  | 2 |                   |
| <i>hyoscyamine sulfate oral elixir</i>                        | 2 |                   |
| <i>hyoscyamine sulfate oral tablet</i>                        | 2 |                   |
| <i>hyoscyamine sulfate oral tablet extended release 12 hr</i> | 2 |                   |
| <i>hyoscyamine sulfate oral tablet, disintegrating</i>        | 2 |                   |
| <i>hyoscyamine sulfate sublingual</i>                         | 2 |                   |
| <i>hyosyne oral elixir</i>                                    | 2 |                   |
| <i>methscopolamine</i>  | 2 |                   |
| <i>oscimin</i>  | 2 |                   |
| <i>oscimin sl</i>   | 2 |                   |

### MISCELLANEOUS GASTROINTESTINAL AGENTS

|                      |   |                      |
|----------------------|---|----------------------|
| AKYNZEO (NETUPITANT) | 4 | QL (1 per 28 days)   |
| <i>alosetron</i>     | 3 | PA; QL (2 per 1 day) |
| <i>alvimopan</i>     | 3 |                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|---|------------------|-------------------------------|
| <i>anucort-hc</i>   | 2                |                               |
| <i>aprepitant oral capsule 125 mg</i>                       | 3                | QL (5 per 28 days)            |
| <i>aprepitant oral capsule 40 mg</i>                        | 3                | 1 cap per fill                |
| <i>aprepitant oral capsule 80 mg</i>                        | 3                | QL (10 per 28 days)           |
| <i>aprepitant oral capsule,dose pack</i>                    | 3                | QL (15 per 28 days)           |
| <i>balsalazide</i>  | 2                |                               |
| <i>betaine</i>  | 5                | SP                            |
| <i>budesonide oral capsule,delayed,extend.release</i>       | 2                |                               |
| <i>budesonide oral tablet,delayed and ext.release</i>       | 3                | PA                            |
| <i>budesonide rectal</i>                                    | 3                |                               |
| BYLVAY ORAL CAPSULE 1,200 MCG                               | 5                | PA; SP; LA; QL (5 per 1 day)  |
| BYLVAY ORAL CAPSULE 400 MCG                                 | 5                | PA; SP; LA; QL (10 per 1 day) |
| BYLVAY ORAL PELLETT 200 MCG                                 | 5                | PA; SP; LA; QL (8 per 1 day)  |
| BYLVAY ORAL PELLETT 600 MCG                                 | 5                | PA; SP; LA; QL (4 per 1 day)  |
| CHENODAL  | 5                | SP; LA; QL (7 per 1 day)      |
| CHOLBAM ORAL CAPSULE 250 MG                                 | 5                | PA; SP; QL (7 per 1 day)      |
| CHOLBAM ORAL CAPSULE 50 MG                                  | 5                | PA; SP; QL (4 per 1 day)      |
| CIMZIA POWDER FOR RECONST                                   | 5                | PA; SP; QL (2 per 28 days)    |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5                | PA; SP; QL (2 per 28 days)    |
| <i>citrate of magnesia</i>                                  | 9                | ACA; OTC                      |
| <i>citroma</i>  | 9                | ACA; OTC                      |
| <i>clearlax oral powder</i>                                 | 9                | ACA; OTC                      |
| <i>compro</i>   | 2                |                               |
| <i>constulose</i>   | 2                |                               |
| CREON   | 3                |                               |
| <i>cromolyn oral</i>  | 2                |                               |
| DIPENTUM  | 4                | ST                            |
| <i>doxylamine-pyridoxine (vit b6)</i>                       | 3                | ST; QL (4 per 1 day)          |
| <i>dronabinol</i>   | 2                |                               |
| <i>dulcolax (magnesium hydroxide) oral suspension</i>       | 9                | ACA; OTC                      |
| ENTYVIO PEN   | 5                | PA; SP; QL (1.36 per 28 days) |
| <i>enulose</i>  | 2                |                               |
| EOHILIA   | 5                | PA; SP; QL (600 per 30 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| GATTEX 30-VIAL   | 5                | PA; SP                       |
| <i>gavilax oral powder</i>   | 9                | ACA; OTC                     |
| <i>gavilyte-c</i>  | 2                | ACA                          |
| <i>gavilyte-g</i>  | 2                | ACA                          |
| <i>gavilyte-n</i>  | 2                | ACA                          |
| <i>generlac</i>  | 2                |                              |
| <i>gentle laxative (bisacodyl) oral</i>                            | 9                | ACA; OTC                     |
| <i>gentle laxative (mag hydrox)</i>                                | 9                | ACA; OTC                     |
| <i>gentlelax</i>   | 9                | ACA; OTC                     |
| <i>granisetron hcl oral</i>  | 2                | QL (10 per 30 days)          |
| <i>hemmorex-hc rectal suppository 25 mg</i>                        | 2                |                              |
| <i>hydrocortisone acetate rectal suppository 25 mg</i>             | 2                |                              |
| <i>hydrocortisone rectal</i>                                       | 2                |                              |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> | 2                |                              |
| <i>hydrocortisone-pramoxine rectal cream</i>                       | 3                |                              |
| IBSRELA  | 4                | PA; QL (2 per 1 day)         |
| IQIRVO   | 5                | PA; SP; QL (1 per 1 day)     |
| <i>lactulose oral solution</i>                                     | 2                |                              |
| <i>laxative (bisacodyl) oral tablet, delayed release (dr/ec)</i>   | 9                | ACA; OTC                     |
| <i>laxative peg 3350</i>   | 9                | ACA; OTC                     |
| <i>lidocaine hcl-hydrocortison ac rectal cream</i>                 | 2                |                              |
| LINZESS  | 3                | QL (1 per 1 day)             |
| LIVDELZI   | 5                | PA; SP; QL (1 per 1 day)     |
| LIVMARLI ORAL SOLUTION 19 MG/ML                                    | 5                | PA; SP; LA; QL (2 per 1 day) |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML                                   | 5                | PA; SP; LA; QL (3 per 1 day) |
| <i>lubiprostone</i>  | 3                | QL (2 per 1 day)             |
| <i>magnesium citrate oral solution</i>                             | 9                | ACA; OTC                     |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i>                        | 2                |                              |
| <i>mesalamine oral capsule (with del rel tablets)</i>              | 3                |                              |
| <i>mesalamine oral capsule, extended release</i>                   | 3                |                              |
| <i>mesalamine oral capsule, extended release 24hr</i>              | 3                |                              |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>    | 3                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>   | 3                | ST                           |
| <i>mesalamine rectal enema</i>  | 2                |                              |
| <i>mesalamine rectal suppository</i>  | 2                | QL (1 per 1 day)             |
| <i>metoclopramide hcl oral solution</i>   | 2                |                              |
| <i>metoclopramide hcl oral tablet</i>   | 2                |                              |
| <i>milk of magnesia</i>   | 9                | ACA; OTC                     |
| <i>milk of magnesia concentrated</i>  | 9                | ACA; OTC                     |
| MOTEGRITY   | 4                | ST; QL (1 per 1 day)         |
| MOVANTIK  | 3                | QL (1 per 1 day)             |
| <i>natura-lax</i>   | 9                | ACA; OTC                     |
| <i>nitroglycerin rectal</i>   | 3                |                              |
| OICALIVA  | 5                | PA; SP; LA; QL (1 per 1 day) |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML   | 5                | PA; SP; QL (2 per 28 days)   |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR 300MG/3ML(100MG /ML-200 MG/2ML)   | 5                | PA; SP                       |
| OMVOH SUBCUTANEOUS SYRINGE 100 MG/ML, 300MG/3ML(100MG /ML-200 MG/2ML)   | 5                | PA; SP; QL (2 per 28 days)   |
| <i>ondansetron hcl oral solution</i>  | 2                |                              |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>   | 2                |                              |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>   | 2                |                              |
| <i>onelax magnesium citrate</i>   | 9                | ACA; OTC                     |
| <i>oral saline laxative</i>   | 9                | ACA; OTC                     |
| PANCREAZE ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200- 24,600 UNIT | 4                | ST                           |
| <i>peg 3350-electrolytes</i>  | 2                | ACA                          |
| <i>peg-electrolyte soln</i>   | 2                | ACA                          |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG   | 3                |                              |
| PERTZYE   | 4                | ST                           |
| <i>phosphate laxative</i>   | 9                | ACA; OTC                     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>polyethylene glycol 3350 oral powder</i>                      | 9                | ACA; OTC                     |
| <i>powderlax oral powder</i>                                     | 9                | ACA; OTC                     |
| <i>prochlorperazine</i>  | 2                |                              |
| <i>prochlorperazine maleate</i>                                  | 2                |                              |
| PROCTOFOAM HC  | 3                |                              |
| <i>procto-med hc</i>   | 2                |                              |
| <i>proctosol hc topical</i>                                      | 2                |                              |
| <i>proctozone-hc</i>   | 2                |                              |
| <i>purelax oral powder</i>                                       | 9                | ACA; OTC                     |
| RELISTOR ORAL  | 4                | PA; QL (3 per 1 day)         |
| RELISTOR SUBCUTANEOUS SOLUTION                                   | 4                | PA; QL (0.6 per 1 day)       |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML                       | 4                | PA; QL (0.6 per 1 day)       |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML                        | 4                | PA; QL (0.4 per 1 day)       |
| <i>scopolamine base</i>  | 2                | QL (10 per 30 days)          |
| SKYRIZI INTRAVENOUS  | 5                | PA; SP; QL (3 per 365 days)  |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | 5                | PA; SP; QL (1.2 per 42 days) |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5                | PA; SP; QL (2.4 per 42 days) |
| <i>smoothlax oral powder</i>                                     | 9                | ACA; OTC                     |
| SUCRAID  | 5                | PA; SP; QL (8 per 1 day)     |
| <i>sulfasalazine</i>   | 2                |                              |
| SYMPROIC   | 3                | QL (1 per 1 day)             |
| SYNDROS  | 4                | PA                           |
| <i>trimethobenzamide oral</i>                                    | 2                |                              |
| TRULANCE   | 4                | PA; QL (1 per 1 day)         |
| <i>ursodiol oral capsule 300 mg</i>                              | 3                |                              |
| <i>ursodiol oral tablet</i>                                      | 3                |                              |
| VARUBI   | 4                | QL (4 per 28 days)           |
| VELSIPITY  | 5                | PA; SP; QL (1 per 1 day)     |
| VIBERZI  | 4                | PA; QL (2 per 1 day)         |
| VIOKACE  | 4                | ST                           |
| VOWST  | 4                | PA; SP; QL (12 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                                    |
|--|------------------|---|
| <i>women's gentle laxative(bisac)</i>  | 9                | ACA; OTC  |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3                |   |
| ZYMFENTRA  | 5                | PA; SP; QL (2 per 28 days)                                      |
| <b>ULCER THERAPY</b>   |                  |   |
| <i>amoxicil-clarithromy-lansopraz</i>  | 3                | QL (224 per 365 days)   |
| <i>cimetidine hcl oral</i>   | 2                |   |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>   | 2                |   |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>  | 2                | QL (2 per 1 day)  |
| <i>esomeprazole magnesium oral granules dr for susp in packet</i>  | 3                | PA for Age greater than or equal to 9 year(s); QL (2 per 1 day) |
| <i>famotidine oral suspension for reconstitution</i>   | 3                |   |
| <i>famotidine oral tablet 20 mg, 40 mg</i>   | 2                |   |
| <i>lansoprazole oral capsule,delayed release(dr/ec)</i>  | 2                | QL (2 per 1 day)  |
| <i>lansoprazole oral tablet,disintegrat, delay rel</i>   | 3                | PA for Age greater than or equal to 9 year(s); QL (1 per 1 day) |
| <i>misoprostol</i>   | 2                |   |
| <i>nizatidine oral capsule</i>   | 3                |   |
| <i>omeprazole oral capsule,delayed release(dr/ec)</i>  | 2                | QL (2 per 1 day)  |
| <i>pantoprazole oral tablet,delayed release (dr/ec)</i>  | 2                | QL (2 per 1 day)  |
| <i>rabeprazole oral tablet,delayed release (dr/ec)</i>   | 3                | QL (2 per 1 day)  |
| <i>sucralfate oral suspension</i>  | 3                |   |
| <i>sucralfate oral tablet</i>  | 2                |   |
| <b>IMMUNOLOGY, VACCINES &amp; BIOTECHNOLOGY</b>  |                  |   |
| <b>BIOTECHNOLOGY DRUGS</b>   |                  |   |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML  | 5                | PA; SP  |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE   | 5                | PA; SP  |
| ARCALYST   | 5                | PA; SP; QL (4 per 28 days)                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 5                | PA; SP                       |
| FULPHILA  | 5                | PA; SP                       |
| FYLNETRA  | 5                | PA; SP                       |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML   | 5                | PA; SP; QL (3 per 1 day)     |
| GRANIX SUBCUTANEOUS SOLUTION 480 MCG/1.6 ML   | 5                | PA; SP; QL (4.8 per 1 day)   |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML  | 5                | PA; SP; QL (1.5 per 1 day)   |
| GRANIX SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML  | 5                | PA; SP; QL (2.4 per 1 day)   |
| LEUKINE INJECTION RECON SOLN  | 5                | PA; SP                       |
| MIRCERA   | 5                | PA; SP                       |
| NEULASTA  | 5                | PA; SP                       |
| NEULASTA ONPRO  | 5                | PA; SP                       |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML  | 5                | PA; SP; QL (3 per 1 day)     |
| NEUPOGEN INJECTION SOLUTION 480 MCG/1.6 ML  | 5                | PA; SP; QL (4.8 per 1 day)   |
| NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML   | 5                | PA; SP; QL (1.5 per 1 day)   |
| NEUPOGEN INJECTION SYRINGE 480 MCG/0.8 ML   | 5                | PA; SP; QL (2.4 per 1 day)   |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML  | 5                | PA; SP; QL (3 per 1 day)     |
| NIVESTYM INJECTION SOLUTION 480 MCG/1.6 ML  | 5                | PA; SP; QL (4.8 per 1 day)   |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML  | 5                | PA; SP; QL (1.5 per 1 day)   |
| NIVESTYM SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML  | 5                | PA; SP; QL (2.4 per 1 day)   |
| NYVEPRIA  | 5                | PA; SP                       |
| PROCRIT   | 5                | PA; SP                       |
| RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML   | 5                | PA; SP; QL (1.5 per 1 day)   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| RELEUKO SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML        | 5                | PA; SP; QL (2.4 per 1 day)   |
| RETACRIT   | 5                | PA; SP                       |
| ROLVEDON   | 5                | PA; SP                       |
| STIMUFEND  | 5                | PA; SP                       |
| UDENYCA  | 5                | PA; SP                       |
| UDENYCA AUTOINJECTOR                               | 5                | PA; SP                       |
| UDENYCA ONBODY                                     | 5                | PA; SP                       |
| XOLREMDI   | 5                | PA; SP; QL (4 per 1 day)     |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML            | 5                | PA; SP; QL (1.5 per 1 day)   |
| ZARXIO INJECTION SYRINGE 480 MCG/0.8 ML            | 5                | PA; SP; QL (2.4 per 1 day)   |
| ZIEXTENZO  | 5                | PA; SP                       |
| <b>GROWTH HORMONES</b>                             |                  |                              |
| EGRIFTA SV   | 5                | PA; SP                       |
| GENOTROPIN   | 5                | PA; SP                       |
| GENOTROPIN MINIQUICK                               | 5                | PA; SP                       |
| HUMATROPE INJECTION CARTRIDGE                      | 5                | PA; SP                       |
| NGENLA   | 5                | PA; SP                       |
| NORDITROPIN FLEXPRO                                | 5                | PA; SP                       |
| NUTROPIN AQ NUSPIN                                 | 5                | PA; SP                       |
| OMNITROPE  | 5                | PA; SP                       |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG  | 5                | PA; SP                       |
| SKYTROFA   | 5                | PA; SP                       |
| SOGROYA  | 4                | PA; SP; QL (3 per 28 days)   |
| ZOMACTON   | 5                | PA; SP                       |
| <b>INTERFERONS</b>                                 |                  |                              |
| ACTIMMUNE  | 5                | PA; SP                       |
| ALFERON N  | 5                | SP                           |
| BESREMI  | 5                | PA; SP; QL (2 per 28 days)   |
| PEGASYS  | 5                | SP                           |
| <b>VACCINES &amp; MISCELLANEOUS IMMUNOLOGICALS</b> |                  |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                    | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|-------------------------------------|------------------|---|
| ABRYSVO (PF)                        | 9                | PA for Age less than or equal to 59 year(s); ACA; QL (1 per 720 days) |
| ACTHIB (PF)                         | 9                | ACA   |
| ADACEL(TDAP ADOLESN/ADULT)(PF)      | 9                | ACA   |
| AFLURIA TRIV 2024-2025              | 9                | ACA   |
| AFLURIA TRIV 2024-2025 (PF)         | 9                | ACA   |
| AREXVY (PF)                         | 9                | PA for Age less than or equal to 59 year(s); ACA; QL (1 per 720 days) |
| BEXSERO                             | 9                | ACA   |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE | 9                | ACA   |
| CAPVAXIVE                           | 9                | ACA   |
| COMIRNATY 2024-25 (12Y UP)(PF)      | 9                | ACA   |
| CUVITRU                             | 5                | PA; SP  |
| DAPTACEL (DTAP PEDIATRIC) (PF)      | 9                | ACA   |
| DENGVAXIA (PF)                      | 9                | ACA   |
| ENGERIX-B (PF)                      | 9                | ACA   |
| ENGERIX-B PEDIATRIC (PF)            | 9                | ACA   |
| FLUAD TRIV 2024-25(65Y UP)(PF)      | 9                | ACA   |
| FLUARIX TRIV 2024-2025 (PF)         | 9                | ACA   |
| FLUBLOK TRIV 2024-2025 (PF)         | 9                | ACA   |
| FLUCELVAX TRIV 2024-2025            | 9                | ACA   |
| FLUCELVAX TRIV 2024-2025 (PF)       | 9                | ACA   |
| FLULAVAL TRIV 2024-2025 (PF)        | 9                | ACA   |
| FLUMIST TRIVALENT 2024-2025         | 9                | ACA   |
| FLUZONE HIGH-DOSE TRIV 24-25        | 9                | ACA   |
| FLUZONE TRIV 2024-2025              | 9                | ACA   |
| FLUZONE TRIV 2024-2025 (PF)         | 9                | ACA   |
| GARDASIL 9 (PF)                     | 9                | ACA   |
| GRASTEK                             | 4                | PA; QL (1 per 1 day)  |
| HAVRIX (PF)                         | 9                | ACA   |
| HEPLISAV-B (PF)                     | 9                | ACA   |
| HIBERIX (PF)                        | 9                | ACA   |
| INFANRIX (DTAP) (PF)                | 9                | ACA   |
| IPOL                                | 9                | ACA   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|---|
| JYNNEOS (PF)   | 9                | ACA   |
| KINRIX (PF)  | 9                | ACA   |
| MENQUADFI (PF)   | 9                | ACA   |
| MENVEO A-C-Y-W-135-DIP (PF)                                  | 9                | ACA   |
| M-M-R II (PF)  | 9                | ACA   |
| MODERNA COVID 24-25(6M-11Y)PF                                | 9                | ACA   |
| MRESVIA (PF)   | 9                | PA for Age less than or equal to 59 year(s); ACA; QL (1 per 720 days) |
| NOVAVAX COVID 2024-25(PF)(EUA)                               | 9                | ACA   |
| ODACTRA  | 4                | PA; QL (1 per 1 day)  |
| ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY                | 4                | PA; QL (1 per 1 day)  |
| PALFORZIA (LEVEL 0)  | 5                | PA; SP; QL (7 per 365 days)   |
| PALFORZIA (LEVEL 1)  | 5                | PA; SP; QL (45 per 365 days)  |
| PALFORZIA (LEVEL 2)  | 5                | PA; SP; QL (90 per 365 days)  |
| PALFORZIA (LEVEL 3)  | 5                | PA; SP; QL (45 per 365 days)  |
| PALFORZIA (LEVEL 4)  | 5                | PA; SP; QL (15 per 365 days)  |
| PALFORZIA (LEVEL 5)  | 5                | PA; SP; QL (30 per 365 days)  |
| PALFORZIA (LEVEL 6)  | 5                | PA; SP; QL (60 per 365 days)  |
| PALFORZIA (LEVEL 7)  | 5                | PA; SP; QL (30 per 365 days)  |
| PALFORZIA (LEVEL 8)  | 5                | PA; SP; QL (60 per 365 days)  |
| PALFORZIA (LEVEL 9)  | 5                | PA; SP; QL (30 per 365 days)  |
| PALFORZIA (LEVEL 10)   | 5                | PA; SP; QL (60 per 365 days)  |
| PALFORZIA INITIAL (1-3 YRS)                                  | 5                | PA; SP; QL (15 per 365 days)  |
| PALFORZIA INITIAL (4-17 YRS)                                 | 5                | PA; SP; QL (15 per 365 days)  |
| PALFORZIA LEVEL 11 MAINTENANCE                               | 5                | PA; SP; QL (30 per 30 days)   |
| PEDIARIX (PF)  | 9                | ACA   |
| PEDVAX HIB (PF)  | 9                | ACA   |
| PENBRAYA (PF)  | 9                | ACA   |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML | 9                | ACA   |
| PFIZER COVID 2024-25(5Y-11Y)PF                               | 9                | ACA   |
| PFIZER COVID 2024-25(6MO-4Y)PF                               | 9                | ACA   |
| PNEUMOVAX-23 INJECTION SYRINGE                               | 9                | ACA   |
| PREVNAR 20 (PF)  | 9                | ACA   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>               | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--------------------------------|------------------|------------------------------|
| PRIORIX (PF)                   | 9                | ACA                          |
| PROQUAD (PF)                   | 9                | ACA                          |
| QUADRACEL (PF)                 | 9                | ACA                          |
| RAGWITEK                       | 4                | PA; QL (1 per 1 day)         |
| RECOMBIVAX HB (PF)             | 9                | ACA                          |
| ROTARIX ORAL SUSPENSION        | 9                | ACA                          |
| ROTATEQ VACCINE                | 9                | ACA                          |
| SHINGRIX (PF)                  | 9                | ACA                          |
| SPIKEVAX 2024-2025(12Y UP)(PF) | 9                | ACA                          |
| TDVAX                          | 9                | ACA                          |
| TENIVAC (PF)                   | 9                | ACA                          |
| TRUMENBA                       | 9                | ACA                          |
| TWINRIX (PF)                   | 9                | ACA                          |
| VAQTA (PF)                     | 9                | ACA                          |
| VARIVAX (PF)                   | 9                | ACA                          |
| VAXELIS (PF)                   | 9                | ACA                          |
| VAXNEUVANCE (PF)               | 9                | ACA                          |

## **IMMUNOLOGY**

### **INTERLEUKINS**

|  |   |                      |
|--|---|----------------------|
| <i>imiquimod topical cream in packet 5 %</i> | 2 | QL (36 per 365 days) |
|--|---|----------------------|

## **MUSCULOSKELETAL & RHEUMATOLOGY**

### **GOUT THERAPY**

|   |   |    |
|---|---|----|
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 2 |    |
| <i>colchicine oral tablet</i>                 | 2 |    |
| <i>febuxostat</i>                             | 2 | ST |
| <i>probenecid</i>                             | 2 |    |
| <i>probenecid-colchicine</i>                  | 2 |    |

### **OSTEOPOROSIS THERAPY**

|  |   |     |
|--|---|-----|
| <i>alendronate oral tablet 10 mg, 35 mg, 70 mg</i> | 1 |     |
| FOSAMAX PLUS D                                     | 3 |     |
| <i>ibandronate oral</i>                            | 2 |     |
| <i>raloxifene</i>                                  | 2 | ACA |
| <i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> | 3 |     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|---|------------------|--------------------------------|
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (600mcg/2.4ml)</i>                    | 5                | PA; SP; QL (1 per 28 days)     |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)                          | 5                | PA; SP; QL (1 per 28 days)     |
| TYMLOS  | 5                | PA; SP; QL (1.56 per 28 days)  |
| <b>OTHER RHEUMATOLOGICALS</b>   |                  |                                |
| ACTEMRA ACTPEN  | 5                | PA; SP; QL (3.6 per 28 days)   |
| ACTEMRA SUBCUTANEOUS  | 5                | PA; SP; QL (3.6 per 28 days)   |
| ADALIMUMAB-ADBIM  | 5                | PA; SP; QL (2 per 28 days)     |
| ADALIMUMAB-ADBIM(CF) PEN CROHNS   | 5                | PA; SP; QL (6 per 365 days)    |
| ADALIMUMAB-ADBIM(CF) PEN PS-UV  | 5                | PA; SP; QL (4 per 365 days)    |
| BENLYSTA SUBCUTANEOUS   | 5                | PA; SP; QL (4 per 28 days)     |
| ENBREL MINI   | 5                | PA; SP; QL (4 per 28 days)     |
| ENBREL SUBCUTANEOUS SOLUTION  | 5                | PA; SP; QL (4 per 28 days)     |
| ENBREL SUBCUTANEOUS SYRINGE   | 5                | PA; SP; QL (4 per 28 days)     |
| ENBREL SURECLICK  | 5                | PA; SP; QL (4 per 28 days)     |
| KEVZARA   | 5                | PA; SP; QL (2.28 per 28 days)  |
| KINERET   | 5                | PA; SP; QL (18.76 per 28 days) |
| <i>leflunomide</i>  | 2                |                                |
| OLUMIANT  | 5                | PA; SP; QL (1 per 1 day)       |
| ORENCIA CLICKJECT   | 5                | PA; SP; QL (4 per 28 days)     |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML  | 5                | PA; SP; QL (4 per 28 days)     |
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML   | 5                | PA; SP; QL (1.6 per 28 days)   |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML   | 5                | PA; SP; QL (2.8 per 28 days)   |
| OTEZLA  | 5                | PA; SP; QL (2 per 1 day)       |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | 5                | PA; SP; QL (55 per 365 days)   |
| OTREXUP (PF)  | 4                | ST                             |
| <i>penicillamine</i>  | 5                | PA; SP; QL (16 per 1 day)      |
| RASUVO (PF)   | 4                | ST                             |
| RIDAURA   | 4                | SP                             |
| RINVOQ LQ   | 5                | PA; SP; QL (12 per 1 day)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 5                | PA; SP; QL (1 per 1 day)     |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG        | 5                | PA; SP; QL (56 per 365 days) |
| SAVELLA ORAL TABLET                                    | 4                | ST                           |
| SIMLANDI(CF)   | 5                | PA; SP; QL (2 per 28 days)   |
| SIMLANDI(CF) AUTOINJECTOR                              | 5                | PA; SP; QL (2 per 28 days)   |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML            | 5                | PA; SP; QL (1 per 28 days)   |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML         | 5                | PA; SP; QL (0.5 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML                 | 5                | PA; SP; QL (1 per 28 days)   |
| SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML              | 5                | PA; SP; QL (0.5 per 28 days) |
| TYENNE AUTOINJECTOR                                    | 5                | PA; SP; QL (3.6 per 28 days) |
| TYENNE SUBCUTANEOUS                                    | 5                | PA; SP; QL (3.6 per 28 days) |
| XELJANZ ORAL SOLUTION                                  | 5                | PA; SP; QL (10 per 1 day)    |
| XELJANZ ORAL TABLET                                    | 5                | PA; SP; QL (2 per 1 day)     |
| XELJANZ XR   | 5                | PA; SP; QL (1 per 1 day)     |

## **OBSTETRICS & GYNECOLOGY**

### **DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES**

|                             |   |          |
|-----------------------------|---|----------|
| CAYA CONTOURED              | 9 | ACA      |
| DUREX AVANTI BARE REAL FEEL | 9 | ACA; OTC |
| DUREX TROPICAL CONDOM       | 9 | ACA; OTC |
| FC2 FEMALE CONDOM           | 9 | ACA; OTC |
| FEMCAP VAGINAL DEVICE 22 MM | 9 | ACA      |
| TRUSTEX-RIA NON-LUB CONDOMS | 9 | ACA; OTC |
| WIDE-SEAL DIAPHRAGM         | 9 | ACA      |

### **ESTROGENS & PROGESTINS**

|                     |   |                  |
|---------------------|---|------------------|
| BIJUVA              | 4 | QL (1 per 1 day) |
| <i>camila</i>       | 2 | ACA              |
| <i>covaryx</i>      | 3 |                  |
| <i>covaryx h.s.</i> | 3 |                  |
| CRINONE             | 4 | PA               |
| <i>deblitane</i>    | 2 | ACA              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>dotti</i>   | 3                |                              |
| DUAVEE   | 4                | PA                           |
| <i>eemt</i>  | 3                |                              |
| <i>eemt hs</i>   | 3                |                              |
| <i>emzahh</i>  | 2                | ACA                          |
| <i>errin</i>   | 2                | ACA                          |
| <i>estradiol oral</i>  | 2                |                              |
| <i>estradiol transdermal patch semiweekly</i>                                | 3                |                              |
| <i>estradiol transdermal patch weekly</i>                                    | 3                |                              |
| <i>estradiol vaginal</i>   | 3                |                              |
| <i>estradiol-norethindrone acet</i>  | 3                |                              |
| <i>estrogens-methyltestosterone</i>  | 3                |                              |
| <i>fyavolv</i>   | 3                |                              |
| <i>gallifrey</i>   | 2                |                              |
| <i>heather</i>   | 2                | ACA                          |
| <i>incassia</i>  | 2                | ACA                          |
| <i>jencycla</i>  | 2                | ACA                          |
| <i>jinteli</i>   | 3                |                              |
| <i>lyleq</i>   | 2                | ACA                          |
| <i>lyllana</i>   | 3                |                              |
| <i>lyza</i>  | 2                | ACA                          |
| <i>medroxyprogesterone intramuscular</i>                                     | 2                | ACA                          |
| <i>medroxyprogesterone oral</i>  | 2                |                              |
| <i>mimvey</i>  | 3                |                              |
| <i>nora-be</i>   | 2                | ACA                          |
| <i>norethindrone (contraceptive)</i>   | 2                | ACA                          |
| <i>norethindrone acetate</i>   | 2                |                              |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 3                |                              |
| OPILL  | 9                | OTC                          |
| PREMARIN ORAL  | 3                |                              |
| PREMARIN VAGINAL   | 3                |                              |
| PREMPHASE  | 3                |                              |
| PREMPRO  | 3                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>progesterone</i>                                     | 2                |                              |
| <i>progesterone micronized</i>                          | 2                |                              |
| <i>sharobel</i>   | 2                | ACA                          |
| <i>tulana</i>   | 2                | ACA                          |
| <i>yuvafem</i>  | 3                |                              |
| <b>MISCELLANEOUS OB/GYN</b>                             |                  |                              |
| CLEOCIN VAGINAL SUPPOSITORY                             | 4                |                              |
| <i>clindamycin phosphate vaginal</i>                    | 2                |                              |
| CLINDESSE   | 4                |                              |
| <i>eluryng</i>  | 2                | ACA                          |
| <i>enilloring</i>                                       | 2                | ACA                          |
| <i>etonogestrel-ethinyl estradiol</i>                   | 2                | ACA                          |
| GYNAZOLE-1  | 4                |                              |
| <i>haloette</i>   | 1                | ACA                          |
| INTRAROSA   | 4                |                              |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 2                |                              |
| <i>miconazole-3 vaginal suppository</i>                 | 2                |                              |
| <i>mifepristone oral tablet 200 mg</i>                  | 3                | PA                           |
| MYFEMBREE   | 4                | PA; QL (1 per 1 day)         |
| <i>norelgestromin-ethin.estradiol</i>                   | 2                | ACA                          |
| NUVESSA   | 4                |                              |
| ORIAHNN   | 4                | PA; QL (2 per 1 day)         |
| OSPHENA   | 4                | PA                           |
| <i>terconazole</i>                                      | 2                |                              |
| <i>tranexamic acid oral</i>                             | 3                |                              |
| <i>vandazole</i>  | 2                |                              |
| XACIATO   | 4                |                              |
| <i>xulane</i>   | 2                | ACA                          |
| <i>zafemy</i>   | 2                | ACA                          |
| <b>ORAL CONTRACEPTIVES &amp; RELATED AGENTS</b>         |                  |                              |
| <i>afirmelle</i>  | 2                | ACA                          |
| <i>after pill</i>                                       | 9                | ACA; OTC                     |
| <i>altavera (28)</i>                                    | 2                | ACA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>               | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--------------------------------|------------------|------------------------------|
| <i>alyacen 1/35 (28)</i>       | 2                | ACA                          |
| <i>alyacen 7/7/7 (28)</i>      | 2                | ACA                          |
| <i>amethia</i>                 | 2                | ACA                          |
| <i>amethyst (28)</i>           | 2                | ACA                          |
| <i>apri</i>                    | 2                | ACA                          |
| <i>aranelle (28)</i>           | 2                | ACA                          |
| <i>ashlyna</i>                 | 2                | ACA                          |
| <i>aubra</i>                   | 2                | ACA                          |
| <i>aubra eq</i>                | 2                | ACA                          |
| <i>aurovela 1.5/30 (21)</i>    | 2                | ACA                          |
| <i>aurovela 1/20 (21)</i>      | 2                | ACA                          |
| <i>aurovela 24 fe</i>          | 2                | ACA                          |
| <i>aurovela fe 1.5/30 (28)</i> | 2                | ACA                          |
| <i>aurovela fe 1-20 (28)</i>   | 2                | ACA                          |
| <i>aviane</i>                  | 2                | ACA                          |
| <i>ayuna</i>                   | 2                | ACA                          |
| <i>azurette (28)</i>           | 2                | ACA                          |
| <i>balziva (28)</i>            | 2                | ACA                          |
| <i>blisovi 24 fe</i>           | 2                | ACA                          |
| <i>blisovi fe 1.5/30 (28)</i>  | 2                | ACA                          |
| <i>blisovi fe 1/20 (28)</i>    | 2                | ACA                          |
| <i>briellyn</i>                | 2                | ACA                          |
| <i>camrese</i>                 | 2                | ACA                          |
| <i>camrese lo</i>              | 2                | ACA                          |
| <i>caziant (28)</i>            | 2                | ACA                          |
| <i>charlotte 24 fe</i>         | 2                | ACA                          |
| <i>chateal eq (28)</i>         | 2                | ACA                          |
| <i>cryselle (28)</i>           | 2                | ACA                          |
| <i>curae</i>                   | 9                | ACA; OTC                     |
| <i>cyred</i>                   | 2                | ACA                          |
| <i>cyred eq</i>                | 2                | ACA                          |
| <i>dasetta 1/35 (28)</i>       | 2                | ACA                          |
| <i>dasetta 7/7/7 (28)</i>      | 2                | ACA                          |
| <i>daysee</i>                  | 2                | ACA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                      | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---------------------------------------|------------------|------------------------------|
| <i>desog-e.estradiol/e.estradiol</i>  | 2                | ACA                          |
| <i>dolishale</i>                      | 2                | ACA                          |
| <i>drospirenone-ethinyl estradiol</i> | 2                | ACA                          |
| <i>econtra ez</i>                     | 9                | ACA; OTC                     |
| <i>econtra one-step</i>               | 9                | ACA; OTC                     |
| <i>elinest</i>                        | 2                | ACA                          |
| ELLA                                  | 4                | ACA                          |
| <i>enpresse</i>                       | 2                | ACA                          |
| <i>enskyce</i>                        | 2                | ACA                          |
| <i>estarylla</i>                      | 2                | ACA                          |
| <i>ethynodiol diac-eth estradiol</i>  | 2                | ACA                          |
| <i>falmina (28)</i>                   | 2                | ACA                          |
| <i>feirza</i>                         | 2                | ACA                          |
| <i>finzala</i>                        | 2                | ACA                          |
| <i>hailey</i>                         | 2                | ACA                          |
| <i>hailey 24 fe</i>                   | 2                | ACA                          |
| <i>hailey fe 1.5/30 (28)</i>          | 2                | ACA                          |
| <i>hailey fe 1/20 (28)</i>            | 2                | ACA                          |
| <i>her style</i>                      | 9                | ACA; OTC                     |
| <i>iclevia</i>                        | 2                | ACA                          |
| <i>isibloom</i>                       | 2                | ACA                          |
| <i>jaimiess</i>                       | 2                | ACA                          |
| <i>jasmiel (28)</i>                   | 2                | ACA                          |
| <i>jolessa</i>                        | 2                | ACA                          |
| <i>juleber</i>                        | 2                | ACA                          |
| <i>junel 1.5/30 (21)</i>              | 2                | ACA                          |
| <i>junel 1/20 (21)</i>                | 2                | ACA                          |
| <i>junel fe 1.5/30 (28)</i>           | 2                | ACA                          |
| <i>junel fe 1/20 (28)</i>             | 2                | ACA                          |
| <i>junel fe 24</i>                    | 2                | ACA                          |
| <i>kaitlib fe</i>                     | 2                | ACA                          |
| <i>kalliga</i>                        | 2                | ACA                          |
| <i>kariva (28)</i>                    | 2                | ACA                          |
| <i>kelnor 1/35 (28)</i>               | 2                | ACA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                      | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---------------------------------------|------------------|------------------------------|
| <i>kelnor 1/50 (28)</i>               | 2                | ACA                          |
| <i>kurvelo (28)</i>                   | 2                | ACA                          |
| <i>l norgest/e.estradiol-e.estrad</i> | 2                | ACA                          |
| <i>larin 1.5/30 (21)</i>              | 2                | ACA                          |
| <i>larin 1/20 (21)</i>                | 2                | ACA                          |
| <i>larin 24 fe</i>                    | 2                | ACA                          |
| <i>larin fe 1.5/30 (28)</i>           | 2                | ACA                          |
| <i>larin fe 1/20 (28)</i>             | 2                | ACA                          |
| <i>layolis fe</i>                     | 2                | ACA                          |
| <i>leena 28</i>                       | 2                | ACA                          |
| <i>lessina</i>                        | 2                | ACA                          |
| <i>levonest (28)</i>                  | 2                | ACA                          |
| <i>levonorgestrel</i>                 | 9                | ACA; OTC                     |
| <i>levonorgestrel-ethinyl estrad</i>  | 2                | ACA                          |
| <i>levonorg-eth estrad triphasic</i>  | 2                | ACA                          |
| <i>levora-28</i>                      | 2                | ACA                          |
| LO LOESTRIN FE                        | 3                |                              |
| <i>lojaimiess</i>                     | 2                | ACA                          |
| <i>loryna (28)</i>                    | 2                | ACA                          |
| <i>low-ogestrel (28)</i>              | 2                | ACA                          |
| <i>lo-zumandimine (28)</i>            | 2                | ACA                          |
| <i>lutra (28)</i>                     | 2                | ACA                          |
| <i>marlissa (28)</i>                  | 2                | ACA                          |
| <i>merzee</i>                         | 2                | ACA                          |
| <i>mibelas 24 fe</i>                  | 2                | ACA                          |
| <i>microgestin 1.5/30 (21)</i>        | 2                | ACA                          |
| <i>microgestin 1/20 (21)</i>          | 2                | ACA                          |
| <i>microgestin fe 1.5/30 (28)</i>     | 2                | ACA                          |
| <i>microgestin fe 1/20 (28)</i>       | 2                | ACA                          |
| <i>mili</i>                           | 2                | ACA                          |
| <i>mono-linyah</i>                    | 2                | ACA                          |
| <i>my choice</i>                      | 9                | ACA; OTC                     |
| <i>my way</i>                         | 9                | ACA; OTC                     |
| <i>necon 0.5/35 (28)</i>              | 2                | ACA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>new day</i>   | 9                | ACA; OTC                     |
| <i>nikki (28)</i>  | 2                | ACA                          |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | 2                | ACA                          |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>             | 2                | ACA                          |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>           | 2                | ACA                          |
| <i>norethindrone-e.estradiol-iron oral tablet, chewable</i>                              | 2                | ACA                          |
| <i>norgestimate-ethinyl estradiol</i>  | 2                | ACA                          |
| <i>nortrel 0.5/35 (28)</i>   | 2                | ACA                          |
| <i>nortrel 1/35 (21)</i>   | 2                | ACA                          |
| <i>nortrel 1/35 (28)</i>   | 2                | ACA                          |
| <i>nortrel 7/7/7 (28)</i>  | 2                | ACA                          |
| <i>nylia 1/35 (28)</i>   | 2                | ACA                          |
| <i>nylia 7/7/7 (28)</i>  | 2                | ACA                          |
| <i>ocella</i>  | 2                | ACA                          |
| <i>opcicon one-step</i>  | 9                | ACA; OTC                     |
| <i>option-2</i>  | 9                | ACA; OTC                     |
| <i>philith</i>   | 2                | ACA                          |
| <i>pimtrea (28)</i>  | 2                | ACA                          |
| <i>portia 28</i>   | 2                | ACA                          |
| <i>reclipsen (28)</i>  | 2                | ACA                          |
| <i>setlakin</i>  | 2                | ACA                          |
| <i>simliya (28)</i>  | 2                | ACA                          |
| <i>simpesse</i>  | 2                | ACA                          |
| <i>sprintec (28)</i>   | 2                | ACA                          |
| <i>sronyx</i>  | 2                | ACA                          |
| <i>syeda</i>   | 2                | ACA                          |
| <i>tarina 24 fe</i>  | 2                | ACA                          |
| <i>tarina fe 1/20 (28)</i>   | 2                | ACA                          |
| <i>tilia fe</i>  | 2                | ACA                          |
| <i>tri-estarylla</i>   | 2                | ACA                          |
| <i>tri-legest fe</i>   | 2                | ACA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| <b>Drug Name</b>                          | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>tri-linyah</i>                         | 2                | ACA                          |
| <i>tri-lo-estarylla</i>                   | 2                | ACA                          |
| <i>tri-lo-marzia</i>                      | 2                | ACA                          |
| <i>tri-lo-mili</i>                        | 2                | ACA                          |
| <i>tri-lo-sprintec</i>                    | 2                | ACA                          |
| <i>tri-mili</i>                           | 2                | ACA                          |
| <i>tri-sprintec (28)</i>                  | 2                | ACA                          |
| <i>trivora (28)</i>                       | 2                | ACA                          |
| <i>tri-vylibra</i>                        | 2                | ACA                          |
| <i>tri-vylibra lo</i>                     | 2                | ACA                          |
| <i>turqoz (28)</i>                        | 2                | ACA                          |
| <i>valtya</i>                             | 2                | ACA                          |
| <i>velivet triphasic regimen (28)</i>     | 2                | ACA                          |
| <i>vestura (28)</i>                       | 2                | ACA                          |
| <i>vienva</i>                             | 2                | ACA                          |
| <i>viorele (28)</i>                       | 2                | ACA                          |
| <i>volnea (28)</i>                        | 2                | ACA                          |
| <i>vyfemla (28)</i>                       | 2                | ACA                          |
| <i>vylibra</i>                            | 2                | ACA                          |
| <i>wera (28)</i>                          | 2                | ACA                          |
| <i>wymzya fe</i>                          | 2                | ACA                          |
| <i>zarah</i>                              | 2                | ACA                          |
| <i>zovia 1-35 (28)</i>                    | 2                | ACA                          |
| <i>zumandimine (28)</i>                   | 2                | ACA                          |
| <b>OXYTOCICS</b>                          |                  |                              |
| <i>methylergonovine oral</i>              | 3                |                              |
| <b>OPHTHALMOLOGY</b>                      |                  |                              |
| <b>ANTIBIOTICS</b>                        |                  |                              |
| <i>bacitracin ophthalmic (eye)</i>        | 3                |                              |
| <i>bacitracin-polymyxin b</i>             | 2                |                              |
| BETADINE OPHTHALMIC PREP                  | 4                |                              |
| CILOXAN OPHTHALMIC (EYE) OINTMENT         | 4                |                              |
| <i>ciprofloxacin hcl ophthalmic (eye)</i> | 2                |                              |
| <i>erythromycin ophthalmic (eye)</i>      | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>gatifloxacin</i>   | 3                |                              |
| <i>gentamicin ophthalmic (eye) drops</i>                    | 2                |                              |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i>            | 3                |                              |
| <i>moxifloxacin ophthalmic (eye) drops</i>                  | 2                |                              |
| <b>NATACYN</b>  | 4                |                              |
| <i>neomycin-bacitracin-polymyxin</i>                        | 2                |                              |
| <i>neomycin-polymyxin-gramicidin</i>                        | 2                |                              |
| <i>neo-polycin</i>  | 2                |                              |
| <i>ofloxacin ophthalmic (eye)</i>                           | 2                |                              |
| <i>polycin</i>  | 2                |                              |
| <i>polymyxin b sulf-trimethoprim</i>                        | 2                |                              |
| <i>tobramycin ophthalmic (eye)</i>                          | 2                |                              |
| <b>ANTIVIRALS</b>   |                  |                              |
| <i>trifluridine</i>   | 2                |                              |
| <b>ZIRGAN</b>   | 4                |                              |
| <b>BETA-BLOCKERS</b>  |                  |                              |
| <i>betaxolol ophthalmic (eye)</i>                           | 3                |                              |
| <i>carteolol</i>  | 3                |                              |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>             | 2                |                              |
| <i>timolol maleate ophthalmic (eye) drops</i>               | 2                |                              |
| <b>CYCLOPLEGIC MYDRIATICS</b>                               |                  |                              |
| <i>atropine ophthalmic (eye) drops 1 %</i>                  | 3                |                              |
| <i>cyclopentolate ophthalmic (eye) drops 1 %</i>            | 2                |                              |
| <i>homatropaire</i>   | 2                |                              |
| <i>tropicamide</i>  | 2                |                              |
| <b>DIRECT ACTING MIOTICS</b>                                |                  |                              |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 2                |                              |
| <b>MISCELLANEOUS OPHTHALMOLOGICS</b>                        |                  |                              |
| <i>allergy eye (ketotifen)</i>                              | 2                | OTC                          |
| <i>azelastine ophthalmic (eye)</i>                          | 2                |                              |
| <i>bepotastine besilate</i>                                 | 3                | ST                           |
| <i>cromolyn ophthalmic (eye)</i>                            | 2                |                              |
| <i>cyclosporine ophthalmic (eye)</i>                        | 3                | QL (2 per 1 day)             |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| CYSTADROPS   | 5                | PA; SP; QL (20 per 28 days)  |
| CYSTARAN   | 5                | PA; SP; QL (60 per 28 days)  |
| <i>epinastine</i>  | 3                |                              |
| <i>eye itch relief</i>                                       | 2                | OTC                          |
| <i>ketotifen fumarate</i>                                    | 2                | OTC                          |
| <i>olopatadine ophthalmic (eye)</i>                          | 2                |                              |
| OXERVATE   | 5                | PA; SP; QL (56 per 720 days) |
| <i>proparacaine</i>  | 2                |                              |
| <i>tetracaine hcl</i>  | 2                |                              |
| TETRACAINE HCL (PF) OPHTHALMIC (EYE)                         | 2                |                              |
| XDEMVY   | 5                | PA; SP; QL (10 per 365 days) |
| XIIDRA   | 3                | QL (2 per 1 day)             |
| <b>NON-STEROIDAL ANTI-INFLAMMATORY AGENTS</b>                |                  |                              |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>               | 3                |                              |
| <i>diclofenac sodium ophthalmic (eye)</i>                    | 2                |                              |
| <i>flurbiprofen sodium</i>                                   | 3                |                              |
| <i>ketorolac ophthalmic (eye)</i>                            | 2                |                              |
| <b>ORAL DRUGS FOR GLAUCOMA</b>                               |                  |                              |
| <i>acetazolamide</i>   | 2                |                              |
| <i>methazolamide</i>   | 3                |                              |
| <b>OTHER GLAUCOMA DRUGS</b>                                  |                  |                              |
| <i>bimatoprost ophthalmic (eye)</i>                          | 3                |                              |
| <i>brimonidine-timolol</i>                                   | 3                |                              |
| <i>brinzolamide</i>  | 3                |                              |
| <i>dorzolamide</i>   | 2                |                              |
| <i>dorzolamide-timolol</i>                                   | 2                |                              |
| <i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette</i> | 3                |                              |
| <i>latanoprost</i>   | 2                |                              |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                        | 3                |                              |
| <i>tafluprost (pf)</i>                                       | 3                | ST                           |
| <i>travoprost</i>  | 3                | ST                           |
| <b>STERIOD-ANTIBIOTIC COMBINATIONS</b>                       |                  |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>neomycin-bacitracin-poly-hc</i>                                    | 2                |                              |
| <i>neomycin-polymyxin b-dexameth</i>                                  | 2                |                              |
| <i>neomycin-polymyxin-hc ophthalmic (eye)</i>                         | 2                |                              |
| <i>neo-polycin hc</i>   | 2                |                              |
| <i>tobramycin-dexamethasone</i>                                       | 2                |                              |
| <b>STEROIDS</b>   |                  |                              |
| <i>dexamethasone sodium phosphate ophthalmic (eye)</i>                | 2                |                              |
| FLAREX  | 4                |                              |
| <i>fluorometholone</i>  | 2                |                              |
| <i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.5 %</i> | 3                |                              |
| <i>prednisolone acetate</i>   | 2                |                              |
| <i>prednisolone sodium phosphate ophthalmic (eye)</i>                 | 2                |                              |
| <b>STEROID-SULFONAMIDE COMBINATIONS</b>                               |                  |                              |
| <i>sulfacetamide-prednisolone</i>                                     | 2                |                              |
| <b>SULFONAMIDES</b>   |                  |                              |
| <i>sulfacetamide sodium ophthalmic (eye)</i>                          | 3                |                              |
| <b>SYMPATHOMIMETICS</b>   |                  |                              |
| <i>apraclonidine</i>  | 2                |                              |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i>                      | 3                |                              |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                       | 2                |                              |
| <b>VASOCONSTRICTOR DECONGESTANTS</b>                                  |                  |                              |
| <i>phenylephrine hcl ophthalmic (eye)</i>                             | 3                |                              |
| <b>RESPIRATORY, ALLERGY, COUGH &amp; COLD</b>                         |                  |                              |
| <b>ANTI-HISTAMINE &amp; ANTI-ALLERGENIC AGENTS</b>                    |                  |                              |
| AUVI-Q INJECTION AUTO-INJECTOR 0.1 MG/0.1 ML                          | 4                | PA                           |
| <i>carbinoxamine maleate oral liquid</i>                              | 2                | QL (40 per 1 day)            |
| <i>carbinoxamine maleate oral tablet 4 mg</i>                         | 2                |                              |
| <i>cetirizine oral solution 1 mg/ml</i>                               | 2                |                              |
| <i>clemastine oral tablet</i>   | 3                | QL (3 per 1 day)             |
| <i>cyproheptadine</i>   | 2                |                              |
| <i>desloratadine oral tablet</i>                                      | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>diphenhydramine hcl injection solution 50 mg/ml</i>                   | 5                |                              |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i> | 3                |                              |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>                          | 2                |                              |
| <i>hydroxyzine hcl oral tablet</i>                                       | 2                |                              |
| <i>hydroxyzine pamoate</i>   | 2                |                              |
| <i>levocetirizine</i>  | 2                |                              |
| <i>promethazine oral</i>   | 2                |                              |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i>                    | 2                |                              |
| <i>promethegan</i>   | 2                |                              |
| <b>COUGH &amp; COLD THERAPY</b>  |                  |                              |
| <i>benzonatate oral capsule 100 mg, 200 mg</i>                           | 2                |                              |
| <i>benzonatate oral capsule 150 mg</i>                                   | 3                |                              |
| <i>codeine-guaifenesin</i>   | 2                |                              |
| <i>g tussin ac</i>   | 2                |                              |
| <i>hydrocodone-chlorpheniramine</i>                                      | 2                | QL (120 per 30 days)         |
| <i>hydrocodone-homatropine oral syrup 5-1.5 mg/5 ml</i>                  | 2                |                              |
| <i>hydrocodone-homatropine oral tablet</i>                               | 2                |                              |
| <i>hydromet</i>  | 2                |                              |
| <i>maxi-tuss ac</i>  | 2                |                              |
| <i>promethazine-codeine</i>  | 2                |                              |
| <i>promethazine-dm</i>   | 2                |                              |
| <i>promethazine-phenylephrine</i>  | 2                |                              |
| TUXARIN ER   | 4                | QL (24 per 30 days)          |
| <b>PULMONARY AGENTS</b>  |                  |                              |
| <i>24 hour nasal allergy</i>   | 2                | OTC                          |
| <i>acetylcysteine</i>  | 2                |                              |
| ADEMPAS  | 5                | PA; SP; LA; QL (3 per 1 day) |
| ADVAIR HFA   | 3                |                              |
| <i>albuterol sulfate inhalation solution for nebulization</i>            | 2                |                              |
| <i>albuterol sulfate oral syrup</i>                                      | 2                |                              |
| <i>albuterol sulfate oral tablet</i>                                     | 2                |                              |
| <i>alyq</i>  | 5                | PA; SP; QL (2 per 1 day)     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>                 |
|---|------------------|--|
| <i>ambrisentan</i>  | 5                | PA; SP; LA; QL (1 per 1 day)                 |
| ANORO ELLIPTA   | 3                |  |
| ARNUIITY ELLIPTA  | 3                |  |
| ASMANEX HFA   | 3                |  |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 3                |  |
| ATROVENT HFA  | 4                |  |
| <i>bosentan</i>   | 5                | PA; SP; QL (2 per 1 day)                     |
| BREO ELLIPTA  | 3                |  |
| <i>breyana</i>  | 3                |  |
| BRONCHITOL  | 5                | PA; 20 capsules per day; 10 capsules per; SP |
| <i>budesonide inhalation</i>  | 2                |  |
| <i>budesonide nasal</i>   | 2                | OTC  |
| <i>budesonide-formoterol</i>  | 3                |  |
| CINRYZE   | 5                | PA; SP                                       |
| COMBIVENT RESPIMAT  | 3                |  |
| <i>cromolyn inhalation</i>  | 2                |  |
| DULERA  | 3                |  |
| FASENRA   | 5                | PA; SP; QL (1 per 42 days)                   |
| FASENRA PEN   | 5                | PA; SP; QL (1 per 42 days)                   |
| <i>flunisolide</i>  | 3                | ST   |
| <i>fluticasone propionate nasal</i>   | 2                |  |
| FLUTICASONE PROPION-SALMETEROL INHALATION AEROSOL POWDR BREATH ACTIVATED  | 2                |  |
| <i>fluticasone propion-salmeterol inhalation blister with device</i>  | 2                |  |
| HAEGARDA  | 5                | PA; SP; LA                                   |
| HYPER-SAL INHALATION SOLUTION FOR NEBULIZATION 3.5 %  | 4                |  |
| <i>icatibant</i>  | 5                | PA; SP; QL (9 per 28 days)                   |
| INCRUSE ELLIPTA   | 3                |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|--|------------------|--------------------------------|
| <i>ipratropium bromide inhalation</i>                                    | 2                |                                |
| <i>ipratropium-albuterol</i>   | 2                |                                |
| KALYDECO   | 5                | PA; SP; QL (2 per 1 day)       |
| <i>levalbuterol hcl</i>  | 3                |                                |
| <i>mometasone nasal</i>  | 3                | ST                             |
| <i>montelukast</i>   | 2                |                                |
| <i>nasal allergy</i>   | 2                | OTC                            |
| NUCALA   | 5                | PA; SP; LA; QL (1 per 28 days) |
| OFEV   | 5                | PA; SP; QL (2 per 1 day)       |
| OHTUVAYRE  | 5                | PA; SP; QL (5 per 1 day)       |
| OPSUMIT  | 5                | PA; SP; LA; QL (1 per 1 day)   |
| OPSYNVI  | 5                | PA; SP; QL (1 per 1 day)       |
| ORKAMBI ORAL GRANULES IN PACKET  | 5                | PA; SP; QL (2 per 1 day)       |
| ORKAMBI ORAL TABLET  | 5                | PA; SP; QL (4 per 1 day)       |
| ORLADEYO   | 5                | PA; SP; LA; QL (1 per 1 day)   |
| <i>pirfenidone oral capsule</i>  | 5                | PA; SP; QL (6 per 1 day)       |
| <i>pirfenidone oral tablet 267 mg</i>                                    | 5                | PA; SP; QL (6 per 1 day)       |
| PIRFENIDONE ORAL TABLET 534 MG   | 5                | PA; SP; QL (3 per 1 day)       |
| <i>pirfenidone oral tablet 801 mg</i>                                    | 5                | PA; SP; QL (3 per 1 day)       |
| PULMOZYME  | 5                | PA; SP; QL (5 per 1 day)       |
| QVAR REDIHALER   | 3                |                                |
| <i>roflumilast</i>   | 3                | QL (1 per 1 day)               |
| RUCONEST   | 5                | PA; SP; QL (2 per 28 days)     |
| <i>sajazir</i>   | 5                | PA; SP; QL (9 per 28 days)     |
| SEREVENT DISKUS  | 3                |                                |
| <i>sildenafil (pulm.hypertension) oral suspension for reconstitution</i> | 5                | PA; SP; QL (6 per 1 day)       |
| <i>sildenafil (pulm.hypertension) oral tablet</i>                        | 5                | PA; SP; QL (3 per 1 day)       |
| <i>sodium chloride inhalation</i>  | 2                |                                |
| SPIRIVA RESPIMAT   | 3                |                                |
| STIOLTO RESPIMAT   | 3                |                                |
| STRIVERDI RESPIMAT   | 3                |                                |
| SYMDEKO  | 5                | PA; SP; QL (2 per 1 day)       |
| <i>tadalafil (pulm. hypertension)</i>                                    | 5                | PA; SP; QL (2 per 1 day)       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>     |
|---|------------------|----------------------------------|
| TADLIQ  | 5                | PA; SP; QL (10 per 1 day)        |
| TAKHZYRO SUBCUTANEOUS SOLUTION  | 5                | PA; SP; LA; QL (2 per 28 days)   |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML                                     | 5                | PA; SP; LA; QL (1 per 28 days)   |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)                       | 5                | PA; SP; LA; QL (2 per 28 days)   |
| <i>terbutaline oral</i>   | 2                |                                  |
| TEZSPIRE  | 5                | PA; SP; QL (1.91 per 28 days)    |
| <i>theophylline oral tablet extended release 12 hr</i>                      | 2                |                                  |
| <i>theophylline oral tablet extended release 24 hr</i>                      | 2                |                                  |
| <i>tiotropium bromide</i>   | 3                |                                  |
| TRACLEER ORAL TABLET FOR SUSPENSION   | 5                | PA; SP; LA; QL (4 per 1 day)     |
| TRELEGY ELLIPTA   | 3                |                                  |
| <i>triamcinolone acetonide nasal</i>  | 2                | OTC                              |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL                                | 5                | PA; SP; QL (2 per 1 day)         |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL   | 5                | PA; SP; QL (3 per 1 day)         |
| TYVASO  | 5                | PA; SP; QL (11.6 per 365 days)   |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 32 MCG, 48 MCG, 64 MCG | 5                | PA; SP; QL (1 per 30 days)       |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16(112)-32(112) -48(28) MCG    | 5                | PA; SP; QL (1 per 365 days)      |
| TYVASO REFILL KIT   | 5                | PA; SP; QL (81.2 per 28 days)    |
| TYVASO STARTER KIT  | 5                | PA; SP; QL (1 per 365 days)      |
| VENTAVIS  | 5                | PA; SP; QL (9 per 1 day)         |
| VENTOLIN HFA  | 2                |                                  |
| WINREVAIR   | 5                | PA; SP; QL (1 per 20 days)       |
| <i>wixela inhub</i>   | 2                |                                  |
| XHANCE  | 4                | PA; QL (32 per 30 days)          |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML                                 | 5                | PA; SP; LA; QL (1 per 28 days)   |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML                               | 5                | PA; SP; LA; QL (2 per 28 days)   |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML                              | 5                | PA; SP; LA; QL (0.5 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



| Drug Name                                | Drug Tier | Requirements / Limits            |
|--|-----------|----------------------------------|
| XOLAIR SUBCUTANEOUS RECON SOLN           | 5         | PA; SP; LA; QL (1 per 28 days)   |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML    | 5         | PA; SP; LA; QL (1 per 28 days)   |
| XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML  | 5         | PA; SP; LA; QL (2 per 28 days)   |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5         | PA; SP; LA; QL (0.5 per 28 days) |
| <i>zafirlukast</i>                       | 3         |                                  |
| <i>zileuton</i>                          | 3         | PA; QL (4 per 1 day)             |

## UROLOGICALS

### ANTICHOLINERGICS & ANTISPASMODICS

|  |   |    |
|--|---|----|
| <i>darifenacin</i>   | 3 |    |
| <i>fesoterodine</i>  | 3 | ST |
| <i>flavoxate</i>   | 2 |    |
| <i>mirabegron</i>  | 3 | ST |
| <i>oxybutynin chloride oral syrup</i>                        | 2 |    |
| <i>oxybutynin chloride oral tablet 5 mg</i>                  | 2 |    |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 2 |    |
| <i>solifenacin</i>   | 2 |    |
| <i>tolterodine</i>   | 3 |    |
| <i>trospium oral capsule, extended release 24hr</i>          | 3 |    |
| <i>trospium oral tablet</i>                                  | 2 |    |

### BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY

|                                     |   |                      |
|-------------------------------------|---|----------------------|
| <i>alfuzosin</i>                    | 2 |                      |
| <i>dutasteride</i>                  | 2 |                      |
| <i>dutasteride-tamsulosin</i>       | 3 |                      |
| <i>finasteride oral tablet 5 mg</i> | 2 |                      |
| <i>silodosin</i>                    | 3 |                      |
| <i>tadalafil oral tablet 5 mg</i>   | 2 | PA; QL (1 per 1 day) |
| <i>tamsulosin</i>                   | 2 |                      |

### CHOLINERGIC STIMULANTS

|                             |   |  |
|-----------------------------|---|--|
| <i>bethanechol chloride</i> | 2 |  |
|-----------------------------|---|--|

### MISCELLANEOUS UROLOGICALS

|          |   |        |
|----------|---|--------|
| CYSTAGON | 5 | SP; LA |
|----------|---|--------|

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name  | Drug Tier | Requirements / Limits      |
|--|-----------|----------------------------|
| OXLUMO   | 5         | PA; SP                     |
| <i>potassium citrate oral tablet extended release</i>                        | 2         |                            |
| PROCYSBI   | 5         | PA; SP                     |
| RENACIDIN  | 5         |                            |
| RIVFLOZA   | 5         | PA; SP; QL (1 per 28 days) |
| <b>URINARY ANESTHETICS</b>   |           |                            |
| <i>phenazopyridine oral tablet 100 mg, 200 mg</i>                            | 2         |                            |
| <b>VITAMIN, HEMATINIC &amp; ELECTROLYTES</b>                                 |           |                            |
| <b>ELECTROLYTES</b>  |           |                            |
| <i>lanthanum</i>   | 3         | ST; QL (3 per 1 day)       |
| LOKELMA  | 4         | PA; QL (3 per 1 day)       |
| <i>sevelamer carbonate oral tablet</i>                                       | 2         | QL (17 per 1 day)          |
| <i>sodium polystyrene sulfonate oral powder</i>                              | 2         |                            |
| <i>sps (with sorbitol)</i>   | 3         |                            |
| VELPHORO   | 4         | ST; QL (6 per 1 day)       |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                | 4         | PA; QL (1 per 1 day)       |
| <b>VITAMINS, HEMATINICS &amp; ELECTROLYTES</b>                               |           |                            |
| <b>ELECTROLYTES</b>  |           |                            |
| <i>calcium acetate(phosphat bind)</i>  | 2         | QL (12 per 1 day)          |
| CALCIUM GLUC IN NA CL, ISO-OSM INTRAVENOUS SOLUTION 1 GRAM/100 ML            | 5         |                            |
| <i>effe-r-k oral tablet, effervescent 25 meq</i>                             | 2         |                            |
| <i>klor-con 10</i>   | 2         |                            |
| <i>klor-con 8</i>  | 2         |                            |
| <i>klor-con m10</i>  | 2         |                            |
| <i>klor-con m15</i>  | 2         |                            |
| <i>klor-con m20</i>  | 2         |                            |
| <i>klor-con/ef</i>   | 2         |                            |
| <i>potassium chloride oral capsule, extended release</i>                     | 2         |                            |
| <i>potassium chloride oral liquid</i>  | 2         |                            |
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> | 2         |                            |
| <i>potassium chloride oral tablet,er particles/crystals</i>                  | 2         |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name   | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <b>MISCELLANEOUS VITAMINS, HEMATINICS, &amp; ELECTROLYTES</b>           |           |                       |
| DOJOLVI   | 5         | PA; SP; LA            |
| <b>VITAMINS &amp; HEMATINICS</b>  |           |                       |
| <i>b complex 1 (with folic acid)</i>                                    | 9         | ACA; OTC              |
| <i>b complex-vitamin c-folic acid oral tablet</i>                       | 9         | ACA; OTC              |
| <i>balanced b-100 oral tablet</i>                                       | 9         | ACA; OTC              |
| <i>bal-care dha</i>   | 2         |                       |
| <i>b-complex with vitamin c oral tablet 400-500 mcg-mg</i>              | 9         | ACA; OTC              |
| <i>classic prenatal</i>   | 9         | ACA; OTC              |
| <i>c-nate dha</i>   | 2         |                       |
| <i>complete natal dha</i>   | 2         |                       |
| <i>cyanocobalamin (vitamin b-12) injection</i>                          | 2         |                       |
| <i>dialyvite 800 oral tablet</i>  | 9         | ACA; OTC              |
| <i>dodex</i>  | 2         |                       |
| <i>elite-ob</i>   | 2         |                       |
| <i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> | 2         |                       |
| <i>fluoride (sodium) oral drops</i>                                     | 9         | ACA; OTC              |
| <i>fluoride (sodium) oral tablet, chewable</i>                          | 9         | ACA; OTC              |
| <i>folic acid oral tablet 1 mg</i>                                      | 2         |                       |
| <i>folic acid oral tablet 400 mcg, 800 mcg</i>                          | 9         | ACA; OTC              |
| <i>folitab</i>  | 9         | ACA; OTC              |
| <i>folivane-ob</i>  | 2         |                       |
| <i>foltabs 800</i>  | 9         | ACA; OTC              |
| <i>full spectrum b-vitamin c</i>  | 9         | ACA; OTC              |
| <i>kobee</i>  | 9         | ACA; OTC              |
| <i>ludent fluoride</i>  | 9         | ACA; OTC              |
| <i>m-natal plus</i>   | 2         |                       |
| <i>multi-vitamin with fluoride</i>                                      | 9         | ACA; OTC              |
| <i>mvc-fluoride</i>   | 9         | ACA; OTC              |
| <i>mynatal</i>  | 2         |                       |
| <i>mynatal plus</i>   | 2         |                       |
| <i>mynatal-z</i>  | 2         |                       |
| <i>newgen</i>   | 2         |                       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| <i>one daily prenatal</i>                              | 9                | ACA; OTC                     |
| <i>pnv-dha</i>   | 2                |                              |
| <i>pnv-omega</i>                                       | 2                |                              |
| <i>pnv-select</i>                                      | 2                |                              |
| <i>pr natal 400</i>                                    | 2                |                              |
| <i>pr natal 400 ec</i>                                 | 2                |                              |
| <i>pr natal 430</i>                                    | 2                |                              |
| <i>pr natal 430 ec</i>                                 | 2                |                              |
| <i>prenatabs fa</i>                                    | 2                |                              |
| <i>prenatabs rx</i>                                    | 2                |                              |
| <i>prenatal complete</i>                               | 9                | ACA; OTC                     |
| <i>prenatal multi-dha (algal oil)</i>                  | 9                | ACA; OTC                     |
| <i>prenatal multivitamins</i>                          | 9                | ACA; OTC                     |
| <i>prenatal one daily</i>                              | 9                | ACA; OTC                     |
| <i>prenatal oral tablet 28 mg iron- 800 mcg</i>        | 9                | ACA; OTC                     |
| <i>prenatal plus</i>                                   | 2                |                              |
| <i>prenatal plus (calcium carb)</i>                    | 2                |                              |
| <i>prenatal vit no.179-iron-folic</i>                  | 9                | ACA; OTC                     |
| <i>prenatal vitamin oral tablet 27 mg iron- 0.8 mg</i> | 9                | ACA; OTC                     |
| <i>prenatal vitamin with minerals</i>                  | 9                | ACA; OTC                     |
| <i>prenatal-u</i>                                      | 2                |                              |
| <i>rena-vite</i>                                       | 9                | ACA; OTC                     |
| <i>se-natal 19</i>                                     | 2                |                              |
| <i>se-natal 19 chewable</i>                            | 2                |                              |
| <i>soluvita</i>  | 9                | ACA; OTC                     |
| <i>soluvita a,c,d with fluoride</i>                    | 9                | ACA; OTC                     |
| <i>stress formula with iron</i>                        | 9                | ACA; OTC                     |
| <i>stress formula with iron(sulf)</i>                  | 9                | ACA; OTC                     |
| <i>super b maxi complex</i>                            | 9                | ACA; OTC                     |
| <i>super b-50 complex</i>                              | 9                | ACA; OTC                     |
| <i>super quint</i>                                     | 9                | ACA; OTC                     |
| <i>taron-c dha</i>                                     | 2                |                              |
| <i>tricon</i>  | 9                | ACA; OTC                     |
| <i>trinatal rx 1</i>                                   | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| <i>trinate</i>                                  | 2                |                              |
| <i>tri-vitamin with fluoride</i>                | 9                | ACA; OTC                     |
| <i>vitamin b complex-folic acid oral tablet</i> | 9                | ACA; OTC                     |
| <i>vitamins a,c,d and fluoride</i>              | 9                | ACA; OTC                     |
| <i>wescap-c dha</i>                             | 2                |                              |
| <i>wesnatal dha complete</i>                    | 2                |                              |
| <i>westab plus</i>                              | 2                |                              |
| <i>zatean-pn dha</i>                            | 2                |                              |
| <i>zatean-pn plus</i>                           | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

## Index

|  |       |  |
|--|-------|--|
| <b>2</b>                               |       |  |
| 24 hour nasal allergy .....            | 84    |  |
| <b>A</b>                               |       |  |
| <i>abacavir</i> .....                  | 3     |  |
| <i>abacavir-lamivudine</i> .....       | 3     |  |
| ABILIFY MAINTENA.....                  | 29    |  |
| <i>abiraterone</i> .....               | 11    |  |
| ABRYVO (PF).....                       | 69    |  |
| <i>acamprosate</i> .....               | 51    |  |
| <i>acarbose</i> .....                  | 59    |  |
| ACCU-CHEK AVIVA                        |       |  |
| CONTROL SOLN.....                      | 55    |  |
| ACCU-CHEK AVIVA PLUS                   |       |  |
| TEST STRP.....                         | 55    |  |
| ACCU-CHEK GUIDE                        |       |  |
| GLUCOSE METER.....                     | 55    |  |
| ACCU-CHEK GUIDE L1-L2                  |       |  |
| CTRL SOL .....                         | 55    |  |
| ACCU-CHEK GUIDE ME                     |       |  |
| GLUCOSE MTR.....                       | 55    |  |
| ACCU-CHEK GUIDE TEST                   |       |  |
| STRIPS.....                            | 55    |  |
| ACCU-CHEK SMARTVIEW                    |       |  |
| CONTRL SOL .....                       | 55    |  |
| ACCU-CHEK SMARTVIEW                    |       |  |
| TEST STRIP .....                       | 55    |  |
| <i>acebutolol</i> .....                | 38    |  |
| <i>acetaminophen-codeine</i> .....     | 24    |  |
| <i>acetazolamide</i> .....             | 82    |  |
| <i>acetic acid</i> .....               | 54    |  |
| <i>acetylcysteine</i> .....            | 84    |  |
| <i>acitretin</i> .....                 | 45    |  |
| ACTEMRA .....                          | 72    |  |
| ACTEMRA ACTPEN.....                    | 72    |  |
| ACTHAR .....                           | 54    |  |
| ACTHAR SELFJECT.....                   | 54    |  |
| ACTHIB (PF).....                       | 69    |  |
| ACTIMMUNE .....                        | 68    |  |
| <i>acyclovir</i> .....                 | 3, 49 |  |
| ADACEL(TDAP                            |       |  |
| ADOLESN/ADULT)(PF) 69                  |       |  |
| ADALIMUMAB-ADBM ...                    | 72    |  |
| ADALIMUMAB-ADBM(CF)                    |       |  |
| PEN CROHNS .....                       | 72    |  |
| ADALIMUMAB-ADBM(CF)                    |       |  |
| PEN PS-UV.....                         | 72    |  |
| <i>adapalene</i> .....                 | 47    |  |
| <i>adapalene-benzoyl peroxide</i> ..47 |       |  |
| ADBRY .....                            | 46    |  |
| ADDYI.....                             | 29    |  |
| <i>adefovir</i> .....                  | 3     |  |
| ADEMPAS.....                           | 84    |  |
| <i>adult aspirin regimen</i> .....     | 26    |  |
| ADVAIR HFA .....                       | 84    |  |
| AEROCHAMBER                            |       |  |
| MECHANICAL VENT....                    | 56    |  |
| AEROCHAMBER MINI.....                  | 56    |  |
| AEROCHAMBER PLUS                       |       |  |
| FLOW-VU.....                           | 56    |  |
| AEROCHAMBER PLUS Z                     |       |  |
| STAT .....                             | 56    |  |
| AEROVENT PLUS.....                     | 56    |  |
| <i>afirmelle</i> .....                 | 75    |  |
| AFLURIA TRIV 2024-2025 69              |       |  |
| AFLURIA TRIV 2024-2025                 |       |  |
| (PF).....                              | 69    |  |
| <i>after pill</i> .....                | 75    |  |
| AGAMREE .....                          | 54    |  |
| AIMOVIG AUTOINJECTOR                   |       |  |
| .....                                  | 22    |  |
| AJOVY AUTOINJECTOR..                   | 22    |  |
| AJOVY SYRINGE.....                     | 22    |  |
| AKEEGA.....                            | 11    |  |
| AKYNZEO (NETUPITANT)                   |       |  |
| .....                                  | 61    |  |
| <i>albendazole</i> .....               | 7     |  |
| <i>albuterol sulfate</i> .....         | 84    |  |
| <i>alclometasone</i> .....             | 49    |  |
| ALECENSA .....                         | 11    |  |
| <i>alendronate</i> .....               | 71    |  |
| ALFERON N.....                         | 68    |  |
| <i>alfuzosin</i> .....                 | 88    |  |
| ALINIA .....                           | 8     |  |
| <i>aliskiren</i> .....                 | 38    |  |
| <i>allergy eye (ketotifen)</i> .....   | 81    |  |
| <i>allopurinol</i> .....               | 71    |  |
| <i>almotriptan malate</i> .....        | 22    |  |
| <i>alosetron</i> .....                 | 61    |  |
| <i>alprazolam</i> .....                | 29    |  |
| ALTABAX.....                           | 48    |  |
| <i>altavera (28)</i> .....             | 75    |  |
| ALUNBRIG .....                         | 11    |  |
| ALVAIZ .....                           | 42    |  |
| <i>alvimopan</i> .....                 | 61    |  |
| <i>alyacen 1/35 (28)</i> .....         | 76    |  |
| <i>alyacen 7/7/7 (28)</i> .....        | 76    |  |
| <i>alyq</i> .....                      | 84    |  |
| <i>amantadine hcl</i> .....            | 4     |  |
| <i>ambrisentan</i> .....               | 85    |  |
| <i>amethia</i> .....                   | 76    |  |
| <i>amethyst (28)</i> .....             | 76    |  |
| <i>amikacin</i> .....                  | 8     |  |
| <i>amiloride</i> .....                 | 38    |  |
| <i>amiloride-hydrochlorothiazide</i>   |       |  |
| .....                                  | 39    |  |
| <i>aminocaproic acid</i> .....         | 42    |  |
| <i>amiodarone</i> .....                | 38    |  |
| <i>amitriptyline</i> .....             | 29    |  |
| <i>amitriptyline-chlordiazepoxide</i>  |       |  |
| .....                                  | 29    |  |
| <i>amlodipine</i> .....                | 39    |  |
| <i>amlodipine-atorvastatin</i> .....   | 43    |  |
| <i>amlodipine-benazepril</i> .....     | 39    |  |
| <i>amlodipine-olmesartan</i> .....     | 39    |  |
| <i>amlodipine-valsartan</i> .....      | 39    |  |
| <i>ammonium lactate</i> .....          | 46    |  |
| <i>amnesteem</i> .....                 | 47    |  |
| <i>amoxapine</i> .....                 | 29    |  |
| <i>amoxicil-clarithromy-</i>           |       |  |
| <i>lansopraz</i> .....                 | 66    |  |
| <i>amoxicillin</i> .....               | 9     |  |
| <i>amoxicillin-pot clavulanate</i> ... | 9     |  |
| <i>ampicillin</i> .....                | 9     |  |
| <i>anagrelide</i> .....                | 51    |  |
| <i>anaspaz</i> .....                   | 61    |  |
| <i>anastrozole</i> .....               | 11    |  |
| ANORO ELLIPTA.....                     | 85    |  |
| <i>anucort-hc</i> .....                | 62    |  |
| APIDRA U-100 INSULIN ...               | 57    |  |
| <i>apomorphine</i> .....               | 21    |  |
| <i>apraclonidine</i> .....             | 83    |  |
| <i>aprepitant</i> .....                | 62    |  |
| APRETUDE .....                         | 4     |  |
| <i>apri</i> .....                      | 76    |  |
| APTIOM.....                            | 19    |  |
| APTIVUS .....                          | 4     |  |
| <i>aranelle (28)</i> .....             | 76    |  |
| ARANESP (IN                            |       |  |
| POLYSORBATE).....                      | 66    |  |
| ARCALYST .....                         | 66    |  |
| AREXVY (PF) .....                      | 69    |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|   |        |   |        |  |        |
|---|--------|---|--------|--|--------|
| ARIKAYCE .....                          | 8      | <i>b</i> complex-vitamin <i>c</i> -folic acid ..... | 90     | <i>bisoprolol</i> -hydrochlorothiazide ..... | 39     |
| <i>aripiprazole</i> .....               | 29     | <i>bacitracin</i> .....                             | 80     | <i>blisovi</i> 24 <i>fe</i> .....            | 76     |
| ARISTADA.....                           | 29     | <i>bacitracin-polymyxin b</i> .....                 | 80     | <i>blisovi fe</i> 1.5/30 (28).....           | 76     |
| ARISTADA INITIO .....                   | 29     | <i>baclofen</i> .....                               | 24     | <i>blisovi fe</i> 1/20 (28).....             | 76     |
| <i>armodafinil</i> .....                | 29     | BAFIERTAM.....                                      | 37     | BOOSTRIX TDAP.....                           | 69     |
| ARNUITY ELLIPTA.....                    | 85     | <i>balanced b-100</i> .....                         | 90     | <i>bosentan</i> .....                        | 85     |
| <i>ascomp with codeine</i> .....        | 24     | <i>bal-care dha</i> .....                           | 90     | BOSULIF .....                                | 11     |
| <i>asenapine maleate</i> .....          | 29     | <i>balsalazide</i> .....                            | 62     | BRAFTOVI.....                                | 11     |
| <i>ashlyna</i> .....                    | 76     | BALVERSA.....                                       | 11     | BREO ELLIPTA .....                           | 85     |
| ASMANEX HFA .....                       | 85     | <i>balziva</i> (28).....                            | 76     | BREXAFEMME .....                             | 3      |
| ASMANEX TWISTHALER.....                 | 85     | BAQSIMI .....                                       | 56     | <i>breyna</i> .....                          | 85     |
| <i>aspirin</i> .....                    | 26, 27 | BARACLUDE.....                                      | 4      | <i>briellyn</i> .....                        | 76     |
| <i>aspirin childrens</i> .....          | 26     | <i>bayer low dose aspirin</i> .....                 | 27     | BRILINTA .....                               | 42     |
| <i>aspirin-dipyridamole</i> .....       | 42     | <i>b-complex with vitamin c</i> .....               | 90     | <i>brimonidine</i> .....                     | 47, 83 |
| <i>atazanavir</i> .....                 | 4      | BD INTEGRA NEEDLE .....                             | 56     | <i>brimonidine-timolol</i> .....             | 82     |
| <i>atenolol</i> .....                   | 39     | BD MICROTAINER .....                                |        | <i>brinzolamide</i> .....                    | 82     |
| <i>atenolol-chlorthalidone</i> .....    | 39     | LANCET .....  | 56     | BRIVIACT .....                               | 19     |
| <i>atomoxetine</i> .....                | 29     | BD SPECIALTY USE .....                              |        | BRIXADI .....                                | 25     |
| <i>atorvastatin</i> .....               | 43     | NEEDLES .....                                       | 56     | <i>bromfenac</i> .....                       | 82     |
| <i>atovaquone</i> .....                 | 8      | BELBUCA .....                                       | 24     | <i>bromocriptine</i> .....                   | 21     |
| <i>atovaquone-proguanil</i> .....       | 8      | <i>benazepril</i> .....                             | 39     | BRONCHITOL .....                             | 85     |
| <i>atracurium</i> .....                 | 24     | <i>benazepril-hydrochlorothiazide</i> .....         | 39     | BRUKINSA.....                                | 11     |
| <i>atropine</i> .....                   | 81     | BENLYSTA .....                                      | 72     | <i>budesonide</i> .....                      | 62, 85 |
| ATROVENT HFA .....                      | 85     | BENZNIDAZOLE .....                                  | 8      | <i>budesonide-formoterol</i> .....           | 85     |
| <i>aubra</i> .....                      | 76     | <i>benzonatate</i> .....                            | 84     | <i>bumetanide</i> .....                      | 39     |
| <i>aubra eq</i> .....                   | 76     | <i>benztropine</i> .....                            | 21     | <i>buprenorphine</i> .....                   | 25     |
| AUGTYRO .....                           | 11     | <i>bepotastine besilate</i> .....                   | 81     | <i>buprenorphine hcl</i> .....               | 25     |
| <i>aurovela</i> 1.5/30 (21).....        | 76     | BESREMI.....  | 68     | <i>buprenorphine-naloxone</i> .....          | 27     |
| <i>aurovela</i> 1/20 (21).....          | 76     | BETADINE OPHTHALMIC .....                           |        | <i>bupropion hcl</i> .....                   | 29, 30 |
| <i>aurovela</i> 24 <i>fe</i> .....      | 76     | PREP .....  | 80     | <i>bupropion hcl (smoking deter)</i> .....   | 52     |
| <i>aurovela fe</i> 1.5/30 (28) .....    | 76     | <i>betaine</i> .....                                | 62     | <i>buspirone</i> .....                       | 30     |
| <i>aurovela fe</i> 1-20 (28).....       | 76     | <i>betamethasone dipropionate</i> .....             | 49     | <i>butalbital-acetaminop-caf-cod</i> .....   | 25     |
| AUSTEDO .....                           | 23     | <i>betamethasone valerate</i> .....                 | 49     | <i>butalbital-acetaminophen</i> .....        | 25     |
| AUSTEDO XR.....                         | 23     | <i>betamethasone, augmented</i> ..                  | 49     | <i>butalbital-acetaminophen-caff</i> .....   | 25     |
| AUSTEDO XR TITRATION .....              |        | BETASERON .....                                     | 37     | <i>butalbital-aspirin-caffeine</i> ....      | 25     |
| KT(WK1-4).....                          | 23     | <i>betaxolol</i> .....                              | 39, 81 | <i>butorphanol</i> .....                     | 27     |
| AUVI-Q.....                             | 83     | <i>bethanechol chloride</i> .....                   | 88     | BYLVAY .....                                 | 62     |
| <i>aviane</i> .....                     | 76     | <i>bexarotene</i> .....                             | 11     | <b>C</b>                                     |        |
| <i>avidoxy</i> .....                    | 10     | BEXSERO.....  | 69     | CABENUVA.....                                | 4      |
| AVONEX .....                            | 37     | <i>bicalutamide</i> .....                           | 11     | <i>cabergoline</i> .....                     | 58     |
| <i>ayuna</i> .....                      | 76     | BIJUVA.....   | 73     | CABLIVI.....                                 | 42     |
| AYVAKIT.....                            | 11     | BIKTARVY .....                                      | 4      | CABOMETYX.....                               | 11     |
| <i>azathioprine</i> .....               | 11     | <i>bimatoprost</i> .....                            | 82     | <i>caffeine citrate</i> .....                | 51     |
| <i>azelaic acid</i> .....               | 47     | BIMZELX .....                                       | 45     | <i>calcipotriene</i> .....                   | 45     |
| <i>azelastine</i> .....                 | 53, 81 | BIMZELX AUTOINJECTOR .....                          | 45     | <i>calcitonin (salmon)</i> .....             | 58     |
| <i>azithromycin</i> .....               | 7      | <i>bisoprolol fumarate</i> .....                    | 39     | <i>calcitriol</i> .....                      | 45, 58 |
| <i>azurette</i> (28) .....              | 76     |   |        |  |        |
| <b>B</b>                                |        |   |        |  |        |
| <i>b</i> complex 1 (with folic acid) 90 |        |   |        |  |        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|  |  |  |
|--|--|--|
| <i>calcium acetate(phosphat bind)</i><br>.....         | <i>chlordiazepoxide hcl</i> .....            | <i>clomiphene citrate</i> .....          |
| 89   | 30   | 58                                       |
| CALCIUM GLUC IN NACL,<br>ISO-OSM .....                 | <i>chlordiazepoxide-clidinium</i> ..         | <i>clomipramine</i> .....                |
| 89   | 61   | 30                                       |
| CALQUENCE<br>(ACALABRUTINIB MAL)<br>.....              | <i>chlorhexidine gluconate</i> .....         | <i>clonazepam</i> .....                  |
| 11   | 53   | 19                                       |
| <i>camila</i> .....                                    | <i>chloroquine phosphate</i> .....           | <i>clonidine</i> .....                   |
| 73   | 8  | 39                                       |
| <i>camrese</i> .....                                   | <i>chlorpromazine</i> .....                  | <i>clonidine hcl</i> .....               |
| 76   | 30   | 30, 39                                   |
| <i>camrese lo</i> .....                                | <i>chlorthalidone</i> .....                  | <i>clopidogrel</i> .....                 |
| 76   | 39   | 42                                       |
| CAMZYOS .....  | <i>chlorzoxazone</i> .....                   | <i>clorazepate dipotassium</i> .....     |
| 44   | 24   | 30                                       |
| <i>candesartan</i> .....                               | CHOLBAM .....                                | <i>clotrimazole</i> .....                |
| 39   | 62   | 3  |
| <i>candesartan-</i><br><i>hydrochlorothiazid</i> ..... | <i>cholestyramine (with sugar)</i> .43       | <i>clotrimazole-betamethasone</i> .49    |
| 39   | <i>cholestyramine light</i> .....            | <i>clozapine</i> .....                   |
| <i>capecitabine</i> .....                              | 43   | 30                                       |
| 11   | CHORIONIC<br>GONADOTROPIN,<br>HUMAN.....     | <i>c-nate dha</i> .....                  |
| CAPRELSA .....   | 58   | 90                                       |
| 11   | <i>ciclodan</i> .....                        | COARTEM.....                             |
| <i>captopril</i> .....                                 | 49   | 8  |
| 39   | <i>ciclopirox</i> .....                      | <i>codeine sulfate</i> .....             |
| CAPVAXIVE.....   | 49   | 25                                       |
| 69   | <i>cilostazol</i> .....                      | <i>codeine-butalbital-asa-caff</i> ...25 |
| <i>carbamazepine</i> .....                             | 42   | <i>codeine-guaifenesin</i> .....         |
| 19   | CILOXAN .....                                | 84                                       |
| <i>carbidopa</i> .....                                 | 80   | <i>colchicine</i> .....                  |
| 21   | CIMDUO.....                                  | 71                                       |
| <i>carbidopa-levodopa</i> .....                        | 4  | <i>colesevelam</i> .....                 |
| 21   | <i>cimetidine</i> .....                      | 43                                       |
| <i>carbidopa-levodopa-</i><br><i>entacapone</i> .....  | 66   | colestipol.....                          |
| 21   | <i>cimetidine hcl</i> .....                  | 43                                       |
| <i>carbinoxamine maleate</i> .....                     | 66   | COMBIVENT RESPIMAT..85                   |
| 83   | CIMZIA.....                                  | 11                                       |
| <i>carglumic acid</i> .....                            | 62   | COMETRIQ .....                           |
| 51   | CIMZIA POWDER FOR<br>RECONST .....           | 11                                       |
| <i>carisoprodol</i> .....                              | 62   | COMIRNATY 2024-25 (12Y<br>UP)(PF).....   |
| 24   | 62   | 69                                       |
| <i>carisoprodol-aspirin-codeine</i><br>.....           | <i>cinacalcet</i> .....                      | COMPACT SPACE<br>CHAMBER .....           |
| 24   | 58   | 56                                       |
| <i>carteolol</i> .....                                 | CINRYZE.....                                 | 4  |
| 81   | 85   | COMPLERA .....                           |
| <i>cartia xt</i> .....                                 | CIPRO HC.....                                | 4  |
| 39   | 54   | <i>complete natal dha</i> .....          |
| <i>carvedilol</i> .....                                | <i>ciprofloxacin hcl</i> .....               | 90                                       |
| 39   | 9, 54, 80                                    | <i>compro</i> .....                      |
| CAYA CONTOURED.....                                    | <i>ciprofloxacin-dexamethasone</i><br>.....  | 62                                       |
| 73   | 54   | <i>constulose</i> .....                  |
| CAYSTON.....   | <i>citalopram</i> .....                      | 62                                       |
| 8  | 30   | COPIKTRA .....                           |
| <i>caziant (28)</i> .....                              | <i>citrate of magnesia</i> .....             | 11                                       |
| 76   | 62   | CORLANOR .....                           |
| <i>cefaclor</i> .....                                  | <i>citroma</i> .....                         | 44                                       |
| 7  | 62   | CORTISPORIN-TC .....                     |
| <i>cefadroxil</i> .....                                | <i>claravis</i> .....                        | 54                                       |
| 7  | 47   | CORTROPHIN GEL.....                      |
| <i>cefdinir</i> .....                                  | <i>clarithromycin</i> .....                  | 54                                       |
| 7  | 7  | COSENTYX.....                            |
| <i>cefixime</i> .....                                  | <i>classic prenatal</i> .....                | 45                                       |
| 7  | 90   | COSENTYX (2 SYRINGES)<br>.....           |
| <i>cefpodoxime</i> .....                               | <i>clearlax</i> .....                        | 45                                       |
| 7  | 62   | COSENTYX PEN .....                       |
| <i>cefprozil</i> .....                                 | <i>clemastine</i> .....                      | 45                                       |
| 7  | 83   | COSENTYX PEN (2 PENS)45                  |
| <i>cefuroxime axetil</i> .....                         | CLEOCIN.....                                 | 45                                       |
| 7  | 75   | COSENTYX UNOREADY<br>PEN.....            |
| <i>celecoxib</i> .....                                 | <i>clindacin etz</i> .....                   | 45                                       |
| 27   | 47   | COTELLIC .....                           |
| <i>cephalexin</i> .....                                | <i>clindacin p</i> .....                     | 12                                       |
| 7  | 47   | <i>covaryx</i> .....                     |
| CERDELGA.....  | <i>clindamycin hcl</i> .....                 | 73                                       |
| 58   | 8  | <i>covaryx h.s.</i> .....                |
| <i>cetirizine</i> .....                                | <i>clindamycin pediatric</i> .....           | 73                                       |
| 83   | 8  | CREON.....                               |
| <i>cevimeline</i> .....                                | <i>clindamycin phosphate</i> ..47, 75        | 62                                       |
| 51   | <i>clindamycin-benzoyl peroxide</i><br>..... | CRINONE .....                            |
| <i>charlotte 24 fe</i> .....                           | 47   | 73                                       |
| 76   | CLINDESSE .....                              | <i>cromolyn</i> .....                    |
| <i>chateal eq (28)</i> .....                           | 75   | 62, 81, 85                               |
| 76   | 19   | <i>cryelle (28)</i> .....                |
| CHEMET .....   | <i>clobazam</i> .....                        | 76                                       |
| 51   | 49, 50                                       | <i>curae</i> .....                       |
| CHENODAL.....  | <i>clobetasol</i> .....                      | 76                                       |
| 62   | <i>clobetasol-emollient</i> .....            | CUVITRU .....                            |
|  | 50   | 69                                       |
|  | <i>clodan</i> .....                          | CUVRIOR .....                            |
|  | 50   | 51                                       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



|   |  |   |
|---|--|---|
| <i>cyanocobalamin (vitamin b-12)</i>    | <i>desvenlafaxine succinate</i> .....  | <i>dotti</i> .....                      |
| .....90                                 | <i>dexamethasone</i> .....             | DOVATO .....                            |
| <i>cyclobenzaprine</i> .....            | <i>dexamethasone sodium</i>            | <i>doxazosin</i> .....                  |
| .....24                                 | <i>phosphate</i> .....                 | <i>doxepin</i> .....                    |
| <i>cyclopentolate</i> .....             | DEXCOM G6 RECEIVER ..                  | <i>doxercalciferol</i> .....            |
| .....81                                 | 55                                     | <i>doxycycline hyclate</i> .....        |
| <i>cyclophosphamide</i> .....           | DEXCOM G6 SENSOR .....                 | .....10                                 |
| .....12                                 | 55                                     | <i>doxycycline monohydrate</i> .....    |
| CYCLOPHOSPHAMIDE.....                   | DEXCOM G6                              | .....10                                 |
| .....12                                 | TRANSMITTER .....                      | <i>doxylamine-pyridoxine (vit b6)</i>   |
| <i>cycloserine</i> .....                | .....55                                | .....                                   |
| .....8                                  | DEXCOM G7 RECEIVER ..                  | .....62                                 |
| CYCLOSET .....                          | 55                                     | <i>dronabinol</i> .....                 |
| .....59                                 | DEXCOM G7 SENSOR .....                 | .....62                                 |
| <i>cyclosporine</i> .....               | 55                                     | <i>drospirenone-ethinyl estradiol</i>   |
| .....12, 81                             | <i>dexmethylphenidate</i> .....        | .....                                   |
| <i>cyclosporine modified</i> .....      | .....30                                | .....77                                 |
| .....12                                 | <i>dextroamphetamine sulfate</i> ...30 | DROXIA.....                             |
| <i>cyproheptadine</i> .....             | <i>dextroamphetamine-</i>              | <i>droxidopa</i> .....                  |
| .....83                                 | <i>amphetamine</i> .....               | DRYSOL DAB-O-MATIC ..46                 |
| <i>cyred</i> .....                      | .....30                                | DUAVEE.....                             |
| .....76                                 | DIACOMIT .....                         | .....74                                 |
| <i>cyred eq</i> .....                   | <i>dialyvite 800</i> .....             | <i>dulcolax (magnesium</i>              |
| .....76                                 | .....90                                | <i>hydroxide)</i> .....                 |
| CYSTADROPS.....                         | <i>diazepam</i> .....                  | .....62                                 |
| .....82                                 | .....19, 31                            | DULERA.....                             |
| CYSTAGON .....                          | <i>diazepam intensol</i> .....         | .....85                                 |
| .....88                                 | .....30                                | <i>duloxetine</i> .....                 |
| CYSTARAN .....                          | <i>dichlorphenamide</i> .....          | .....31                                 |
| .....82                                 | .....23                                | DUPIXENT PEN.....                       |
| <b>D</b>                                | <i>diclofenac potassium</i> .....      | .....46                                 |
| <i>dabigatran etexilate</i> .....       | .....27                                | DUPIXENT SYRINGE.....                   |
| .....42                                 | <i>diclofenac sodium</i> .....         | .....46                                 |
| <i>dalfampridine</i> .....              | .....27, 46, 82                        | DUREX AVANTI BARE                       |
| .....23                                 | <i>diclofenac-misoprostol</i> .....    | REAL FEEL .....                         |
| <i>danazol</i> .....                    | .....27                                | .....73                                 |
| .....58                                 | <i>dicloxacillin</i> .....             | DUREX TROPICAL                          |
| <i>dantrolene</i> .....                 | .....9                                 | CONDOM .....                            |
| .....24                                 | <i>dicyclomine</i> .....               | .....73                                 |
| <i>dapsone</i> .....                    | .....61                                | <i>dutasteride</i> .....                |
| .....8, 47                              | DIFICID .....                          | .....88                                 |
| DAPTACEL (DTAP                          | <i>diflunisal</i> .....                | <i>dutasteride-tamsulosin</i> .....     |
| PEDIATRIC) (PF).....                    | .....27                                | .....88                                 |
| .....69                                 | <i>digoxin</i> .....                   | DUVYZAT.....                            |
| <i>darifenacin</i> .....                | .....42                                | .....51                                 |
| .....88                                 | <i>dihydroergotamine</i> .....         | <b>E</b>                                |
| <i>darunavir</i> .....                  | .....22                                | <i>e.e.s. 400</i> .....                 |
| .....4                                  | DILANTIN.....                          | .....7                                  |
| <i>dasatinib</i> .....                  | .....19                                | EASIVENT HOLDING                        |
| .....12                                 | <i>diltiazem</i> .....                 | CHAMBER .....                           |
| <i>dasetta 1/35 (28)</i> .....          | .....39                                | .....56                                 |
| .....76                                 | <i>dilt-xr</i> .....                   | <i>econazole nitrate</i> .....          |
| <i>dasetta 7/7/7 (28)</i> .....         | .....39                                | .....49                                 |
| .....76                                 | <i>dimethyl fumarate</i> .....         | <i>econtra ez</i> .....                 |
| DAURISMO.....                           | .....37                                | .....77                                 |
| .....12                                 | DIPENTUM .....                         | <i>econtra one-step</i> .....           |
| <i>daysee</i> .....                     | .....62                                | .....77                                 |
| .....76                                 | <i>diphenhydramine hcl</i> .....       | <i>ecotrin low strength</i> .....       |
| <i>deblitane</i> .....                  | .....84                                | .....27                                 |
| .....73                                 | <i>diphenoxylate-atropine</i> .....    | <i>ed-spaz</i> .....                    |
| <i>deferasirox</i> .....                | .....61                                | .....61                                 |
| .....51                                 | <i>dipyridamole</i> .....              | EDURANT .....                           |
| <i>deferiprone</i> .....                | .....42                                | .....4                                  |
| .....51                                 | <i>disopyramide phosphate</i> .....    | <i>eemt</i> .....                       |
| <i>deflazacort</i> .....                | .....38                                | .....74                                 |
| .....54                                 | <i>disulfiram</i> .....                | <i>eemt hs</i> .....                    |
| DELSTRIGO.....                          | .....51                                | .....74                                 |
| .....4                                  | DIURIL .....                           | <i>efavirenz</i> .....                  |
| <i>demeclocycline</i> .....             | .....39                                | .....4                                  |
| .....10                                 | <i>divalproex</i> .....                | <i>efavirenz-emtricitabin-tenofov</i> 4 |
| DENGVAXIA (PF).....                     | .....19                                | <i>efavirenz-lamivu-tenofov disop</i>   |
| .....69                                 | <i>dodex</i> .....                     | .....4                                  |
| <i>denta 5000 plus</i> .....            | .....90                                | <i>effe-k</i> .....                     |
| .....53                                 | <i>dofetilide</i> .....                | .....89                                 |
| <i>denta 5000 plus sensitive</i> .....  | .....38                                | EGRIFTA SV .....                        |
| .....53                                 | DOJOLVI .....                          | .....68                                 |
| <i>dentagel</i> .....                   | .....90                                | <i>eletriptan</i> .....                 |
| .....53                                 | <i>dolishale</i> .....                 | .....22                                 |
| <i>dermacinrx lidocan</i> .....         | .....77                                | ELIGARD.....                            |
| .....48                                 | <i>donepezil</i> .....                 | .....12                                 |
| DESCOVY .....                           | .....23                                | ELIGARD (3 MONTH) .....                 |
| .....4                                  | DOPTELET (15 TAB PACK)                 | .....12                                 |
| <i>desipramine</i> .....                | .....42                                |   |
| .....30                                 | .....                                  |   |
| <i>desloratadine</i> .....              | <i>dorzolamide</i> .....               |   |
| .....83                                 | .....82                                |   |
| <i>desmopressin</i> .....               | <i>dorzolamide-timolol</i> .....       |   |
| .....58                                 | .....82                                |   |
| DESMOPRESSIN.....                       | <i>dorzolamide-timolol (pf)</i> .....  |   |
| .....58                                 | .....82                                |   |
| <i>desog-e.estradiol/e.estradiol</i> 77 |  |   |
| <i>desonide</i> .....                   |  |   |
| .....50                                 |  |   |
| <i>desoximetasone</i> .....             |  |   |
| .....50                                 |  |   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|   |    |   |       |  |        |
|---|----|---|-------|--|--------|
| ELIGARD (4 MONTH).....                    | 12 | ERIVEDGE .....                          | 12    | <i>feirza</i> .....                    | 77     |
| ELIGARD (6 MONTH).....                    | 12 | ERLEADA .....                           | 12    | <i>felbamate</i> .....                 | 20     |
| <i>elinet</i> .....                       | 77 | <i>erlotinib</i> .....                  | 12    | <i>felodipine</i> .....                | 40     |
| ELIQUIS .....                             | 42 | <i>errin</i> .....                      | 74    | FEMCAP .....                           | 73     |
| ELIQUIS DVT-PE TREAT                      |    | <i>ery pads</i> .....                   | 47    | <i>fenofibrate</i> .....               | 43     |
| 30D START .....                           | 42 | <i>erygel</i> .....                     | 47    | <i>fenofibrate micronized</i> .....    | 43     |
| <i>elite-ob</i> .....                     | 90 | <i>ery-tab</i> .....                    | 7     | <i>fenofibrate nanocrystallized</i> .  | 43     |
| ELLA.....                                 | 77 | <i>erythrocin (as stearate)</i> .....   | 7     | <i>fenofibric acid (choline)</i> ..... | 43     |
| <i>eluryng</i> .....                      | 75 | <i>erythromycin</i> .....               | 7, 80 | FENSOLVI.....                          | 12     |
| EMGALITY PEN .....                        | 22 | <i>erythromycin ethylsuccinate</i> ...7 |       | <i>fentanyl</i> .....                  | 25     |
| EMGALITY SYRINGE.....                     | 22 | <i>erythromycin with ethanol</i> ....47 |       | <i>fentanyl citrate</i> .....          | 25     |
| <i>emtricitabine</i> .....                | 4  | <i>erythromycin-benzoyl peroxide</i>    |       | FERRIPROX .....                        | 51     |
| <i>emtricitabine-tenofovir (tdf)</i> ...4 |    | .....                                   | 47    | <i>fesoterodine</i> .....              | 88     |
| EMTRIVA.....                              | 4  | <i>escitalopram oxalate</i> .....       | 31    | <i>finasteride</i> .....               | 88     |
| EMVERM .....                              | 8  | <i>esomeprazole magnesium</i> .....66   |       | <i>fingolimod</i> .....                | 37     |
| <i>emzahn</i> .....                       | 74 | <i>estarylla</i> .....                  | 77    | FINTEPLA .....                         | 20     |
| <i>enalapril maleate</i> .....            | 40 | <i>estazolam</i> .....                  | 31    | <i>finzala</i> .....                   | 77     |
| <i>enalapril-hydrochlorothiazide</i>      |    | <i>estradiol</i> .....                  | 74    | FIRDAPSE .....                         | 23     |
| .....                                     | 40 | <i>estradiol-norethindrone acet</i> 74  |       | FIRMAGON KIT W                         |        |
| ENBREL .....                              | 72 | <i>estrogens-methyltestosterone</i> 74  |       | DILUENT SYRINGE .....                  | 12     |
| ENBREL MINI .....                         | 72 | <i>eszopiclone</i> .....                | 31    | <i>flac otic oil</i> .....             | 54     |
| ENBREL SURECLICK .....                    | 72 | <i>ethacrynic acid</i> .....            | 40    | FLAREX.....                            | 83     |
| ENDARI.....                               | 51 | <i>ethambutol</i> .....                 | 8     | <i>flavoxate</i> .....                 | 88     |
| <i>endocet</i> .....                      | 25 | <i>ethosuximide</i> .....               | 20    | <i>flecainide</i> .....                | 38     |
| ENGERIX-B (PF) .....                      | 69 | <i>ethynodiol diac-eth estradiol</i> 77 |       | FLEXICHAMBER .....                     | 56     |
| ENGERIX-B PEDIATRIC                       |    | <i>etodolac</i> .....                   | 27    | FLUAD TRIV 2024-25(65Y                 |        |
| (PF).....                                 | 69 | <i>etonogestrel-ethinyl estradiol</i>   |       | UP)(PF).....                           | 69     |
| <i>enilloring</i> .....                   | 75 | .....                                   | 75    | FLUARIX TRIV 2024-2025                 |        |
| <i>enoxaparin</i> .....                   | 42 | <i>etoposide</i> .....                  | 12    | (PF).....                              | 69     |
| <i>enpresse</i> .....                     | 77 | <i>etravirine</i> .....                 | 4     | FLUBLOK TRIV 2024-2025                 |        |
| <i>enskyce</i> .....                      | 77 | EUCRISA.....                            | 46    | (PF).....                              | 69     |
| ENSPRYNG.....                             | 12 | EULEXIN.....                            | 12    | FLUCELVAX TRIV 2024-                   |        |
| <i>entacapone</i> .....                   | 21 | <i>euthyrox</i> .....                   | 61    | 2025 .....                             | 69     |
| <i>entecavir</i> .....                    | 4  | <i>everolimus (antineoplastic)</i> ..12 |       | FLUCELVAX TRIV 2024-                   |        |
| ENTRESTO .....                            | 44 | EVOTAZ .....                            | 4     | 2025 (PF).....                         | 69     |
| ENTYVIO PEN.....                          | 62 | EVRYSDI.....                            | 23    | <i>fluconazole</i> .....               | 3      |
| <i>enulose</i> .....                      | 62 | <i>exemestane</i> .....                 | 12    | <i>flucytosine</i> .....               | 3      |
| EOHILIA.....                              | 62 | <i>eye itch relief</i> .....            | 82    | <i>fludrocortisone</i> .....           | 54     |
| EPCLUSA.....                              | 4  | <i>ezetimibe</i> .....                  | 43    | FLULAVAL TRIV 2024-2025                |        |
| EPIDIOLEX .....                           | 19 | <i>ezetimibe-simvastatin</i> .....      | 43    | (PF).....                              | 69     |
| <i>epinastine</i> .....                   | 82 | <b>F</b>                                |       | FLUMIST TRIVALENT                      |        |
| <i>epinephrine</i> .....                  | 84 | FABHALTA.....                           | 51    | 2024-2025.....                         | 69     |
| <i>epitol</i> .....                       | 19 | <i>falmina (28)</i> .....               | 77    | <i>flunisolide</i> .....               | 85     |
| <i>eplerenone</i> .....                   | 40 | <i>famciclovir</i> .....                | 4     | <i>fluocinolone</i> .....              | 50     |
| EPOGEN .....                              | 67 | <i>famotidine</i> .....                 | 66    | <i>fluocinolone acetonide oil</i> ...  | 54     |
| EQUETRO .....                             | 20 | FARXIGA .....                           | 59    | <i>fluocinolone and shower cap</i> 50  |        |
| <i>ergocalciferol (vitamin d2)</i> ...90  |    | FASENRA.....                            | 85    | <i>fluocinonide</i> .....              | 50     |
| <i>ergoloid</i> .....                     | 31 | FASENRA PEN .....                       | 85    | <i>fluoride (sodium)</i> .....         | 53, 90 |
| ERGOMAR.....                              | 22 | FC2 FEMALE CONDOM ...                   | 73    | <i>fluorometholone</i> .....           | 83     |
| <i>ergotamine-caffeine</i> .....          | 22 | <i>febuxostat</i> .....                 | 71    | <i>fluorouracil</i> .....              | 46     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|  |        |   |        |  |        |
|--|--------|---|--------|--|--------|
| <i>fluoxetine</i> .....                        | 31     | FULPHILA.....                                 | 67     | <i>glycopyrrolate</i> .....              | 61     |
| <i>fluphenazine decanoate</i> .....            | 31     | <i>furosemide</i> .....                       | 40     | GLYXAMBI.....                            | 59     |
| <i>fluphenazine hcl</i> .....                  | 31     | FUZEON.....                                   | 4      | <i>granisetron hcl</i> .....             | 63     |
| <i>flurazepam</i> .....                        | 31     | <i>fyavolv</i> .....                          | 74     | GRANIX.....                              | 67     |
| <i>flurbiprofen</i> .....                      | 27     | FYCOMPA.....                                  | 20     | GRASTEK.....                             | 69     |
| <i>flurbiprofen sodium</i> .....               | 82     | FYLNETRA.....                                 | 67     | <i>griseofulvin microsize</i> .....      | 3      |
| <i>fluticasone propionate</i> .....            | 50, 85 | <b>G</b>                                      |        | <i>griseofulvin ultramicrosize</i> ..... | 3      |
| <i>fluticasone propion-salmeterol</i><br>..... | 85     | <i>g tussin ac</i> .....                      | 84     | <i>guanfacine</i> .....                  | 31, 40 |
| FLUTICASONE PROPION-<br>SALMETEROL.....        | 85     | <i>gabapentin</i> .....                       | 20     | GVOKE.....                               | 56     |
| <i>fluvoxamine</i> .....                       | 31     | GALAFOLD.....                                 | 58     | GVOKE HYPOPEN 2-PACK<br>.....            | 56     |
| FLUZONE HIGH-DOSE<br>TRIV 24-25.....           | 69     | <i>galantamine</i> .....                      | 23     | GVOKE PFS 2-PACK<br>SYRINGE.....         | 56     |
| FLUZONE TRIV 2024-2025<br>.....                | 69     | <i>gallifrey</i> .....                        | 74     | GYNAZOLE-1.....                          | 75     |
| FLUZONE TRIV 2024-2025<br>(PF).....            | 69     | GARDASIL 9 (PF).....                          | 69     | <b>H</b>                                 |        |
| <i>folic acid</i> .....                        | 90     | <i>gatifloxacin</i> .....                     | 81     | HAEGARDA.....                            | 85     |
| <i>folitab</i> .....                           | 90     | GATTEX 30-VIAL.....                           | 63     | <i>hailey</i> .....                      | 77     |
| <i>folivane-ob</i> .....                       | 90     | <i>gavilax</i> .....                          | 63     | <i>hailey 24 fe</i> .....                | 77     |
| <i>foltabs 800</i> .....                       | 90     | <i>gavilyte-c</i> .....                       | 63     | <i>hailey fe 1.5/30 (28)</i> .....       | 77     |
| <i>fondaparinux</i> .....                      | 42     | <i>gavilyte-g</i> .....                       | 63     | <i>hailey fe 1/20 (28)</i> .....         | 77     |
| FOSAMAX PLUS D.....                            | 71     | <i>gavilyte-n</i> .....                       | 63     | <i>halobetasol propionate</i> .....      | 50     |
| <i>fosamprenavir</i> .....                     | 4      | GAVRETO.....                                  | 13     | <i>haloette</i> .....                    | 75     |
| <i>fosfomycin tromethamine</i> .....           | 10     | <i>gefitinib</i> .....                        | 13     | <i>haloperidol</i> .....                 | 32     |
| <i>fosinopril</i> .....                        | 40     | GELCLAIR.....                                 | 53     | <i>haloperidol decanoate</i> .....       | 31     |
| <i>fosinopril-hydrochlorothiazide</i><br>..... | 40     | <i>gemfibrozil</i> .....                      | 43     | <i>haloperidol lactate</i> .....         | 31     |
| FOTIVDA.....                                   | 12     | <i>generlac</i> .....                         | 63     | HARVONI.....                             | 5      |
| FRAGMIN.....                                   | 42     | <i>gengraf</i> .....                          | 13     | HAVRIX (PF).....                         | 69     |
| FREESTYLE LIBRE 14 DAY<br>READER.....          | 55     | GENOTROPIN.....                               | 68     | <i>heather</i> .....                     | 74     |
| FREESTYLE LIBRE 14 DAY<br>SENSOR.....          | 55     | GENOTROPIN MINIQUICK<br>.....                 | 68     | HEMANGEOL.....                           | 40     |
| FREESTYLE LIBRE 2 PLUS<br>SENSOR.....          | 55     | <i>gentamicin</i> .....                       | 48, 81 | <i>hemmorex-hc</i> .....                 | 63     |
| FREESTYLE LIBRE 2<br>READER.....               | 55     | GENTEEL VACUUM<br>LANCING DEVICE.....         | 56     | <i>heparin (porcine)</i> .....           | 42     |
| FREESTYLE LIBRE 2<br>SENSOR.....               | 55     | <i>gentle laxative (bisacodyl)</i> .....      | 63     | <i>heparin, porcine (pf)</i> .....       | 42     |
| FREESTYLE LIBRE 3 PLUS<br>SENSOR.....          | 55     | <i>gentle laxative (mag hydrox)</i> .....     | 63     | HEPLISAV-B (PF).....                     | 69     |
| FREESTYLE LIBRE 3<br>READER.....               | 55     | <i>gentleleax</i> .....                       | 63     | <i>her style</i> .....                   | 77     |
| FREESTYLE LIBRE 3<br>SENSOR.....               | 55     | GENVOYA.....                                  | 4      | HETLIOZ LQ.....                          | 32     |
| <i>frovatriptan</i> .....                      | 22     | GILOTRIF.....                                 | 13     | HIBERIX (PF).....                        | 69     |
| FRUZAQLA.....                                  | 12     | <i>glatiramer</i> .....                       | 37     | <i>homatropaire</i> .....                | 81     |
| <i>full spectrum b-vitamin c</i> .....         | 90     | <i>glatopa</i> .....                          | 37     | HUMALOG JUNIOR<br>KWIKPEN U-100.....     | 57     |
|  |        | GLEOSTINE.....                                | 13     | HUMALOG KWIKPEN<br>INSULIN.....          | 57     |
|  |        | <i>glimepiride</i> .....                      | 59     | HUMALOG MIX 50-50<br>KWIKPEN.....        | 57     |
|  |        | <i>glipizide</i> .....                        | 59     | HUMALOG MIX 75-25<br>KWIKPEN.....        | 57     |
|  |        | <i>glipizide-metformin</i> .....              | 59     | HUMALOG MIX 75-25(U-<br>100)INSULN.....  | 57     |
|  |        | GLUCAGON (HCL)<br>EMERGENCY KIT.....          | 56     | HUMALOG U-100 INSULIN<br>.....           | 57     |
|  |        | <i>glucagon emergency kit</i><br>(human)..... | 56     | HUMATROPE.....                           | 68     |
|  |        | <i>glutamine (sickle cell)</i> .....          | 51     |  |        |
|  |        | <i>glyburide</i> .....                        | 59     |  |        |
|  |        | <i>glyburide micronized</i> .....             | 59     |  |        |
|  |        | <i>glyburide-metformin</i> .....              | 59     |  |        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|   |                                       |        |                                   |        |
|---|---------------------------------------|--------|-----------------------------------|--------|
| HUMULIN 70/30 U-100                     | ILUMYA .....                          | 45     | <i>jantoven</i> .....             | 43     |
| INSULIN.....                            | <i>imatinib</i> .....                 | 13     | JANUMET .....                     | 60     |
| HUMULIN 70/30 U-100                     | IMBRUVICA .....                       | 13     | JANUMET XR.....                   | 60     |
| KWIKPEN .....                           | IMCIVREE.....                         | 51     | JANUVIA.....                      | 60     |
| HUMULIN N NPH INSULIN                   | <i>imipramine hcl</i> .....           | 32     | JARDIANCE.....                    | 60     |
| KWIKPEN .....                           | <i>imiquimod</i> .....                | 71     | <i>jasmiel (28)</i> .....         | 77     |
| HUMULIN N NPH U-100                     | INBRIJA.....                          | 21     | JAYPIRCA .....                    | 13     |
| INSULIN.....                            | <i>incassia</i> .....                 | 74     | <i>jencycla</i> .....             | 74     |
| HUMULIN R REGULAR U-                    | INCRELEX .....                        | 51     | JENTADUETO .....                  | 60     |
| 100 INSULN .....                        | INCRUSE ELLIPTA.....                  | 85     | JENTADUETO XR.....                | 60     |
| HUMULIN R U-500 (CONC)                  | <i>indapamide</i> .....               | 40     | <i>jinteli</i> .....              | 74     |
| INSULIN.....                            | <i>indomethacin</i> .....             | 27, 28 | JOENJA.....                       | 51     |
| HUMULIN R U-500 (CONC)                  | INFANRIX (DTAP) (PF).....             | 69     | <i>jolessa</i> .....              | 77     |
| KWIKPEN .....                           | INGREZZA .....                        | 23     | <i>juleber</i> .....              | 77     |
| HYCAMTIN .....                          | INGREZZA INITIATION                   |        | JULUCA.....                       | 5      |
| <i>hydralazine</i> .....                | PK(TARDIV) .....                      | 23     | <i>junel 1.5/30 (21)</i> .....    | 77     |
| <i>hydrochlorothiazide</i> .....        | INGREZZA SPRINKLE.....                | 23     | <i>junel 1/20 (21)</i> .....      | 77     |
| <i>hydrocodone bitartrate</i> .....     | INLYTA .....                          | 13     | <i>junel fe 1.5/30 (28)</i> ..... | 77     |
| <i>hydrocodone-acetaminophen</i> 25     | INQOVI.....                           | 13     | <i>junel fe 1/20 (28)</i> .....   | 77     |
| <i>hydrocodone-</i>                     | INREBIC .....                         | 13     | <i>junel fe 24</i> .....          | 77     |
| <i>chlorpheniramine</i> .....           | INSULIN SYRINGE-                      |        | JUXTAPID .....                    | 44     |
| <i>hydrocodone-homatropine</i> ...      | NEEDLE U-100 .....                    | 56     | JYNARQUE .....                    | 58     |
| <i>hydrocodone-ibuprofen</i> .....      | INTELENCE .....                       | 5      | JYNNEOS (PF) .....                | 70     |
| <i>hydrocortisone</i> .....             | INTRAROSA .....                       | 75     | <b>K</b>                          |        |
| <i>hydrocortisone acetate</i> .....     | INVEGA HAFYERA.....                   | 32     | <i>kaitlib fe</i> .....           | 77     |
| <i>hydrocortisone butyrate</i> .....    | INVEGA SUSTENNA.....                  | 32     | <i>kalliga</i> .....              | 77     |
| <i>hydrocortisone valerate</i> .....    | INVEGA TRINZA .....                   | 32     | KALYDECO .....                    | 86     |
| <i>hydrocortisone-acetic acid</i> ...54 | IPOL .....                            | 69     | <i>kariva (28)</i> .....          | 77     |
| <i>hydrocortisone-pramoxine</i> ...63   | <i>ipratropium bromide</i> .....      | 53, 86 | <i>kelnor 1/35 (28)</i> .....     | 77     |
| <i>hydromet</i> .....                   | <i>ipratropium-albuterol</i> .....    | 86     | <i>kelnor 1/50 (28)</i> .....     | 78     |
| <i>hydromorphone</i> .....              | IQIRVO .....                          | 63     | KERENDIA.....                     | 40     |
| <i>hydroxychloroquine</i> .....         | <i>irbesartan</i> .....               | 40     | KESIMPTA PEN.....                 | 37     |
| <i>hydroxyurea</i> .....                | <i>irbesartan-hydrochlorothiazide</i> |        | <i>ketoconazole</i> .....         | 3, 49  |
| <i>hydroxyzine hcl</i> .....            | .....                                 | 40     | <i>ketoprofen</i> .....           | 28     |
| <i>hydroxyzine pamoate</i> .....        | ISENTRESS .....                       | 5      | <i>ketorolac</i> .....            | 28, 82 |
| HYFTOR.....                             | ISENTRESS HD .....                    | 5      | <i>ketotifen fumarate</i> .....   | 82     |
| <i>hyoscyamine sulfate</i> .....        | <i>isibloom</i> .....                 | 77     | KEVZARA .....                     | 72     |
| <i>hyosyne</i> .....                    | <i>isoniazid</i> .....                | 8      | KINERET .....                     | 72     |
| HYPHER-SAL.....                         | <i>isosorbide dinitrate</i> .....     | 44     | KINRIX (PF) .....                 | 70     |
| <b>I</b>                                | <i>isosorbide mononitrate</i> .....   | 44     | KISQALI .....                     | 13     |
| <i>ibandronate</i> .....                | <i>isradipine</i> .....               | 40     | <i>klayesta</i> .....             | 49     |
| IBRANCE .....                           | ISTURISA .....                        | 58     | <i>klor-con 10</i> .....          | 89     |
| IBSRELA .....                           | ITOVEBI.....                          | 13     | <i>klor-con 8</i> .....           | 89     |
| <i>ibu</i> .....                        | <i>itraconazole</i> .....             | 3      | <i>klor-con m10</i> .....         | 89     |
| <i>ibuprofen</i> .....                  | <i>ivabradine</i> .....               | 44     | <i>klor-con m15</i> .....         | 89     |
| <i>icatibant</i> .....                  | <i>ivermectin</i> .....               | 8, 47  | <i>klor-con m20</i> .....         | 89     |
| <i>iclevia</i> .....                    | IWILFIN.....                          | 13     | <i>klor-con/ef</i> .....          | 89     |
| ICLUSIG .....                           | <b>J</b>                              |        | KLOXXADO .....                    | 28     |
| <i>icosapent ethyl</i> .....            | <i>jaimiess</i> .....                 | 77     | <i>kobee</i> .....                | 90     |
| IDHIFA .....                            | JAKAFI .....                          | 13     | KOSELUGO.....                     | 13     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|  |    |                                       |        |                                  |    |
|--|----|---------------------------------------|--------|----------------------------------|----|
| <i>kourzeq</i> .....                   | 53 | <i>levocetirizine</i> .....           | 84     | <i>lo-zumandimine (28)</i> ..... | 78 |
| KRAZATI .....                          | 14 | <i>levofloxacin</i> .....             | 9, 81  | <i>lubiprostone</i> .....        | 63 |
| KRINTAFEL.....                         | 8  | <i>levonest (28)</i> .....            | 78     | <i>ludent fluoride</i> .....     | 90 |
| <i>kurvelo (28)</i> .....              | 78 | <i>levonorgestrel</i> .....           | 78     | LULICONAZOLE .....               | 49 |
| KYZATREX .....                         | 58 | <i>levonorgestrel-ethinyl estrad</i>  | 78     | LUMAKRAS.....                    | 14 |
| <b>L</b>                               |    | <i>levonorg-eth estrad triphasic</i>  | 78     | LUMIGAN .....                    | 82 |
| <i>l norgest/e.estradiol-e.estrad</i>  | 78 | <i>levora-28</i> .....                | 78     | LUMRYZ .....                     | 33 |
| <i>labetalol</i> .....                 | 40 | <i>levo-t</i> .....                   | 61     | LUMRYZ STARTER PACK              |    |
| <i>lacosamide</i> .....                | 20 | <i>levothyroxine</i> .....            | 61     | .....                            | 33 |
| <i>lactulose</i> .....                 | 63 | <i>levoxyl</i> .....                  | 61     | LUPKYNIS .....                   | 14 |
| <i>lamivudine</i> .....                | 5  | LIBERVANT .....                       | 20     | LUPRON DEPOT .....               | 14 |
| <i>lamivudine-zidovudine</i> .....     | 5  | <i>lidocaine</i> .....                | 48     | LUPRON DEPOT (3                  |    |
| <i>lamotrigine</i> .....               | 20 | <i>lidocaine hcl</i> .....            | 48     | MONTH) .....                     | 14 |
| LAMPIT .....                           | 8  | <i>lidocaine hcl-hydrocortison ac</i> |        | LUPRON DEPOT (4                  |    |
| LANCETS.....                           | 57 | .....                                 | 63     | MONTH) .....                     | 14 |
| LANCING DEVICE .....                   | 57 | <i>lidocaine viscous</i> .....        | 48     | LUPRON DEPOT (6                  |    |
| <i>lansoprazole</i> .....              | 66 | <i>lidocaine-prilocaine</i> .....     | 48     | MONTH) .....                     | 14 |
| <i>lanthanum</i> .....                 | 89 | <i>lidocan iii</i> .....              | 48     | LUPRON DEPOT-PED .....           | 14 |
| LANTUS SOLOSTAR U-100                  |    | <i>lidocan iv</i> .....               | 48     | LUPRON DEPOT-PED (3              |    |
| INSULIN.....                           | 57 | <i>lidocan v</i> .....                | 48     | MONTH) .....                     | 14 |
| LANTUS U-100 INSULIN..                 | 57 | <i>linezolid</i> .....                | 8      | <i>lurasidone</i> .....          | 33 |
| <i>lapatinib</i> .....                 | 14 | LINZESS.....                          | 63     | <i>luteru (28)</i> .....         | 78 |
| <i>larin 1.5/30 (21)</i> .....         | 78 | <i>liothyronine</i> .....             | 61     | <i>lyleq</i> .....               | 74 |
| <i>larin 1/20 (21)</i> .....           | 78 | <i>lisdexamfetamine</i> .....         | 32     | <i>lyllana</i> .....             | 74 |
| <i>larin 24 fe</i> .....               | 78 | <i>lisinopril</i> .....               | 40     | LYNPARZA.....                    | 14 |
| <i>larin fe 1.5/30 (28)</i> .....      | 78 | <i>lisinopril-hydrochlorothiazide</i> |        | LYSODREN.....                    | 14 |
| <i>larin fe 1/20 (28)</i> .....        | 78 | .....                                 | 40     | LYTGOBI.....                     | 15 |
| <i>latanoprost</i> .....               | 82 | LITFULO .....                         | 52     | <i>lyza</i> .....                | 74 |
| <i>laxative (bisacodyl)</i> .....      | 63 | <i>lithium carbonate</i> .....        | 32     | <b>M</b>                         |    |
| <i>laxative peg 3350</i> .....         | 63 | <i>lithium citrate</i> .....          | 32     | <i>magnesium citrate</i> .....   | 63 |
| <i>layolis fe</i> .....                | 78 | LIVDELZI.....                         | 63     | <i>malathion</i> .....           | 51 |
| LAZCLUZE .....                         | 14 | LIVMARLI .....                        | 63     | <i>maraviroc</i> .....           | 5  |
| LEDIPASVIR-SOFOSBUVIR                  |    | LIVTENCITY .....                      | 5      | <i>marlissa (28)</i> .....       | 78 |
| .....                                  | 5  | LO LOESTRIN FE.....                   | 78     | MARPLAN.....                     | 33 |
| <i>leena 28</i> .....                  | 78 | LODOCO .....                          | 44     | MATULANE.....                    | 15 |
| <i>leflunomide</i> .....               | 72 | <i>lojaimiess</i> .....               | 78     | <i>matzim la</i> .....           | 40 |
| <i>lenalidomide</i> .....              | 14 | LOKELMA .....                         | 89     | MAVENCLAD (10 TABLET             |    |
| LENVIMA .....                          | 14 | LONSURF.....                          | 14     | PACK) .....                      | 37 |
| <i>lessina</i> .....                   | 78 | <i>lopinavir-ritonavir</i> .....      | 5      | MAVENCLAD (4 TABLET              |    |
| <i>letrozole</i> .....                 | 14 | <i>lorazepam</i> .....                | 32     | PACK) .....                      | 37 |
| <i>leucovorin calcium</i> .....        | 10 | <i>lorazepam intensol</i> .....       | 32     | MAVENCLAD (5 TABLET              |    |
| LEUKERAN .....                         | 14 | LORBRENA .....                        | 14     | PACK) .....                      | 37 |
| LEUKINE.....                           | 67 | <i>loryna (28)</i> .....              | 78     | MAVENCLAD (6 TABLET              |    |
| <i>leuprolide</i> .....                | 14 | <i>losartan</i> .....                 | 40     | PACK) .....                      | 37 |
| LEUPROLIDE (3 MONTH) 14                |    | <i>losartan-hydrochlorothiazide</i>   |        | MAVENCLAD (7 TABLET              |    |
| <i>levabuterol hcl</i> .....           | 86 | .....                                 | 40     | PACK) .....                      | 37 |
| <i>levetiracetam</i> .....             | 20 | <i>loteprednol etabonate</i> .....    | 83     | MAVENCLAD (8 TABLET              |    |
| <i>levobunolol</i> .....               | 81 | <i>lovastatin</i> .....               | 44     | PACK) .....                      | 37 |
| <i>levocarnitine</i> .....             | 52 | <i>low-ogestrel (28)</i> .....        | 78     | MAVENCLAD (9 TABLET              |    |
| <i>levocarnitine (with sugar)</i> .... | 51 | <i>loxapine succinate</i> .....       | 32, 33 | PACK) .....                      | 37 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|                                       |        |  |                                    |        |
|---------------------------------------|--------|--|------------------------------------|--------|
| MAVYRET .....                         | 5      | <i>metoprolol ta-hydrochlorothiaz</i>    | <i>mvc-fluoride</i> .....          | 90     |
| <i>maxi-tuss ac</i> .....             | 84     | .....                                    | <i>my choice</i> .....             | 78     |
| MAYZENT .....                         | 37     | <i>metoprolol tartrate</i> .....         | <i>my way</i> .....                | 78     |
| MAYZENT STARTER(FOR                   |        | <i>metronidazole</i> .....8, 47, 48, 75  | MYALEPT .....                      | 58     |
| 1MG MAINT).....                       | 37     | <i>metyrosine</i> .....                  | MYCAPSSA.....                      | 15     |
| MAYZENT STARTER(FOR                   |        | <i>mexiletine</i> .....                  | <i>mycophenolate mofetil</i> ..... | 15     |
| 2MG MAINT).....                       | 37     | <i>mibelas 24 fe</i> .....               | <i>mycophenolate sodium</i> .....  | 15     |
| <i>meclizine</i> .....                | 63     | <i>miconazole-3</i> .....                | MYFEMBREE .....                    | 75     |
| <i>medroxyprogesterone</i> .....      | 74     | MICROCHAMBER.....                        | MYHIBBIN.....                      | 15     |
| <i>mefenamic acid</i> .....           | 28     | <i>microgestin 1.5/30 (21)</i> .....     | MYLERAN .....                      | 15     |
| <i>mefloquine</i> .....               | 8      | <i>microgestin 1/20 (21)</i> .....       | <i>mynatal</i> .....               | 90     |
| <i>megestrol</i> .....                | 15     | <i>microgestin fe 1.5/30 (28)</i> ....   | <i>mynatal plus</i> .....          | 90     |
| MEKINIST.....                         | 15     | <i>microgestin fe 1/20 (28)</i> .....    | <i>mynatal-z</i> .....             | 90     |
| MEKTOVI .....                         | 15     | <i>midazolam</i> .....                   | <b>N</b>                           |        |
| <i>meloxicam</i> .....                | 28     | <i>midodrine</i> .....                   | <i>nabumetone</i> .....            | 28     |
| <i>memantine</i> .....                | 23     | <i>mifepristone</i> .....                | <i>nadolol</i> .....               | 41     |
| MEMANTINE .....                       | 23     | .....58, 75                              | <i>naftifine</i> .....             | 49     |
| MENQUADFI (PF).....                   | 70     | <i>miglitol</i> .....                    | <i>naloxone</i> .....              | 28     |
| MENVEO A-C-Y-W-135-DIP                |        | <i>miglustat</i> .....                   | <i>naltrexone</i> .....            | 28     |
| (PF).....                             | 70     | <i>mili</i> .....                        | <i>naproxen</i> .....              | 28     |
| <i>meperidine</i> .....               | 26     | <i>milk of magnesia</i> .....            | <i>naproxen sodium</i> .....       | 28     |
| <i>meprobamate</i> .....              | 24     | <i>milk of magnesia concentrated</i>     | <i>naratriptan</i> .....           | 22     |
| <i>mercaptapurine</i> .....           | 15     | .....                                    | <i>nasal allergy</i> .....         | 86     |
| <i>meropenem</i> .....                | 8      | <i>mimvey</i> .....                      | NATACYN.....                       | 81     |
| <i>merzee</i> .....                   | 78     | <i>minocycline</i> .....                 | <i>nateglinide</i> .....           | 60     |
| <i>mesalamine</i> .....               | 63, 64 | <i>minoxidil</i> .....                   | <i>natura-lax</i> .....            | 64     |
| MESNEX .....                          | 10     | <i>mirabegron</i> .....                  | NAYZILAM.....                      | 20     |
| <i>metaxalone</i> .....               | 24     | <i>mirtazapine</i> .....                 | <i>nebivolol</i> .....             | 41     |
| <i>metformin</i> .....                | 60     | <i>misoprostol</i> .....                 | <i>necon 0.5/35 (28)</i> .....     | 78     |
| <i>methadone</i> .....                | 26     | M-M-R II (PF).....                       | <i>nefazodone</i> .....            | 33     |
| <i>methadose</i> .....                | 26     | <i>m-natal plus</i> .....                | NEMLUVIO.....                      | 15     |
| <i>methamphetamine</i> .....          | 33     | <i>modafinil</i> .....                   | <i>neomycin</i> .....              | 8      |
| <i>methazolamide</i> .....            | 82     | MODERNA COVID 24-                        | <i>neomycin-bacitracin-poly-hc</i> | 83     |
| <i>methenamine hippurate</i> .....    | 10     | 25(6M-11Y)PF .....                       | <i>neomycin-bacitracin-</i>        |        |
| <i>methenamine mandelate</i> .....    | 10     | <i>moexipril</i> .....                   | <i>polymyxin</i> .....             | 81     |
| <i>methimazole</i> .....              | 55     | <i>mometasone</i> .....                  | <i>neomycin-polymyxin b-</i>       |        |
| <i>methocarbamol</i> .....            | 24     | .....50, 86                              | <i>dexameth</i> .....              | 83     |
| <i>methotrexate sodium</i> .....      | 15     | <i>mondoxylene nl</i> .....              | <i>neomycin-polymyxin-</i>         |        |
| <i>methotrexate sodium (pf)</i> ..... | 15     | <i>mono-lynyah</i> .....                 | <i>gramicidin</i> .....            | 81     |
| <i>methoxsalen</i> .....              | 47     | <i>montelukast</i> .....                 | <i>neomycin-polymyxin-hc</i> ..    | 54, 83 |
| <i>methscopolamine</i> .....          | 61     | <i>morphine</i> .....                    | <i>neo-polycin</i> .....           | 81     |
| <i>methsuximide</i> .....             | 20     | <i>morphine concentrate</i> .....        | <i>neo-polycin hc</i> .....        | 83     |
| <i>methyldopa</i> .....               | 40     | MOTEGRITY .....                          | NERLYNX.....                       | 15     |
| <i>methylergonovine</i> .....         | 80     | MOUNJARO.....                            | <i>neuac</i> .....                 | 48     |
| <i>methylphenidate hcl</i> .....      | 33     | MOVANTIK .....                           | NEULASTA .....                     | 67     |
| <i>methylprednisolone</i> .....       | 54     | <i>moxifloxacin</i> .....                | NEULASTA ONPRO .....               | 67     |
| <i>methyltestosterone</i> .....       | 58     | MRESVIA (PF).....                        | NEUPOGEN.....                      | 67     |
| <i>metoclopramide hcl</i> .....       | 64     | MULPLETA.....                            | NEUPRO .....                       | 21     |
| <i>metolazone</i> .....               | 40     | MULTAQ.....                              | <i>nevirapine</i> .....            | 5      |
| <i>metoprolol succinate</i> .....     | 40     | <i>multi-vitamin with fluoride</i> ...90 | <i>new day</i> .....               | 79     |
|                                       |        | <i>mupirocin</i> .....                   |                                    |        |
|                                       |        | .....48                                  |                                    |        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|                                       |            |  |           |                                      |    |
|---------------------------------------|------------|--|-----------|--------------------------------------|----|
| <i>newgen</i> .....                   | 90         | NOXAFIL .....                          | 3         | OMNIPOD 5                            |    |
| NEXLETOL .....                        | 44         | <i>np thyroid</i> .....                | 61        | INTRO(G6/LIBRE2PLUS)                 |    |
| NEXLIZET.....                         | 44         | NUBEQA .....                           | 15        | .....                                | 57 |
| NGENLA .....                          | 68         | NUCALA .....                           | 86        | OMNIPOD DASH INTRO                   |    |
| <i>niacin</i> .....                   | 44         | NUCYNTA .....                          | 28        | KIT (GEN 4).....                     | 57 |
| NIACOR.....                           | 44         | NUCYNTA ER .....                       | 28        | OMNIPOD DASH PODS                    |    |
| <i>nicorette</i> .....                | 53         | NUEDEXTA .....                         | 23        | (GEN 4).....                         | 57 |
| <i>nicotine</i> .....                 | 53         | NULIBRY .....                          | 23        | OMNITROPE.....                       | 68 |
| <i>nicotine (polacrilex)</i> .....    | 53         | NUPLAZID.....                          | 33        | OMVOH.....                           | 64 |
| NICOTROL NS.....                      | 53         | NURTEC ODT.....                        | 22        | OMVOH PEN .....                      | 64 |
| <i>nifedipine</i> .....               | 41         | NUTROPIN AQ NUSPIN....                 | 68        | <i>ondansetron</i> .....             | 64 |
| <i>nikki (28)</i> .....               | 79         | NUVESSA.....                           | 75        | <i>ondansetron hcl</i> .....         | 64 |
| <i>nilutamide</i> .....               | 15         | <i>nyamyc</i> .....                    | 49        | <i>one daily prenatal</i> .....      | 91 |
| <i>nimodipine</i> .....               | 41         | <i>nylia 1/35 (28)</i> .....           | 79        | <i>onelax magnesium citrate</i> .... | 64 |
| NINLARO.....                          | 15         | <i>nylia 7/7/7 (28)</i> .....          | 79        | ONETOUCH ULTRA                       |    |
| <i>nitazoxanide</i> .....             | 8          | <i>nystatin</i> .....                  | 3, 49     | CONTROL .....                        | 55 |
| <i>nitisinone</i> .....               | 52         | <i>nystatin-triamcinolone</i> .....    | 49        | ONETOUCH ULTRA TEST                  |    |
| <i>nitro-bid</i> .....                | 44         | <i>nystop</i> .....                    | 49        | .....                                | 55 |
| <i>nitrofurantoin</i> .....           | 10         | NYVEPRIA.....                          | 67        | ONETOUCH ULTRA2                      |    |
| <i>nitrofurantoin macrocrystal</i> .  | 10         | <b>O</b>                               |           | METER.....                           | 55 |
| <i>nitrofurantoin monohyd/m-</i>      |            | OALIVA .....                           | 64        | ONETOUCH VERIO FLEX                  |    |
| <i>cryst</i> .....                    | 10         | <i>ocella</i> .....                    | 79        | METER.....                           | 55 |
| <i>nitroglycerin</i> .....            | 44, 45, 64 | <i>octreotide,microspheres</i> .....   | 15        | ONETOUCH VERIO MID                   |    |
| NITYR.....                            | 52         | ODACTRA.....                           | 70        | CONTROL .....                        | 55 |
| NIVESTYM .....                        | 67         | ODEFSEY .....                          | 5         | ONETOUCH VERIO                       |    |
| <i>nizatidine</i> .....               | 66         | ODOMZO .....                           | 15        | REFLECT METER .....                  | 56 |
| <i>nora-be</i> .....                  | 74         | OFEV.....                              | 86        | ONETOUCH VERIO TEST                  |    |
| NORDITROPIN FLEXPPO                   | 68         | <i>ofloxacin</i> .....                 | 9, 54, 81 | STRIPS .....                         | 56 |
| <i>norelgestromin-ethin.estradiol</i> |            | OGSIVEO .....                          | 15        | ONGENTYS.....                        | 21 |
| .....                                 | 75         | OHTUVAYRE .....                        | 86        | ONUREG .....                         | 16 |
| <i>noreth-ethinyl estradiol-iron</i>  | 79         | OJEMDA.....                            | 15, 16    | <i>opcicon one-step</i> .....        | 79 |
| <i>norethindrone (contraceptive)</i>  |            | OJJAARA.....                           | 16        | OPFOLDA.....                         | 58 |
| .....                                 | 74         | <i>olanzapine</i> .....                | 34        | OPILL.....                           | 74 |
| <i>norethindrone acetate</i> .....    | 74         | <i>olanzapine-fluoxetine</i> .....     | 34        | OPSUMIT.....                         | 86 |
| <i>norethindrone ac-eth estradiol</i> |            | <i>olmesartan</i> .....                | 41        | OPSYNVI.....                         | 86 |
| .....                                 | 74, 79     | <i>olmesartan-</i>                     |           | OPTICHAMBER DIAMOND                  |    |
| <i>norethindrone-e.estradiol-iron</i> |            | <i>hydrochlorothiazide</i> .....       | 41        | VHC.....                             | 56 |
| .....                                 | 79         | <i>olopatadine</i> .....               | 53, 82    | <i>option-2</i> .....                | 79 |
| <i>norgestimate-ethinyl estradiol</i> |            | OLPRUVA .....                          | 52        | OPVEE .....                          | 28 |
| .....                                 | 79         | OLUMIANT.....                          | 72        | OPZELURA .....                       | 47 |
| <i>nortrel 0.5/35 (28)</i> .....      | 79         | <i>omega-3 acid ethyl esters</i> ..... | 44        | <i>oral saline laxative</i> .....    | 64 |
| <i>nortrel 1/35 (21)</i> .....        | 79         | <i>omeprazole</i> .....                | 66        | ORALAIR .....                        | 70 |
| <i>nortrel 1/35 (28)</i> .....        | 79         | OMNIPOD 5 (G6/LIBRE 2                  |           | <i>oralone</i> .....                 | 53 |
| <i>nortrel 7/7/7 (28)</i> .....       | 79         | PLUS).....                             | 57        | ORENCIA .....                        | 72 |
| <i>nortriptyline</i> .....            | 33         | OMNIPOD 5 G6-G7 INTRO                  |           | ORENCIA CLICKJECT .....              | 72 |
| NORVIR.....                           | 5          | KT(GEN5).....                          | 57        | ORENITRAM .....                      | 41 |
| NOURIANZ.....                         | 21         | OMNIPOD 5 G6-G7 PODS                   |           | ORENITRAM MONTH 1                    |    |
| NOVAREL.....                          | 58         | (GEN 5) .....                          | 57        | TITRATION KT .....                   | 41 |
| NOVAVAX COVID 2024-                   |            |  |           | ORENITRAM MONTH 2                    |    |
| 25(PF)(EUA).....                      | 70         |  |           | TITRATION KT .....                   | 41 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|                                    |                                       |    |                                       |            |
|------------------------------------|---------------------------------------|----|---------------------------------------|------------|
| ORENITRAM MONTH 3                  | PALYNZIQ .....                        | 59 | <i>pilocarpine hcl</i> .....          | 53, 81     |
| TITRATION KT .....                 | PANCREAZE .....                       | 64 | <i>pimecrolimus</i> .....             | 47         |
| ORFADIN .....                      | PANRETIN .....                        | 47 | <i>pimozide</i> .....                 | 34         |
| ORGOVYX.....                       | <i>pantoprazole</i> .....             | 66 | <i>pimtrea (28)</i> .....             | 79         |
| ORIAHNN .....                      | <i>paricalcitol</i> .....             | 59 | <i>pindolol</i> .....                 | 41         |
| ORLISSA.....                       | <i>paroex oral rinse</i> .....        | 53 | <i>pioglitazone</i> .....             | 60         |
| ORKAMBI.....                       | <i>paramomycin</i> .....              | 8  | <i>pioglitazone-metformin</i> .....   | 60         |
| ORLADEYO.....                      | <i>paroxetine hcl</i> .....           | 34 | PIQRAY .....                          | 16         |
| <i>orphenadrine citrate</i> .....  | PASER.....                            | 8  | <i>pirfenidone</i> .....              | 86         |
| ORSERDU .....                      | PAXLOVID.....                         | 5  | PIRFENIDONE.....                      | 86         |
| <i>oscimin</i> .....               | <i>pazopanib</i> .....                | 16 | <i>piroxicam</i> .....                | 28         |
| <i>oscimin sl</i> .....            | PEDIARIX (PF).....                    | 70 | PLEGRIDY .....                        | 37, 38     |
| <i>oseltamivir</i> .....           | PEDVAX HIB (PF).....                  | 70 | PNEUMOVAX-23 .....                    | 70         |
| OSPHENA .....                      | <i>peg 3350-electrolytes</i> .....    | 64 | <i>pnv-dha</i> .....                  | 91         |
| OTEZLA .....                       | PEGASYS .....                         | 68 | <i>pnv-omega</i> .....                | 91         |
| OTEZLA STARTER.....                | <i>peg-electrolyte soln</i> .....     | 64 | <i>pnv-select</i> .....               | 91         |
| OTREXUP (PF) .....                 | PEMAZYRE .....                        | 16 | POCKET CHAMBER.....                   | 56         |
| OVIDREL .....                      | PEN NEEDLE, DIABETIC ..               | 57 | <i>podofilox</i> .....                | 47         |
| <i>oxaprozin</i> .....             | PENBRAYA (PF) .....                   | 70 | <i>polycin</i> .....                  | 81         |
| <i>oxazepam</i> .....              | <i>penciclovir</i> .....              | 49 | <i>polyethylene glycol 3350</i> ..... | 65         |
| <i>oxcarbazepine</i> .....         | <i>penicillamine</i> .....            | 72 | <i>polymyxin b sulf-trimethoprim</i>  |            |
| OXERVATE .....                     | <i>penicillin v potassium</i> .....   | 9  | .....                                 | 81         |
| <i>oxiconazole</i> .....           | PENTACEL (PF) .....                   | 70 | POMALYST.....                         | 16         |
| OXLUMO .....                       | <i>pentamidine</i> .....              | 8  | PONVORY .....                         | 38         |
| <i>oxybutynin chloride</i> .....   | PENTASA .....                         | 64 | <i>portia 28</i> .....                | 79         |
| <i>oxycodone</i> .....             | <i>pentazocine-naloxone</i> .....     | 28 | <i>posaconazole</i> .....             | 3          |
| <i>oxycodone-acetaminophen</i> ... | <i>pentoxifylline</i> .....           | 43 | <i>potassium chloride</i> .....       | 89         |
| OXYCONTIN .....                    | <i>perindopril erbumine</i> .....     | 41 | <i>potassium citrate</i> .....        | 89         |
| <i>oxymorphone</i> .....           | <i>perlogard</i> .....                | 53 | <i>powderlax</i> .....                | 65         |
| OZEMPIC .....                      | <i>permethrin</i> .....               | 51 | <i>pr natal 400</i> .....             | 91         |
| <b>P</b>                           | <i>perphenazine</i> .....             | 34 | <i>pr natal 400 ec</i> .....          | 91         |
| <i>pacerone</i> .....              | <i>perphenazine-amitriptyline</i> ..  | 34 | <i>pr natal 430</i> .....             | 91         |
| PALFORZIA (LEVEL 0)....            | PERSERIS.....                         | 34 | <i>pr natal 430 ec</i> .....          | 91         |
| PALFORZIA (LEVEL 1)....            | PERTZYE .....                         | 64 | <i>pramipexole</i> .....              | 21         |
| PALFORZIA (LEVEL 2)....            | PFIZER COVID 2024-25(5Y-              |    | <i>prasugrel hcl</i> .....            | 43         |
| PALFORZIA (LEVEL 3)....            | 11Y)PF .....                          | 70 | <i>pravastatin</i> .....              | 44         |
| PALFORZIA (LEVEL 4)....            | PFIZER COVID 2024-                    |    | <i>praziquantel</i> .....             | 8          |
| PALFORZIA (LEVEL 5)....            | 25(6MO-4Y)PF .....                    | 70 | <i>prazosin</i> .....                 | 41         |
| PALFORZIA (LEVEL 6)....            | PHEBURANE.....                        | 52 | <i>prednicarbate</i> .....            | 50         |
| PALFORZIA (LEVEL 7)....            | <i>phenazopyridine</i> .....          | 89 | <i>prednisolone</i> .....             | 54         |
| PALFORZIA (LEVEL 8)....            | <i>phenelzine</i> .....               | 34 | <i>prednisolone acetate</i> .....     | 83         |
| PALFORZIA (LEVEL 9)....            | <i>phenobarbital</i> .....            | 20 | <i>prednisolone sodium</i>            |            |
| PALFORZIA (LEVEL 10)...            | <i>phenoxybenzamine</i> .....         | 41 | <i>phosphate</i> .....                | 54, 55, 83 |
| PALFORZIA INITIAL (1-3             | <i>phenylephrine hcl</i> .....        | 83 | <i>prednisone</i> .....               | 55         |
| YRS).....                          | <i>phenytoin</i> .....                | 20 | <i>pregabalin</i> .....               | 20         |
| PALFORZIA INITIAL (4-17            | <i>phenytoin sodium extended</i> ..   | 20 | PREGNYL.....                          | 59         |
| YRS).....                          | <i>philith</i> .....                  | 79 | PREMARIN .....                        | 74         |
| PALFORZIA LEVEL 11                 | <i>phosphate laxative</i> .....       | 64 | PREMPHASE.....                        | 74         |
| MAINTENANCE.....                   | <i>phytonadione (vitamin k1)</i> .... | 43 | PREMPRO .....                         | 74         |
| <i>paliperidone</i> .....          | PIFELTRO .....                        | 5  | <i>prenatabs fa</i> .....             | 91         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



|  |    |   |        |                                       |        |
|--|----|---|--------|---------------------------------------|--------|
| <i>prenatabs rx</i> .....                      | 91 | <i>purelax</i> .....                          | 65     | REVCOVI.....                          | 52     |
| <i>prenatal</i> .....                          | 91 | <i>pyrazinamide</i> .....                     | 9      | REVLIMID.....                         | 16     |
| <i>prenatal complete</i> .....                 | 91 | <i>pyridostigmine bromide</i> .....           | 24     | REXTOVY.....                          | 28     |
| <i>prenatal multi-dha (algal oil)</i><br>..... | 91 | PYRIDOSTIGMINE<br>BROMIDE.....                | 24     | REXULTI.....                          | 34     |
| <i>prenatal multivitamins</i> .....            | 91 | <i>pyrimethamine</i> .....                    | 9      | REYATAZ.....                          | 5      |
| <i>prenatal one daily</i> .....                | 91 | PYRUKYND.....                                 | 52     | REYVOW.....                           | 22     |
| <i>prenatal plus</i> .....                     | 91 | <b>Q</b>                                      |        | REZDIFFRA.....                        | 52     |
| <i>prenatal plus (calcium carb)</i>            | 91 | QELBREE.....                                  | 34     | REZLIDHIA.....                        | 16     |
| <i>prenatal vit no.179-iron-folic</i><br>..... | 91 | QINLOCK.....                                  | 16     | REZUROCK.....                         | 16     |
| <i>prenatal vitamin</i> .....                  | 91 | QUADRACEL (PF).....                           | 71     | <i>ribavirin</i> .....                | 5, 6   |
| <i>prenatal vitamin with minerals</i><br>..... | 91 | <i>quetiapine</i> .....                       | 34     | RIDAURA.....                          | 72     |
| <i>prenatal-u</i> .....                        | 91 | <i>quinapril</i> .....                        | 41     | <i>rifabutin</i> .....                | 9      |
| PRETOMANID.....                                | 8  | <i>quinapril-hydrochlorothiazide</i><br>..... | 41     | <i>rifampin</i> .....                 | 9      |
| <i>prevalite</i> .....                         | 44 | <i>quinidine gluconate</i> .....              | 38     | <i>riluzole</i> .....                 | 52     |
| PREVNAR 20 (PF).....                           | 70 | <i>quinine sulfate</i> .....                  | 9      | <i>rimantadine</i> .....              | 6      |
| PREVYMIS.....                                  | 5  | <i>quit 2</i> .....                           | 53     | RINVOQ.....                           | 73     |
| PREZCOBIX.....                                 | 5  | <i>quit 4</i> .....                           | 53     | RINVOQ LQ.....                        | 72     |
| PREZISTA.....                                  | 5  | QULIPTA.....                                  | 22     | <i>risedronate</i> .....              | 52, 71 |
| PRIFTIN.....                                   | 8  | QVAR REDIHALER.....                           | 86     | <i>risperidone</i> .....              | 35     |
| <i>primaquine</i> .....                        | 9  | <b>R</b>                                      |        | <i>risperidone microspheres</i> ..... | 35     |
| <i>primidone</i> .....                         | 20 | <i>rabeprazole</i> .....                      | 66     | RITEFLO AEROCHAMBER<br>.....          | 56     |
| PRIORIX (PF).....                              | 71 | RADICAVA ORS STARTER<br>KIT SUSP.....         | 23     | <i>ritonavir</i> .....                | 6      |
| <i>probenecid</i> .....                        | 71 | RAGWITEK.....                                 | 71     | <i>rivastigmine</i> .....             | 23     |
| <i>probenecid-colchicine</i> .....             | 71 | <i>raloxifene</i> .....                       | 71     | <i>rivastigmine tartrate</i> .....    | 23     |
| <i>prochlorperazine</i> .....                  | 65 | <i>ramelteon</i> .....                        | 34     | RIVFLOZA.....                         | 89     |
| <i>prochlorperazine maleate</i> .....          | 65 | <i>ramipril</i> .....                         | 41     | <i>rizatriptan</i> .....              | 22     |
| PROCRIT.....                                   | 67 | <i>ranolazine</i> .....                       | 44     | <i>roflumilast</i> .....              | 86     |
| PROCTOFOAM HC.....                             | 65 | <i>rasagiline</i> .....                       | 21     | ROLVEDON.....                         | 68     |
| <i>procto-med hc</i> .....                     | 65 | RASUVO (PF).....                              | 72     | <i>ropinirole</i> .....               | 22     |
| <i>proctosol hc</i> .....                      | 65 | RAVICTI.....                                  | 52     | <i>rosadan</i> .....                  | 48     |
| <i>proctozone-hc</i> .....                     | 65 | REBIF (WITH ALBUMIN).....                     | 38     | <i>rosuvastatin</i> .....             | 44     |
| PROCYSBI.....                                  | 89 | REBIF REBIDOSE.....                           | 38     | ROTARIX.....                          | 71     |
| <i>progesterone</i> .....                      | 75 | REBIF TITRATION PACK.....                     | 38     | ROTATEQ VACCINE.....                  | 71     |
| <i>progesterone micronized</i> .....           | 75 | <i>reclipsen (28)</i> .....                   | 79     | ROZLYTREK.....                        | 16     |
| PROMACTA.....                                  | 43 | RECOMBIVAX HB (PF).....                       | 71     | RUBRACA.....                          | 16     |
| <i>promethazine</i> .....                      | 84 | RECORLEV.....                                 | 59     | RUCONEST.....                         | 86     |
| <i>promethazine-codeine</i> .....              | 84 | REGANEX.....                                  | 47     | <i>rufinamide</i> .....               | 20     |
| <i>promethazine-dm</i> .....                   | 84 | RELEUKO.....                                  | 67, 68 | RUKOBIA.....                          | 6      |
| <i>promethazine-phenylephrine</i>              | 84 | RELISTOR.....                                 | 65     | RYBELSUS.....                         | 56, 60 |
| <i>promethegan</i> .....                       | 84 | RENACIDIN.....                                | 89     | RYDAPT.....                           | 16     |
| <i>propafenone</i> .....                       | 38 | <i>rena-vite</i> .....                        | 91     | RYKINDO.....                          | 35     |
| <i>proparacaine</i> .....                      | 82 | <i>repaglinide</i> .....                      | 60     | <b>S</b>                              |        |
| <i>propranolol</i> .....                       | 41 | REPATHA PUSHTRONEX.....                       | 44     | <i>sajazir</i> .....                  | 86     |
| <i>propylthiouracil</i> .....                  | 55 | REPATHA SURECLICK.....                        | 44     | <i>salsalate</i> .....                | 28     |
| PROQUAD (PF).....                              | 71 | REPATHA SYRINGE.....                          | 44     | SANDOSTATIN LAR<br>DEPOT.....         | 16     |
| <i>protriptyline</i> .....                     | 34 | RETACRIT.....                                 | 68     | SANTYL.....                           | 51     |
| PULMOZYME.....                                 | 86 | RETEVMO.....                                  | 16     | <i>sapropterin</i> .....              | 59     |
|  |    |   |        | SAVELLA.....                          | 73     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|   |        |                                       |        |                                       |        |
|---|--------|---------------------------------------|--------|---------------------------------------|--------|
| SCSEMBLIX.....                          | 16     | SOMAVERT .....                        | 59     | <i>sumatriptan succinate</i> .....    | 22, 23 |
| <i>scopolamine base</i> .....           | 65     | <i>sorafenib</i> .....                | 17     | <i>sunitinib malate</i> .....         | 17     |
| <i>selegiline hcl</i> .....             | 22     | <i>sotalol</i> .....                  | 38     | SUNLENCA.....                         | 6      |
| <i>selenium sulfide</i> .....           | 45     | <i>sotalol af</i> .....               | 38     | SUNOSI.....                           | 35     |
| SELZENTRY .....                         | 6      | SOTYKTU .....                         | 45     | <i>super b maxi complex</i> .....     | 91     |
| <i>se-natal 19</i> .....                | 91     | SOVALDI .....                         | 6      | <i>super b-50 complex</i> .....       | 91     |
| <i>se-natal 19 chewable</i> .....       | 91     | SPACE CHAMBER.....                    | 56     | <i>super quints</i> .....             | 91     |
| SEREVENT DISKUS .....                   | 86     | SPEVIGO .....                         | 45     | SUPPRELIN LA .....                    | 17     |
| SEROSTIM .....                          | 68     | SPIKEVAX 2024-2025(12Y                |        | <i>syeda</i> .....                    | 79     |
| <i>sertraline</i> .....                 | 35     | UP)(PF) .....                         | 71     | SYMDEKO .....                         | 86     |
| <i>setlakin</i> .....                   | 79     | <i>spinosad</i> .....                 | 51     | SYMLINPEN 120 .....                   | 60     |
| <i>sevelamer carbonate</i> .....        | 89     | SPIRIVA RESPIMAT.....                 | 86     | SYMLINPEN 60 .....                    | 60     |
| <i>sf 53</i>                            |        | <i>spironolactone</i> .....           | 41     | SYMPROIC.....                         | 65     |
| <i>sf 5000 plus</i> .....               | 53     | <i>spironolacton-</i>                 |        | SYMTUZA.....                          | 6      |
| <i>sharobel</i> .....                   | 75     | <i>hydrochlorothiaz</i> .....         | 41     | SYNAGIS.....                          | 6      |
| SHINGRIX (PF).....                      | 71     | SPRAVATO .....                        | 35     | SYNAREL.....                          | 59     |
| SIGNIFOR .....                          | 16     | <i>sprintec (28)</i> .....            | 79     | SYNDROS .....                         | 65     |
| <i>sildenafil (pulm.hypertension)</i>   |        | <i>sps (with sorbitol)</i> .....      | 89     | SYNJARDY .....                        | 60     |
| .....                                   | 86     | <i>sronyx</i> .....                   | 79     | SYNJARDY XR.....                      | 60     |
| SILIQ.....                              | 45     | <i>ssd</i> .....                      | 46     | SYNTHROID .....                       | 61     |
| <i>silodosin</i> .....                  | 88     | <i>st joseph aspirin</i> .....        | 28     | <b>T</b>                              |        |
| <i>silver sulfadiazine</i> .....        | 46     | <i>st. joseph aspirin</i> .....       | 28     | TABLOID.....                          | 17     |
| SIMLANDI(CF).....                       | 73     | STELARA .....                         | 45, 46 | TABRECTA .....                        | 17     |
| SIMLANDI(CF)                            |        | STIMUFEND .....                       | 68     | <i>tacrolimus</i> .....               | 17, 47 |
| AUTOINJECTOR.....                       | 73     | STIOLTO RESPIMAT.....                 | 86     | <i>tadalafil</i> .....                | 88     |
| <i>simliya (28)</i> .....               | 79     | STIVARGA.....                         | 17     | <i>tadalafil (pulm. hypertension)</i> |        |
| <i>simpeesse</i> .....                  | 79     | <i>stop smoking aid</i> .....         | 53     | .....                                 | 86     |
| SIMPONI .....                           | 73     | STRENSIQ.....                         | 59     | TADLIQ .....                          | 87     |
| <i>simvastatin</i> .....                | 44     | <i>stress formula with iron</i> ..... | 91     | TAFINLAR .....                        | 17     |
| <i>sirolimus</i> .....                  | 16     | <i>stress formula with iron(sulf)</i> | 91     | <i>tafluprost (pf)</i> .....          | 82     |
| SIVEXTRO .....                          | 9      | STRIBILD .....                        | 6      | TAGRISO.....                          | 17     |
| SKYCLARYS .....                         | 23     | STRIVERDI RESPIMAT ...                | 86     | TAKHZYRO .....                        | 87     |
| SKYRIZI .....                           | 45, 65 | SUBLOCADE .....                       | 26     | TALTZ AUTOINJECTOR ..                 | 46     |
| SKYTROFA.....                           | 68     | <i>subvenite</i> .....                | 21     | TALTZ AUTOINJECTOR (2                 |        |
| <i>smoothlax</i> .....                  | 65     | SUCRAID .....                         | 65     | PACK) .....                           | 46     |
| <i>sodium chloride</i> .....            | 52, 86 | <i>sucralfate</i> .....               | 66     | TALTZ AUTOINJECTOR (3                 |        |
| <i>sodium fluoride 5000 plus</i> ...    | 54     | SULCONAZOLE .....                     | 49     | PACK) .....                           | 46     |
| <i>sodium fluoride-pot nitrate</i> ...  | 54     | <i>sulfacetamide sodium</i> .....     | 83     | TALTZ SYRINGE .....                   | 46     |
| SODIUM OXYBATE .....                    | 35     | <i>sulfacetamide sodium (acne)</i>    | 48     | TALZENNA.....                         | 17     |
| <i>sodium phenylbutyrate</i> .....      | 52     | <i>sulfacetamide sodium-sulfur</i>    | 48     | <i>tamoxifen</i> .....                | 17     |
| <i>sodium polystyrene sulfonate</i>     | 89     | <i>sulfacetamide-prednisolone</i> ..  | 83     | <i>tamsulosin</i> .....               | 88     |
| SOFOSBUVIR-                             |        | <i>sulfacleanse 8-4</i> .....         | 48     | <i>tarina 24 fe</i> .....             | 79     |
| VELPATASVIR.....                        | 6      | <i>sulfadiazine</i> .....             | 9      | <i>tarina fe 1/20 (28)</i> .....      | 79     |
| SOGROYA.....                            | 68     | <i>sulfamethoxazole-trimethoprim</i>  |        | <i>taron-c dha</i> .....              | 91     |
| SOHONOS .....                           | 52     | .....                                 | 9      | TARPEYO.....                          | 55     |
| <i>solifenacin</i> .....                | 88     | SULFAMYLON.....                       | 48     | TASIGNA.....                          | 17     |
| SOLQUA 100/33 .....                     | 57     | <i>sulfasalazine</i> .....            | 65     | <i>tasimelteon</i> .....              | 35     |
| SOLTAMOX.....                           | 17     | <i>sulfatrim</i> .....                | 10     | <i>tavaborole</i> .....               | 49     |
| <i>soluvita</i> .....                   | 91     | <i>sulindac</i> .....                 | 28     | TAVALISSE .....                       | 43     |
| <i>soluvita a,c,d with fluoride</i> ... | 91     | <i>sumatriptan</i> .....              | 22     | TAVNEOS .....                         | 52     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|  |        |   |    |  |        |
|--|--------|---|----|--|--------|
| <i>tazarotene</i> .....                    | 48     | <i>torpenz</i> .....                    | 17 | <i>trimethobenzamide</i> .....         | 65     |
| TAZVERIK.....                              | 17     | <i>torse mide</i> .....                 | 41 | <i>trimethoprim</i> .....              | 10     |
| TDVAX.....                                 | 71     | TOUJEO MAX U-300                        |    | <i>tri-mili</i> .....                  | 80     |
| <i>telmisartan</i> .....                   | 41     | SOLOSTAR.....                           | 57 | <i>trimipramine</i> .....              | 35     |
| <i>temazepam</i> .....                     | 35     | TOUJEO SOLOSTAR U-300                   |    | <i>trinatal rx 1</i> .....             | 91     |
| <i>temozolomide</i> .....                  | 17     | INSULIN.....                            | 57 | <i>trinate</i> .....                   | 92     |
| <i>tencon</i> .....                        | 26     | TRACLEER.....                           | 87 | TRINTELLIX.....                        | 35     |
| TENIVAC (PF).....                          | 71     | TRADJENTA.....                          | 60 | TRIPTODUR.....                         | 17     |
| <i>tenofovir disoproxil fumarate</i> ..... | 6      | <i>tramadol</i> .....                   | 28 | <i>tri-sprintec (28)</i> .....         | 80     |
| TEPMETKO.....                              | 17     | <i>tramadol-acetaminophen</i> .....     | 28 | TRIUMEQ.....                           | 6      |
| <i>terazosin</i> .....                     | 41     | <i>trandolapril</i> .....               | 41 | TRIUMEQ PD.....                        | 6      |
| <i>terbinafine hcl</i> .....               | 3      | <i>trandolapril-verapamil</i> .....     | 41 | <i>tri-vitamin with fluoride</i> ..... | 92     |
| <i>terbutaline</i> .....                   | 87     | <i>tranexamic acid</i> .....            | 75 | <i>trivora (28)</i> .....              | 80     |
| <i>terconazole</i> .....                   | 75     | <i>tranylcypramine</i> .....            | 35 | <i>tri-vylibra</i> .....               | 80     |
| <i>teriflunomide</i> .....                 | 38     | <i>travoprost</i> .....                 | 82 | <i>tri-vylibra lo</i> .....            | 80     |
| <i>teriparatide</i> .....                  | 72     | <i>trazodone</i> .....                  | 35 | <i>tropicamide</i> .....               | 81     |
| TERIPARATIDE.....                          | 72     | TRECTOR.....                            | 9  | <i>trospium</i> .....                  | 88     |
| <i>testosterone</i> .....                  | 59     | TRELEGY ELLIPTA.....                    | 87 | TRULANCE.....                          | 65     |
| <i>testosterone cypionate</i> .....        | 59     | TRELSTAR.....                           | 17 | TRULICITY.....                         | 60     |
| <i>testosterone enanthate</i> .....        | 59     | TREMFYA.....                            | 46 | TRUMENBA.....                          | 71     |
| <i>tetrabenazine</i> .....                 | 24     | TREMFYA PEN.....                        | 46 | TRUQAP.....                            | 17     |
| <i>tetracaine hcl</i> .....                | 82     | TRESIBA FLEXTOUCH U-                    |    | TRUSTEX-RIA NON-LUB                    |        |
| TETRACAINE HCL (PF).....                   | 82     | 100.....                                | 57 | CONDOMS.....                           | 73     |
| <i>tetracycline</i> .....                  | 10     | TRESIBA FLEXTOUCH U-                    |    | TRYVIO.....                            | 44     |
| TEZSPIRE.....                              | 87     | 200.....                                | 58 | TUKYSA.....                            | 17     |
| THALOMID.....                              | 17     | TRESIBA U-100 INSULIN.....              | 58 | <i>tulana</i> .....                    | 75     |
| <i>theophylline</i> .....                  | 87     | <i>tretinoin</i> .....                  | 48 | TURALIO.....                           | 17     |
| <i>thioridazine</i> .....                  | 35     | <i>tretinoin (antineoplastic)</i> ..... | 17 | <i>turqoz (28)</i> .....               | 80     |
| <i>thiothixene</i> .....                   | 35     | <i>triamcinolone acetonide 50, 51,</i>  |    | TUXARIN ER.....                        | 84     |
| <i>tiadylt er</i> .....                    | 41     | 54, 87                                  |    | TWINRIX (PF).....                      | 71     |
| <i>tiagabine</i> .....                     | 21     | <i>triamterene</i> .....                | 41 | TYBOST.....                            | 6      |
| TIBSOVO.....                               | 17     | <i>triamterene-hydrochlorothiazid</i>   |    | TYENNE.....                            | 73     |
| <i>tilia fe</i> .....                      | 79     | .....                                   | 41 | TYENNE AUTOINJECTOR                    |        |
| <i>timolol maleate</i> .....               | 41, 81 | <i>triazolam</i> .....                  | 35 | .....                                  | 73     |
| <i>tinidazole</i> .....                    | 9      | <i>tricon</i> .....                     | 91 | TYMLOS.....                            | 72     |
| <i>tiopronin</i> .....                     | 52     | <i>triderm</i> .....                    | 51 | TYVASO.....                            | 87     |
| <i>tiotropium bromide</i> .....            | 87     | <i>trientine</i> .....                  | 52 | TYVASO DPI.....                        | 87     |
| TIVICAY.....                               | 6      | TRIENTINE.....                          | 52 | TYVASO REFILL KIT.....                 | 87     |
| TIVICAY PD.....                            | 6      | <i>tri-estarylla</i> .....              | 79 | TYVASO STARTER KIT ...                 | 87     |
| <i>tizanidine</i> .....                    | 24     | <i>trifluoperazine</i> .....            | 35 | U                                      |        |
| TOBI PODHALER.....                         | 9      | <i>trifluridine</i> .....               | 81 | UBRELVY.....                           | 23     |
| <i>tobramycin</i> .....                    | 9, 81  | <i>trihexyphenidyl</i> .....            | 22 | UDENYCA.....                           | 68     |
| <i>tobramycin in 0.225 % nacl</i> ...      | 9      | TRIJARDY XR.....                        | 60 | UDENYCA AUTOINJECTOR                   |        |
| <i>tobramycin-dexamethasone</i> .....      | 83     | TRIKAFTA.....                           | 87 | .....                                  | 68     |
| <i>tolcapone</i> .....                     | 22     | <i>tri-legest fe</i> .....              | 79 | UDENYCA ONBODY.....                    | 68     |
| <i>tolmetin</i> .....                      | 28     | <i>tri-linyah</i> .....                 | 80 | <i>unithroid</i> .....                 | 61     |
| <i>tolterodine</i> .....                   | 88     | <i>tri-lo-estarylla</i> .....           | 80 | UPTRAVI.....                           | 41     |
| <i>tolvaptan</i> .....                     | 59     | <i>tri-lo-marzia</i> .....              | 80 | <i>ursodiol</i> .....                  | 65     |
| <i>topiramate</i> .....                    | 21     | <i>tri-lo-mili</i> .....                | 80 | UZEDY.....                             | 35, 36 |
| <i>toremifene</i> .....                    | 17     | <i>tri-lo-sprintec</i> .....            | 80 |  |        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|  |        |  |
|--|--------|--|
| <b>V</b>                                       |        |  |
| VABOMERE .....                                 | 9      |  |
| <i>valacyclovir</i> .....                      | 6      |  |
| VALCHLOR .....                                 | 47     |  |
| <i>valganciclovir</i> .....                    | 6      |  |
| <i>valproic acid</i> .....                     | 21     |  |
| <i>valproic acid (as sodium salt)</i><br>..... | 21     |  |
| <i>valsartan</i> .....                         | 42     |  |
| <i>valsartan-hydrochlorothiazide</i><br>.....  | 42     |  |
| VALTOCO .....                                  | 21     |  |
| <i>valtya</i> .....                            | 80     |  |
| <i>vanadom</i> .....                           | 24     |  |
| <i>vancomycin</i> .....                        | 10     |  |
| <i>vandazole</i> .....                         | 75     |  |
| VANFLYTA .....                                 | 17     |  |
| VAQTA (PF) .....                               | 71     |  |
| <i>varenicline tartrate</i> .....              | 53     |  |
| VARIVAX (PF) .....                             | 71     |  |
| VARUBI .....                                   | 65     |  |
| VAXELIS (PF) .....                             | 71     |  |
| VAXNEUVANCE (PF) .....                         | 71     |  |
| <i>velivet triphasic regimen (28)</i><br>..... | 80     |  |
| VELPHORO .....                                 | 89     |  |
| VELSIPITY .....                                | 65     |  |
| VELTASSA .....                                 | 52, 89 |  |
| VEMLIDY .....                                  | 6      |  |
| VENCLEXTA .....                                | 17, 18 |  |
| VENCLEXTA STARTING<br>PACK .....               | 18     |  |
| <i>venlafaxine</i> .....                       | 36     |  |
| VENTAVIS .....                                 | 87     |  |
| VENTOLIN HFA .....                             | 87     |  |
| <i>venxxiva</i> .....                          | 52     |  |
| <i>verapamil</i> .....                         | 42     |  |
| VERQUVO .....                                  | 44     |  |
| VERZENIO .....                                 | 18     |  |
| <i>vestura (28)</i> .....                      | 80     |  |
| V-GO 20 .....                                  | 57     |  |
| V-GO 30 .....                                  | 57     |  |
| V-GO 40 .....                                  | 57     |  |
| VIBERZI .....                                  | 65     |  |
| <i>vienva</i> .....                            | 80     |  |
| <i>vigabatrin</i> .....                        | 21     |  |
| <i>vigadrone</i> .....                         | 21     |  |
| VIGAFYDE .....                                 | 21     |  |
| <i>vigpoder</i> .....                          | 21     |  |
| VIJOICE .....                                  | 18     |  |
| <i>vilazodone</i> .....                        | 36     |  |
| VIOKACE .....                                  | 65     |  |
| <i>viorele (28)</i> .....                      | 80     |  |
| VIRACEPT .....                                 | 6      |  |
| VIREAD .....                                   | 6      |  |
| VISTOGARD .....                                | 10     |  |
| <i>vitamin b complex-folic acid</i> .....      | 92     |  |
| <i>vitamins a,c,d and fluoride</i> .....       | 92     |  |
| VITRAKVI .....                                 | 18     |  |
| VIVITROL .....                                 | 29     |  |
| VIVJOA .....                                   | 3      |  |
| VIZIMPRO .....                                 | 18     |  |
| <i>volnea (28)</i> .....                       | 80     |  |
| VONJO .....                                    | 18     |  |
| VORANIGO .....                                 | 18     |  |
| <i>voriconazole</i> .....                      | 3      |  |
| VORTEX HOLDING<br>CHAMBER .....                | 56     |  |
| VOSEVI .....                                   | 6      |  |
| VOWST .....                                    | 65     |  |
| VOXZOGO .....                                  | 59     |  |
| VOYDEYA .....                                  | 52     |  |
| VUMERITY .....                                 | 38     |  |
| <i>vyfemla (28)</i> .....                      | 80     |  |
| <i>vylibra</i> .....                           | 80     |  |
| VYNDAMAX .....                                 | 44     |  |
| VYNDAQEL .....                                 | 44     |  |
| VYVANSE .....                                  | 36     |  |
| <b>W</b>                                       |        |  |
| WAINUA .....                                   | 24     |  |
| WAKIX .....                                    | 36     |  |
| <i>warfarin</i> .....                          | 43     |  |
| WELIREG .....                                  | 18     |  |
| <i>wera (28)</i> .....                         | 80     |  |
| <i>wescap-c dha</i> .....                      | 92     |  |
| <i>wesnatal dha complete</i> .....             | 92     |  |
| <i>westab plus</i> .....                       | 92     |  |
| WIDE-SEAL DIAPHRAGM<br>.....                   | 73     |  |
| WINREVAIR .....                                | 87     |  |
| <i>wixela inhub</i> .....                      | 87     |  |
| <i>women's gentle laxative(bisac)</i><br>..... | 66     |  |
| <i>wymzya fe</i> .....                         | 80     |  |
| <b>X</b>                                       |        |  |
| XACIATO .....                                  | 75     |  |
| XADAGO .....                                   | 22     |  |
| XALKORI .....                                  | 18     |  |
| XARELTO .....                                  | 43     |  |
| XARELTO DVT-PE TREAT<br>30D START .....        | 43     |  |
| XCOPRI .....                                   | 21     |  |
| XCOPRI MAINTENANCE<br>PACK .....               | 21     |  |
| XCOPRI TITRATION PACK<br>.....                 | 21     |  |
| XDEMVY .....                                   | 82     |  |
| XELJANZ .....                                  | 73     |  |
| XELJANZ XR .....                               | 73     |  |
| XEPI .....                                     | 48     |  |
| XERMELO .....                                  | 18     |  |
| XHANCE .....                                   | 87     |  |
| XIFAXAN .....                                  | 9      |  |
| XIGDUO XR .....                                | 60     |  |
| XIIDRA .....                                   | 82     |  |
| XOFLUZA .....                                  | 6      |  |
| XOLAIR .....                                   | 87, 88 |  |
| XOLREMDI .....                                 | 68     |  |
| XOSPATA .....                                  | 18     |  |
| XPOVIO .....                                   | 18     |  |
| XTAMPZA ER .....                               | 26     |  |
| XTANDI .....                                   | 18     |  |
| <i>xulane</i> .....                            | 75     |  |
| XULTOPHY 100/3.6 .....                         | 58     |  |
| XURIDEN .....                                  | 52     |  |
| XYWAV .....                                    | 36     |  |
| <b>Y</b>                                       |        |  |
| YONSA .....                                    | 18     |  |
| YORVIPATH .....                                | 59     |  |
| <i>yuvafem</i> .....                           | 75     |  |
| <b>Z</b>                                       |        |  |
| <i>zafemy</i> .....                            | 75     |  |
| <i>zafirlukast</i> .....                       | 88     |  |
| <i>zaleplon</i> .....                          | 36     |  |
| <i>zarah</i> .....                             | 80     |  |
| ZARXIO .....                                   | 68     |  |
| <i>zatean-pn dha</i> .....                     | 92     |  |
| <i>zatean-pn plus</i> .....                    | 92     |  |
| ZAVZPRET .....                                 | 23     |  |
| ZEJULA .....                                   | 18     |  |
| ZELBORAF .....                                 | 18     |  |
| <i>zenatane</i> .....                          | 48     |  |
| ZENPEP .....                                   | 66     |  |
| <i>zenzedi</i> .....                           | 36     |  |
| ZEPATIER .....                                 | 6      |  |
| ZEPOSIA .....                                  | 24     |  |
| ZEPOSIA STARTER KIT (28-<br>DAY) .....         | 24     |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

|                              |                           |    |                               |    |
|------------------------------|---------------------------|----|-------------------------------|----|
| ZEPOSIA STARTER PACK         | ZOKINVY .....             | 52 | <i>zovia 1-35 (28)</i> .....  | 80 |
| (7-DAY) .....                | ZOLADEX .....             | 19 | ZTALMY .....                  | 21 |
| <i>zidovudine</i> .....      | ZOLINZA.....              | 19 | <i>zumandimine (28)</i> ..... | 80 |
| ZIEXTENZO.....               | <i>zolmitriptan</i> ..... | 23 | ZURZUVAE.....                 | 36 |
| ZILBRYSQ .....               | <i>zolpidem</i> .....     | 36 | ZYDELIG.....                  | 19 |
| <i>zileuton</i> .....        | ZOMACTON .....            | 68 | ZYKADIA.....                  | 19 |
| ZIMHI .....                  | <i>zonisamide</i> .....   | 21 | ZYMFENTRA.....                | 66 |
| <i>ziprasidone hcl</i> ..... | ZONTIVITY .....           | 43 | ZYPREXA RELPREVV 36, 37       |    |
| ZIRGAN.....                  | ZORYVE.....               | 46 |                               |    |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

PAGE INTENTIONALLY LEFT BLANK

## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-882-8633. Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-882-8633. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-800-882-8633。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-800-882-8633。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-882-8633. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-882-8633. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-800-882-8633 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-882-8633. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-882-8633 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-882-8633. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-800-882-8633. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-882-8633 पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-882-8633. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-882-8633. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-882-8633. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-882-8633. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-800-882-8633 にお電話ください。日本語を話す人 者が支援いたします。これは無料のサービスです。